MIL-P-60134(MU)
21 December 1964

MILITARY SPECIFICATION

PERISCOPE, TANK: XM47

1. SCOPE

1.1 This specification covers one type of unity-power daylight periscope which provides a 50-degree horizontal and 14-degree vertical field of view (see 6.1)

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

Military

MIL-P-14232	Parts, Equipment and Tools for Ordnance Materiel, Packaging of
MIL-H-60132	Head Assembly, Tank Periscope: 10513625
MIL-B-60133	Body Assembly, Tank Periscope: 10513620

STANDARDS

Military

MIL-STD-109	Quality Assurance Terms and Definitions

DRAWINGS

U.S. Army Munitions Command

F8599700	Periscope, Tank: XM47

PACKAGING DATA SHEET

MIL-P-14232/P8599700	Packaging of Periscope, Tank: XM47

(Copies of specifications, standards, drawings and packaging data sheets required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6650

3. REQUIREMENTS

3.1 Fabrication.- The periscope shall be manufactured in accordance with Drawing F8599700 and drawings pertaining thereto.

3.2 Head assembly.- The head assembly shall conform to MIL-H-60132.

3.3 Body assembly.- The body assembly shall conform to MIL-B-60133.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 General provisions.- The quality assurance provisions of this specification and of other documents referenced herein form the basis for inspection to be performed by the supplier. Definitions of inspection terms not otherwise defined herein shall be as listed in MIL-STD-109.

4.2 Inspection provisions.

4.2.1 Examination and tests.- Examination and tests related to Section 3 herein shall be performed on a 100 percent basis. Examinations and tests for Packaging, Packing and Marking shall be in accordance with Specification MIL-P-14232 and Section 5 herein. The Government reserves the right to inspect for any applicable requirement, and to reject individual non-conforming items.

4.2.2 Disposition of non-conforming product.- Disposition of rejected items supplied by the Government shall be as specified by the Contracting Officer (see 6.2(e) Disposition of rejected items not supplied by the Government shall be repaired or corrected and resubmitted for inspection with the approval of, and in the manner specified by, the Government Representative.

4.3 Test methods and procedures.

4.3.1 Fabrication.- The periscope shall be visually examined to determine conformance with 3.1.

4.3.2 Head assembly.- Each head assembly shall show evidence that it has met the requirements of MIL-H-60132 as specified in 3.2. The head assembly shall also be visually examined for defects and physical damage that may have resulted from handling or shipment.

4.2.3 Body assembly - Each body assembly shall show evidence that it has met the requirements of MIL-B-60133 as specified in 3.3. The body assembly shall also be visually examined for defects and physical damage that may have resulted from handling or shipment

5 PREPARATION FOR DELIVERY

5.1 Packaging, packing and marking - Packaging, packing and marking shall be in accordance with MIL-P-14232 and Packaging Data Sheet MIL-P-14232/P8599700. The level of protection shall be as specified in the procurement document

6. NOTES

6.1 Intended use. - The XM47 Tank Periscope is primarily intended for use as a tank driver's viewing instrument in the XM551 Vehicle

6.2 Ordering data - Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Applicable packaging data sheet number (see 5 1).
(c) Selection of applicable levels of preservation, packaging and packing.
(d) Applicable stock number
(e) Disposition of rejected items (see 4 2.2)

Custodian:

Army - MU

Preparing activity

Army - MU

Project No. 6650-A146Y

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. [illegible]

INSTRUCTIONS

[illegible] personnel [illegible] use [illegible] ment of products [illegible] ultimate use [illegible] use [illegible] information [illegible] use of this specification which [illegible] products can be procured with a [illegible] and at the least cost. Comments [illegible] form will be appreciated. [illegible] on [illegible] reverse side, staple in corner, and send to [illegible] as indicated on reverse hereof.

[illegible] (Of submitter) | CITY AND STATE

[illegible] | QUANTITY OF ITEMS PROCURED | DOLLAR AMOUNT
$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863 WHICH IS OBSOLETE PLATE NO. 15419

FOLD

DEPARTMENT OF THE NAVY

POSTAGE AND FEE
NAVY DEPARTM

OFFICIAL BUSINESS

COMMANDING OFFICER
U.S. ARMY MUNITIONS COMMAND
ATTN: SMUFA-N1100
PHILADELPHIA, PA. 19137

FOLD