
MILITARY SPECIFICATION SHEET

TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 44TB

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the terminal boards described herein shall consist of this document and the latest issue of Specification MIL-T-55164.



INCHES	MM
.005	.13
.031	.79
.060	1.52
.086	2.18
.094	2.39
.125	3.18
.171	4.34
.187	4.75
.203	5.16
.219	5.56
.250	6.35
.375	9.52
.406	10.31

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is .xxx±.016.
4. Drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

© denotes changes.

FSC 5940

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:33Z
Check the source to verify that this is the current version before use.

Ⓒ

Type designation	Dimensions 1/ A±.031(.79)	Dimensions 1/ B +.031 (.79) -.062 (1.57)	Terminal board lugs	National stock number
				NSN 5940-00-
44TB1 2/	.500(12.70)	.750(19.05)		431-8620
44TB2	.750(19.05)	1.000(25.40)		736-7395
44TB3	1.000(25.40)	1.250(31.75)		736-7681
44TB4	1.250(31.75)	1.500(38.10)		736-7742
44TB5	1.500(38.10)	1.750(44.45)		736-8002
44TB6	1.750(44.45)	2.000(50.80)		737-1094
44TB7	2.000(50.80)	2.250(57.15)		737-1293
44TB8	2.250(57.15)	2.500(63.50)		737-1517
44TB9	2.500(63.50)	2.750(69.85)		737-1575
44TB10	2.750(69.85)	3.000(76.20)		737-1919
44TB11	3.000(76.20)	3.250(82.55)	TBLD44	737-2034
44TB12	3.250(82.55)	3.500(88.90)	TBLS44	737-2071
44TB13	3.500(88.90)	3.750(95.25)		737-2076
44TB14	3.750(95.25)	4.000(101.60)		737-3587
44TB15	4.000(101.60)	4.250(107.95)		737-4881
44TB16	4.250(107.95)	4.500(114.30)		737-5624
44TB17 2/	4.500(114.30)	4.750(120.65)		737-5625
44TB18	4.750(120.65)	5.000(127.00)		737-5626
44TB19 2/	5.000(127.00)	5.250(133.35)		737-5692
44TB20	5.250(133.35)	5.500(139.70)		737-5726
44TB21 2/	5.500(139.70)	5.750(146.05)		737-5830
44TB22	5.750(146.05)	6.000(152.40)		737-5831

1/ Dimensions are in inches with the metric equivalents shown in parentheses.
2/ Not to be used for new design.

REQUIREMENTS:

Dimensions and configuration: See figure and table.

Voltage rating (maximum): 150 volts.

Current rating: 5 amperes.

ⒸMolded material: Type GDI-30F per MIL-M-14.

Terminal and mounting plate material: Alloy 752 per QQ-C-585, unplated.

Dielectric withstanding test voltage: 2,000 volts rms.

Custodians:
Army - EL
Navy - SH
Air Force - 99

Review activities:
Army - MU
Navy - OS, EC
Air Force - 17
DLA- GS

User activities:
Army - AT, AV
Navy - MC, AS
Air Force -

Preparing activity:
Army - EL

Agent:
DLA - ES

(Project 5940-0811

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:33Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-T-55164/27C TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 4LTB

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

ESC-FM 1068-68

To detach this form, cut along this line

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:33Z
Check the source to verify that this is the current version before use.

FOLD

Department of the Army
Headquarters
U.S.Army Electronics Command
Fort Monmouth, New Jersey 07703

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding General
U.S.Army Electronics Command
ATTN: ~~AMSEL-XX~~ DRSEL-RD-TS
Fort Monmouth, New Jersey 07703

To detach this form, cut along this line

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:33Z
Check the source to verify that this is the current version before use.