MIL-C-24231/24C(SHIPS)
30 August 1976
SUPERSEDING
MIL-C-24231/24B(SHIPS)
15 January 1970


MILITARY SPECIFICATION SHEET

CONNECTOR, SINGLE CABLE, THREE-CONDUCTOR, FOR THOF-9 CABLE

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the single cable connector described herein shall consist of this document and the latest issue of MIL-C-24231(SHIPS).

ASSEMBLY, SINGLE CABLE CONNECTOR
3 PIN, FOR THOF-9 CABLE
M24231/24-001 SYM. NO 517.13



ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED TOLERANCES ARE ± 1/64 INCH FOR FRACTIONS AND ± 0.005 INCH FOR DECIMALS ANGULAR TOLERANCE IS ± 1/2 DEGREE

RECEPTACLE ASSEMBLY M24231/24-001 IS SIMILAR TO RECEPTACLE ASSEMBLY M24231/9-001 EXCEPT INSERT ASSEMBLY M24231/9-010 IS REPLACED BY INSERT ASSEMBLY M24231/24-010

SINGLE CABLE CONNECTOR ASSEMBLY SAME AS M24231/9-001 EXCEPT AS SHOWN


IH869

© Denotes changes


FSC 5935

Source: https://assist.dla.mil -- Downloaded: 202640-19T20:18Z
Check the source to verify that this is the current version before use.

ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ±1/64 INCH FOR FRACTIONS AND ±0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE IS ±1/2 DEGREE



ASSEMBLY, INSERT, MOLDED
3 PIN, SIZE 12
M24231/24-010



PLATE, IDENTIFICATION M24231/24-020

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:18Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Dimensions and configuration: See figure.
2. Pin contact shall be Bendix Aviation Corporation, size 12, solder type, Bendix Part Number 10-33646, or equal, with silver plate followed by gold plate not less than C.0001 inch thick. Contact submitted as equal shall be approved by the procuring activity.
3. Cable THCF-9 shall be in accordance with MIL-C-915/6.

Preparing activity:
Navy - SH
(Project 5935-N842-24)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:18Z
Check the source to verify that this is the current version before use.