
MILITARY SPECIFICATION SHEET

CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, FOR TYPE 2SWF CABLES

This specification is approved for use within the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the multi-pin receptacle described herein shall consist of this specification and the latest issue of MIL-C-24231.



SH 9694

FIGURE 1. Connector, multi-pin receptacle.

AMSC N/A FSC 5935

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:19Z
Check the source to verify that this is the current version before use.

REQUIREMENT:

1. Dimensions and configuration: See figure.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:19Z
Check the source to verify that this is the current version before use.

TABLE I. Parts list.

Item 1/ no.	Description 2/	Quantity for M24231/27- 3/ 001	002	003	Material/specification	Remarks
01	Connector, receptacle, symbol no. 1271	1			-----	See figure 1
02	Connector, receptacle, symbol no. 1271.1		1		-----	See figure 1
03	Connector, receptacle, symbol no. 1271.2			1	-----	See figure 1
04	Body, receptacle	1	1	1	M24231/14-010	See figure 1
05	Insert, molded	1			M24231/26-020	See figure 1
06	Insert, molded		1		M24231/26-030	See figure 1
07	Insert, molded			1	M24231/26-040	See figure 1
08	Gasket, O-ring	1	1	1	MS28775-329	Lubricate with silicone compound MIL-S-8660, see figure 1
09	Gasket, O-ring	1	1	1	MS28775-220	See item 08
10	Insert	1	1	1	M24231/5-077	See figure 1
11	Pin, guide	1	1	1	M24231/12-012	See figure 1
12	Cap, pressure-proof	1	1	1	M24231/14-011	See figure 1
13	Ring, retaining	1	1	1	M24231/10-041	See figure 1

See footnotes at top of next page.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:19Z
Check the source to verify that this is the current version before use.

1/ Item numbers are the same as encircled numbers shown on figures.
2/ See applicable figure or table listed in remarks column for part numbers and dimensions.
3/ Quantity is for one complete assembly of each size.

NOTES:

1. All dimensions are in inches.
2. Unless otherwise indicated, tolerances shall be as follows:

   (a) Decimals - plus or minus 0.005 inch.
   (b) Fractions - plus or minus 1/64 inch.
   (c) Angular dimensions - plus or minus 1/2 degree.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Preparing activity:
Navy - SH
(Project 5935-N279-27)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:19Z
Check the source to verify that this is the current version before use.