[INCH-POUND]
A-A-59775/3
21 June 2005

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

OIL DRIP PAN, WITH PAD

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

The complete requirements for procuring the oil pan, drip, square, with pad, described herein shall consist of this document and the issue in effect of CID A-A-59775.

CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see NOTES).

A-A-59775	/03	-	001
CID number	Applicable CID sheet (two digits)		Dash number

SALIENT CHARACTERISTICS.

Interface and physical dimensions. Oil pan, drip, with pad, supplied to this CID shall be as specified herein (see figure 1).

Size. The physical dimensions of this oil drip pan are: length: 10 inches (25.4 cm), width: 10 inches (25.4 cm), height: 3 inches (7.62 cm).

Optional designs. Figure 1 is for identification purposes only and is not intended to restrict designs or shapes not dimensioned.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:26Z
Check the source to verify that this is the current version before use.

Absorbent pad. Oil pan, drip comes with an insertable absorbent pad that is used to absorb steady streams of non-aggressive fluids.




FIGURE 1. Drip pan w/ pillow.

NOTES.

PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See classification information for PIN format example.

TABLE I. PIN dash numbers.

A-A-59775	/03	001	Plastic *
		002	Metal *
		003	Corrosion resistant *
		004	Absorbent pad

* Without pad

Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

Distributor's CAGE	Distributor's name and address
1LLB3	Northern Tool + Equipment 2800 Southcross Drive West Burnsville, Minnesota 55306 Phone: 952-894-9510 Fax: 952-894-1020 Dansc@NorthernTool.com http://www.northerntool.com

Part number (P/N) supersession data. These CID PINs supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:26Z
Check the source to verify that this is the current version before use.

TABLE II. P/N supersession data.

Dash number (see table I) A-A-59775/03-	MFR's CAGE	MFR's P/N 1/
001	1LLB3	1095096

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown. For actual part marking requirements see the marking paragraph.

National stock number (NSN). The following is a list of NSN's assigned which correspond to this CID. The list is for information only and may not be indicative of all possible NSN's associated with the CID. For up to date information on assigned NSN's, please contact the aforementioned DSCC office (See A-A-59775).

MILITARY INTERESTS:

Custodians:
Army - AR
Navy - SH
Air Force - 99
DLA - CC

Review activities:
Army - AT
Navy - AS, CG, MC, NP, SA, YD
Air Force - 71

CIVIL AGENCY AND COORDINATING ACTIVITY:

GSA-FSS

Preparing Activity:

DLA - CC

Project 4910-2005-009

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:26Z
Check the source to verify that this is the current version before use.