MILITARY SPECIFICATION

DRAFTING EQUIPMENT SET, TOPOGRAPHIC

BATTALION, PHOTOMAPPING COMPANY, PACKAGING OF

1. SCOPE

1.1 This specification covers the requirements for preservation, packaging, packing, and marking of a Drafting Equipment Set, Topographic Battalion, Photomapping Company (SC 6675-93-CL-E04).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

R-N-91	- Napthalene, Technical.
AA-F-359	- Filing Cabinet; Steel, Legal and Letter Size, Vertical.
AA-T-91	- Table, Steel, General Office.
GG-T-635	- Drawing Boards or Drawing Boards and Trestles.
GG-T-35	- Table, Drawing; Table, Tracing, Drafting.
QQ-S-781	- Steel, Strapping, Flat.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	- Box, Fiberboard.

Military

MIL-C-104	- Crates, Wood, Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-P-116	- Preservation, Methods of.
MIL-S-2410	- Sketchmaster, Oblique, 60-Degree, Plotting Scale Range 1/4 to 1, with Case.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:28Z
Check the source to verify that this is the current version before use.

MIL-C-3774	- Crates, Wood; Open, 12,000- and 16,000-Pound Capacity.
MIL-S-10145	- Sketchmaster, Vertical, with Case.
MIL-P-11411	- Projector, Vertical Reflecting, Photogrammetric (Autofocus).
MIL-T-14159	- Table, Drawing, Tracing, Drafting, Drawing and Scribing.
MIL-H-15424	- Hand Tools; Packaging of.
MIL-P-52307	- Plotter, Rectangular Coordinates, (Coordinatograph).
MIL-G-52367	- Generator Sets, Gasoline Engine Driven, 3.0 KW, Alternating-Current, Air-Cooled, Portable, Tubular Frame, Skid-Shock-Mounted.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking and Waterproofing; with Appropriate Test Methods.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the current version before use.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Association, Inc., 1616 P Street, NW, Washington, D.C. 20036.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified to prove, prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification (see 6.3). Examination shall be as specified herein.

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.3 Preservation and packaging. Preservation and packaging shall be level A or C as specified.

3.3.1 Level A.

3.3.1.1 Methods. Methods of preservation specified herein shall conform to the requirements of MIL-P-116.

3.3.1.2 Compass bars, cotton, curve set, cutter, electric erasers, magnifiers, map measurers, powder, protractor, drafting ruler, steel plotting scales, scribers, pencil sharpeners, slide rules, staplers, T-squares, tape, and water color sets. Each item, package, set, box or roll as applicable shall be individually preserved method IC-1.

3.3.1.3 Burnishers, drafting curves, rubber erasers, steel erasers, pencil lead, line guides, needles, pen points, pen sets, pencils, penholders, scribing points, drafting scales, wood and plastic plotting scales, erasing shields, staples, stones, straightedges, drafting templates, thumbtacks, triangles, tweezers and twine. Items of like description shall be preserved together method IC-1 in quantities specified for each set.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the current version before use.

3.3.1.4 Beam compasses, pivot compasses, dividers, drafting sets, paperweights, lens paper and pencil pointers. Items of like description shall be preserved together method IC-2 in commercial containers or close-fitting boxes conforming to PPP-B-636, type CF, class domestic, variety SW, grade 125, in quantities specified for each set.

3.3.1.5 Cardboard, tracing cloth, writing paper pads, drawing paper, graph paper, tracing paper, cheesecloth, muslin cloth and plastic sheets. The cardboard shall be wrapped with commercial kraft paper, 30 pound basic weight, to form a 100-sheet unit package. The pads of graph paper shall be wrapped with commercial kraft paper, 30 pound basic weight, to form a 12-pad unit package. The cheesecloth, muslin cloth and sheet-form plastic sheets shall be rolled to a minimum size roll. Each package or roll as applicable shall be individually preserved method IC-1.

3.3.1.6 Drawing ink and opaque. Items of like description, in quantities specified for each set, shall be packaged together in a close-fitting box conforming to PPP-B-636, W5c, style optional. Fiberboard separators shall be used to separate the bottles or jars within the box. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.7 Filing cabinets, filing cabinet bases and filing cabinet tops. Filing cabinets shall be preserved and packaged in accordance with AA-F-359, level A. Each top and base for the map and plan size cabinets shall be individually packaged in a close-fitting box conforming to PPP-B-636, W6c, W5c or V3c as applicable, style optional. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.8 Knife blades, knives, steel rules, shears and pin vise. These items shall be preserved and packaged in accordance with MIL-H-15424, level A.

3.3.1.9 Drawing boards and trestles. The drawing boards and trestles shall be preserved and packaged in accordance with GG-D-635, level A.

3.3.1.10 Artist's brushes. The artist brushes of like description shall be placed in commercial-type artist brush envelopes. The envelope containing the brushes shall contain a minimum of three balls or equivalent quantity of flake napthalene conforming to R-N-91. The envelopes shall then be preserved method IC-1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

3.3.1.11 Dusting brushes. The dusting brushes shall be preserved together in a close-fitting box conforming to PPP-B-636, W6c, style optional. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.12 Paint brushes. The bristle end of each brush shall have a double thickness wrap of 30-pound basic weight commercial kraft paper. The wrap shall be folded back over the bristle and secured to the brush handle with tape. The brushes shall then be preserved together in a close-fitting box conforming to PPP-B-636, W6c, style optional. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.13 Building board and plywood. Items of like description shall be strapped together in quantities specified for each set. Edge protectors shall be provided to prevent damage to the edges. Strapping shall conform to QQ-S-781, type I, class B, .023 by 1/2 inch wide.

3.3.1.14 Generator set. The generator set shall be preserved, packaged and packed in accordance with MIL-G-52367, level A, except that the box shall be domestic type and strapping shall not be required.

3.3.1.15 Fluorescent and incandescent lamps. Lamps of like description shall be preserved together in a close-fitting box conforming to PPP-B-636, W6c, W5c or V3c as applicable. Blocking, cushioning, or separators as applicable shall be provided to separate the lamps within the container. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.16 Desk lights. Each light shall be preserved individually in a close-fitting box conforming to PPP-B-636, W6c or W5c as applicable. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.17 Microscopes. Each microscope shall be preserved individually method IIb. The microscope case shall be the inner container and the outer container shall conform to PPP-B-636, W6c, style optional. After closure, the outer container shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.18 Plotter. The plotter shall be preserved, packaged, and packed in accordance with MIL-P-52307, level A, except that packing boxes shall be domestic type and strapping shall not be required.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the current version before use.

3.3.1.19 Projectors. Each projector shall be preserved and packaged in accordance with MIL-P-11411, level A, except that boxes shall be domestic type and strapping shall not be required.

3.3.1.20 Sketchmasters. Each oblique sketchmaster shall be preserved, packaged, and packed in accordance with MIL-S-2410, level A, except that the sketchmasters shall be packed together in domestic type packing boxes and strapping shall not be required. The vertical sketchmasters shall be preserved, packaged, and packed in accordance with MIL-S-10145, level A, except that packing boxes shall be domestic type and strapping shall not be required.

3.3.1.21 Revolving stools, folding leg tables and toolboxes. Stool seats shall be lowered to the minimum height. Table legs shall be folded and secured. Each of these items shall be preserved individually in a close-fitting box conforming to PPP-B-636, W6c, W5c or V3c as applicable, style optional. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.22 Paper trimmers. Unprotected metal surfaces requiring a contact preservative in accordance with MIL-P-116 shall be coated with type P-1 preservative. The preservative shall conform to the requirements of and shall be applied in accordance with MIL-P-116. Each trimmer shall be packaged in a close-fitting box conforming to PPP-B-636, W5c, style optional. Fiberboard blocking shall be provided to prevent movement of the trimmer within the box. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.23 Tracing tables. Each table shall be preserved, packaged, and packed in accordance with GG-T-35, level A, except that packing boxes shall be domestic type and strapping shall not be required.

3.3.1.24 Office tables. Each table shall be preserved, packaged, and packed in accordance with AA-T-91, level A, except that boxes shall be domestic type and strapping shall not be required.

3.3.1.25 Drawing and scribing tables. Each table shall be preserved, packaged, and packed in accordance with MIL-T-14159, level A, except that boxes shall be domestic type and strapping shall not be required.

3.3.1.26 Intermediate and consolidated packaging. Components shall be intermediate and consolidated packaged in close-fitting boxes conforming to PPP-B-621, class 1, style optional or PPP-B-601, domestic

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:28Z
Check the source to verify that this is the current version before use.

type, style optional, of shape, size, and packaging arrangement best suited to comply with the packing requirements specified herein. Strapping of boxes shall not be required.

3.3.2 Level C. The components of each complete drafting equipment set shall be preserved and packaged to afford adequate protection against deterioration and damage during shipment from the supplier to the initial destination for immediate use.

3.4 Packing. Packing shall be level A, B, or C, as specified.

3.4.1 Level A. The components of the set, preserved and packaged as specified in 3.3, shall be packed in a minimum number of crates conforming to MIL-C-104, type I, class 1 or 2, style a. The crate dimensions shall not exceed 20 feet long, 8 feet wide, and 8 feet high (inside dimensions). Inasfar as practical, the crates shall be of equal weight, equal cube, and equal dimensions. Blocking, bracing, and anchoring of the contents within the crate shall be in accordance with the crate specification and MIL-STD-1186. Strapping shall be zinc coated.

3.4.2 Level B. The components of the set, preserved and packaged as specified in 3.3, shall be packed as specified for level A, except the crates shall conform to MIL-C-3774, type I, style A. Strapping is not required to be zinc coated.

3.4.3 Level C. The components of the set, preserved and packaged as specified in 3.3, shall be packed or prepared for shipment in a manner to assure carrier acceptance and safe delivery to destination at the lowest ratings of the carrier and, as a minimum, shall comply with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order, packages and shipping containers shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Workmanship shall be such as to provide maximum protection to the set components by application of the requirements specified herein to prevent corrosion, deterioration, and mechanical or physical damage to the components during handling, shipment, and storage.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:28Z
Check the source to verify that this is the currentversion before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.3.2 Test. The preproduction pack shall be subjected to the railroad car guided impact test as specified in appendix A to MIL-STD-1186. The railcar shall strike a string of five empty cars with draft gear extended and the brakes set. The speed of the car at impact shall be not less than 10 miles per hour or not more than 11 miles per hour. Shifting of contents, loosening or breaking of anchoring, blocking, or bracing within the crate shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in three stages as follows:

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into consolidated containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

(b) The second stage shall include inspection of closure and marking of consolidated containers, and the arrangement and blocking and bracing of consolidated containers in the shipping containers.
(c) The third stage shall include inspection of the closed, strapped, and marked shipping containers as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stage that will comprise a complete pack shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. Acceptable quality level (AQL) shall be 2.5 percent defective.

Table I. Classification of defects

No.	Defect	Level A	Level B	Level C
101.	Materials, methods, or containers not as specified. Each incorrect material, method or container shall constitute one defect.	X	X	-
102.	Boxes not waterproof sealed as specified.	X	-	-
103.	Components not preserved in accordance with referenced documents as specified.	X	-	-
104.	Edge protectors not provided for building board and plywood.	X	-	-
105.	Blocking, cushioning, or separators not provided as specified.	X	-	-
106.	Contact preservative not applied in accordance with the referenced document as specified.	X	-	-
107.	Intermediate or consolidated packaging not as specified.	X	-	-
108.	Strapping not zinc coated.	X	-	-
109.	Crate dimensions not as specified.	X	X	-
110.	Blocking, bracing, or anchoring not as specified.	X	X	-
111.	Marking, illegible, incomplete, incorrect or missing.	X	X	X

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification).

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a Drafting Equipment Set, Topographic Battalion, Photomapping Company (FSN 6675-641-3615) for Map (FSN 6675-926-1242).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6675-A136

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-D-52665(ME) Drafting Equipment Set, Topographic Battalion, Photomapping Company, Packaging Of

ORGANIZATION

CITY AND STATE | CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY RESTRICTIONS ON PROCUREMENT, USE, OR RESALE

3. IS THE SPECIFICATION RESTRICTIVE?

YES NO (If "Yes", in what way?)

4. REMARKS (Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.)

SUBMITTED BY (Printed or typed name and activity) (Optional)

DD FORM 1426

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. A. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: SMEFB-RDE-KX
FORT BELVOIR, VIRGINIA 22060

OFFICIAL BUSINESS

POSTAGE AND FEES PAID

DEPARTMENT OF THE ARMY
U. S. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: SMEFB-RDE-KX
FORT BELVOIR, VIRGINIA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.