MILITARY STANDARD

MIL STD-1320-180
(NAVY)


o APRIL 1977

TRUCKLOADING

CARTRIDGE 20 MM, MK 100 SERIES (NOT LINKED)
FOR MK 11 OR MK 12 GUN
IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0
DOMESTIC UNIT LOAD

UNIT LOAD DATA

LENGTH	49
WIDTH	40
HEIGHT	35 1/4
CUBE	40 CU FT
WEIGHT (APPROX.)	3424 LBS
DOT HAZARD CLASSIFICATION	SEE TABLE IX
UNIT LOAD DWG	78-5748[illegible]



INDEX

ITEM	PAGE
GENERAL NOTES	1
FTL & LTL NOTES	2
LOAD TABLES	3
TYPICAL LOADS	5 & 6

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARD MIL-STD-[illegible]

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

TECHNICAL DIRECTION AGENT (TDA) DATE

AIRSYSCOM AIR DIRECTION DATE

ORIGINATOR DATE

NAVAL WEAPONS HANDLING CENTER
[illegible]

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT PROVIDES DETAILED INSTRUCTIONS FOR TRUCKLOADING DOMESTIC UNIT LOADS OF THE MK 100 SERIES 20MM CARTRIDGES (NOT LINKED) IN THE SMALL ARMS AMMUNITION BOX MK 1 MOD 0 THE UNIT LOAD SHALL BE IN ACCORDANCE WITH WR 53/874

2 THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40, 42, 44 AND 45 FT TRAILERS WITH BOTH NAILABLE AND NON NAILABLE FLOORS THE TRAILER AXLES SHALL BE LOCATED IN THE WESTERN POSITION (AT THE EXTREME REAR OF THE TRAILER)

3 WHEN THE SPACE AT THE REAR OF THE LOAD IS LESS THAN 12 INCHES USE DETAIL D PAGE 4 FOR THE REAR BLOCKING WHEN THE SPACE IS BETWEEN 12 AND 36 INCHES USE DETAIL B PAGE 4 DO NOT USE TRAILERS WITH ROLL UP DOORS WHEN BLOCKING BY THIS METHOD

4 THE REAR BLOCKING ASSEMBLIES DETAIL B OR D, SHALL FILL THE SPACE BETWEEN THE LADING AND THE TRAILER DOORS WHEN THE DOORS ARE CLOSED

5 WHEN THE TRAILER HAS NON-NAILABLE FLOORS AND/OR SLEEPERS PIECES 8 AND 9 CAN NOT BE USED SUBSTITUTE SIDE BLOCKING ASSEMBLY DETAIL C THE ASSEMBLY SHALL FILL THE VOID BETWEEN THE LADING AND TRAILER SIDE WALLS A SLIP FIT MAY BE USED PROVIDED THE CUMULATIVE SLACK BETWEEN THE UNIT LOAD AND THE TRAILER WALLS DOES NOT EXCEED ONE INCH

6 WHEN THE TRAILER HAS NON NAILABLE FLOORS AND/OR SLEEPER PIECE 7 CAN NOT BE USED SUBSTITUTE SWAY BRACE ASSEMBLY DETAIL E INSERT SUPPORTS AGAINST INBOARD SIDE OF VERTICAL SUPPORTS POSITION STRINGERS AGAINST VERTICAL SUPPORTS AND NAIL IN PLACE WITH THREE 10d NAILS

7 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS

8 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS TO INSIDE OF TRAILER IN AN ACCESSIBLE AREA CLOSE AND SEAL TRAILER DOORS ATTACH APPROPRIATE PLACARD FOR THE TYPE OF 20MM CARTRIDGE BEING SHIPPED TO BOTH SIDES FRONT AND BACK OF TRAILER (SEE TABLE IX PAGE 4)

9 APPLICABLE MATERIAL SPECIFICATIONS DUNNAGE LUMBER MM-L-751 NAILS FF-N-105 TYPE II STYLE 10 COMMON BRIGHT STRAPPING QQ-S-781, TYPE I CLASS A PLYWOOD COMMERCIAL STANDARD CS 45 GRADE INTERIOR C-D

10 FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

FTL AND LTL 40, 42, 44 & 45 FT TRAILERS (VAN)

WARNING

THIS STANDARD PROVIDES FOR INCREASED LOADINGS WHICH PRODUCE HEAVIER GROSS TANDEM AXLE WEIGHTS AND GROSS VEHICLE WEIGHTS THESE INCREASED WEIGHTS ARE NOT AUTHORIZED IN ALL 50 STATES BEFORE LOADING MORE THAN 12 UNIT LOADS IN A TRAILER DETERMINE THAT THE LIMITATIONS OF THE NOTES FOR TABLES I II & III ARE MET

1 TABLES I II AND III PROVIDE THE CORRECT LOAD PATTERNS FOR THE LENGTH OF THE TRAILER BEING LOADED AND THE ALLOWABLE GROSS TANDEM AXLE WEIGHT AND GROSS VEHICLE WEIGHTS

2 TO DETERMINE THE CORRECT LOAD PATTERN TO USE SELECT THE CORRECT TABLE FOR THE LENGTH OF TRAILER BEING LOADED OPPOSITE THE NUMBER OF UNIT LOADS TO BE LOADED FIND THE CORRECT LOAD PATTERN MAKE CERTAIN THAT THE QUANTITY BEING SHIPPED IS COMPATIBLE WITH THE TRACTOR-TRAILER WEIGHT AND THE WEIGHT LAWS OF THE STATES THROUGH WHICH THE SHIPMENT IS ROUTED BLOCK AND BRACE USING THE PRINCIPLES SHOWN ON PAGES 5 & 6

NOTE

LIGHTWEIGHT TRACTOR-TRAILER - TARE WEIGHT OF TRAILER TANDEM AXLES 6,800 LBS MAXIMUM AND THE DRIVE TANDEM AXLES 10,500 LBS MAXIMUM

STANDARD WEIGHT TRACTOR-TRAILER - TARE WEIGHT OF TRAILER TANDEM AXLES 7,800 LBS MAXIMUM AND THE DRIVE TANDEM AXLES 11,500 LBS MAXIMUM

THE ABOVE MAXIMUM WEIGHTS MAY BE ADJUSTED WHEN EXPERIENCE INDICATES THAT THE WEIGHT RESTRICTIONS CAN BE MET

3 THE TRUCKLOAD SHOWN ON PAGE 5 DOES NOT LIMIT SHIPMENT TO THE NUMBER OF UNIT LOADS SHOWN IT IS PRESENTED TO SHOW THE BASIC PRINCIPLES OF BLOCKING ONLY THE LOAD PATTERN TABLES SHOW THE CORRECT NUMBER OF UNIT LOADS FOR THE LENGTH AND WEIGHT OF THE TRAILER BEING LOADED AND THE WEIGHT RESTRICTIONS OF THE ROUTING


4 WHEN SHIPPING LESS THAN THE AMOUNTS SHOWN IN THE LOAD TABLES FOLLOW THE PROCEDURES SHOWN ON PAGE 6 DO NOT USE TRAILERS WITH NON-NAILABLE FLOORS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

TABLE I

40 FT TRAILER

LOAD PATTERN




8 OR LESS CONTINUE SINGLE ROW PATTERN

TABLE II

40 FT TRAILER


LOAD PATTERN




8 OR LESS CONTINUE SINGLE ROW PATTERN

TABLE III

44 & 45 FT TRAILERS






9 OR LESS CONTINUE SINGLE ROW PATTERN


* AUTHORIZED FOR LIGHT WEIGHT TRACTOR-TRAILERS ONLY WHEN ROUTING IS THROUGH STATES LIMITING TANDEM AXLES TO 32 000 LBS AND GROSS VEHICLE WEIGHT OF 73,280 LBS AUTHORIZED FOR BOTH STANDARD AND LIGHT WEIGHT TRACTOR-TRAILERS WHEN ROUTING IS THROUGH STATES PERMITTING 34 000 LBS ON TANDEM AXLES AND GROSS VEHICLE WEIGHT OF 80,000 LBS


** AUTHORIZED WHEN ROUTING IS THROUGH STATES PERMITTING 34 000 LBS OR MORE ON THE TANDEM AXLES AND A GROSS VEHICLE WEIGHT OF 80 000 LBS ONLY LIGHT WEIGHT TRACTOR-TRAILERS SHALL BE USED


NOTE WHEN SHIPPING 12 OR LESS UNIT LOADS, BOTH STANDARD AND LIGHT WEIGHT TRACTOR-TRAILERS MAY BE USED IN ALL 50 STATES WITHOUT EXCEEDING THE WEIGHT LAWS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.













TABLE IV

DOT HAZARD CLASSIFICATION


DODIC NALC NC	CARTRIDGE TYPE	CARTRIDGE MK-MOD	HAZARD CLASSIFICATION
A [illegible]	TP	19-C	C
A[illegible]	AP	[illegible]	A
A[illegible]	HEI	106-08	A
A[illegible]	TP	[illegible]	C
A[illegible]	APT	[illegible]	C
A471	HEI	[illegible]	A
A[illegible]79	API	107-1	A
Ac[illegible]	APT	106-1	C
A87[illegible]	TP	10[illegible]-1	C

* TW TRAILER WIDTH

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.



SECTION F-F




* T TRAILER WIDTH

TABLE V

TRUCKLOAD DATA

NO OF UNIT LOADS	WEIGHT (LBS) APPROX
14	47,936
13	44,512
12	41 088
11	37 664
10	34 240
9	30 816





SECTION G-G

PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ'D	NAIL TO	NUMBER	SIZE
					NAILS	
9	SLEEPER	2 X 4 X 48	16	SEE FIELD NOTE		
8	SLEEPER	2 X 4 X 40	8	SEE FIELD NOTE		
7	SLEEPER	2 X 4 X 48	16	SEE FIELD NOTE		
6	SUPPORT	2 X 4 TO SUIT	4	4	2/JOINT	10d
				5	2/JOINT	10d
5	STRUT	2 X 6 TO SUIT	4	SEE 4	-	-
4	CROSSMEMBER	2 X 6 X T * 1	2	5	3	16d
3	VERTICAL	4 X 4 X 3c	4	SEE 1 & 2		-
2	END CROSSMEMBER	2 X 6 TO SUIT	2	3	3 JOINT	12d
1	CROSSMEMBER	2 X 6 X T * 1	2	3	3/JOINT	12d

LIST OF MATERIALS & NAILING DATA


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.






DETAIL H
FRONT BULKHEAD
(1 REQUIRED)

DETAIL J
KNEE BRACE
(2 REQUIRED)



* TW = TRAILER WIDTH



SECTION K-K

PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ'D	NAIL TO	NUMBER NAILS	SIZE
8	SLEEPER	2 X 4 X 47	16	SEE FIELD NOTE		
7	BRACE DIAGONAL	2 X 6 TO SUIT	4	4 & 6	4/JOINT	16d
6	BRACE CLEAT	2 X 6 X 28 1/2	2	TRAILER FLOOR	6	16d
5	BRACE BACKUP	2 X 10 X 30	2	6	3	16d
4	BRACE UPRIGHT	2 X 6 X 28 1/2	2	5	4	8d
3	VERTICAL	4 X 4 X 38	4	SEE 1 & 2	-	-
2	FWD CROSSMEMBER	2 X 6 TO SUIT	2	3	3/JOINT	12d
1	AFT CROSSMEMBER	2 X 6 X TW*-1	2	3	3/JOINT	12d

LIST OF MATERIALS & NAILING DATA

TYPICAL SINGLE ROW LTL

REVIEW ACTIVITIES
NAVY - OS, AS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO 8140-175)

☆U S GOVERNMENT PRINTING OFFICE 1977—703-020/3736

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1320-180 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1426 1 JAN 72

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

803

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.