MILITARY STANDARD

MIL-STD-1320-183 A
(NAVY)


25 JANUARY 1983

SUPERSEDING
MIL-STD-1320-18
10 FEBRUARY 1981

TRUCKLOADING
MINE , UNDERWATER MK 65 MOD 0
AND MODS IN SKID MK 25 MOD 2

LOADED SKID DATA

DIMENSIONS	136 1/2 L X 30 W X 30 3/4 H
STACKING HEIGHT	28
WEIGHT (APPROX)	2900 LBS
CUBE	73 9 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVES A
DWG NO	DL3269049



INDEX

ITEM	PAGE
GENERAL NOTES	2
LOAD TABLE & UNITIZING PROCEDURE	3
FTL 40 FT TRAILER (FLATBED)	4
LTL 40 FT TRAILER (FLATBED)	5
GOVT 35 FT SINGLE AXLE TRAILER (FLATBED)	6

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY)

REV LETTER	REVISION DESCRITION
A	ADDED SPECIAL MILITARY TRUCKLOAD, PG 6

FSC 8140

AUTHORIZED AND RELEASED FOR
HIGHWAY SHIPMENT ONLY

M S Gray NWHC — 1/20/83
TECHNICAL DIRECTION AGENT (TDA) — DATE

E C Kelly — 1/23/83
SEA 55C0M — BY DIRECTION — DATE

ORIGINATOR — 29 Jan 83
NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY — DATE

Source: https://assist.dla.mil -- Downloaded: 2026-10-29T23:54:52
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT PROVIDES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE UNDERWATER MINE MK 65 MOD 0 AND MODS WHEN THE MINE IS IN THE SKID MK 25 MOD 2

2 THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 FT FLATBED TRAILERS UNLESS OTHERWISE SPECIFIED THE TRAILERS SHALL HAVE THEIR AXLES LOCATED IN THE "WESTERN" POSITION (AT THE EXTREME REAR OF TRAILER)

3 ONLY CHAIN SHALL BE USED AS TIEDOWNS THE CHAIN, FITTINGS AND LOADBINDERS SHALL MEET THE REQUIREMENT OF THE BASIC DOCUMENT, MIL-STD-1320 (NAVY)

4 STACKS OF SKIDS TWO HIGH AND THREE WIDE SHALL BE TIED DOWN WITH THREE CHAINS ALL OTHER STACKS REQUIRE TWO CHAINS

5 WHEN SHIPPING SKIDS IN STACKS THAT ARE THREE WIDE, USE THE PREPOSITIONED SLEEPERS AS SHOWN IN DETAIL A TO PREVENT LATERAL MOVEMENT

6 PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY OP2165 AND REPORTED ON DD FORM 626 THE CHAINS FITTING AND LOADBINDERS SHALL BE INSPECTED FOR STRETCH, GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOADBINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOADBINDER

7 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS

8 AFTER BLOCKING, BRACING AND TIEDOWNS HAVE BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO DUNNAGE IN AN ACCESSIBLE AREA AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES FRONT AND REAR OF TRAILER

9 THE TRUCKLOAD SHALL BE COMPLETELY COVERED WITH A FIRE RESISTANT WATERPROOF TARPAULIN

10 UNLESS OTHERWISE SPECIFIED, ALL MATERIAL SHALL BE AS SPECIFIED BY THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)


11 FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

FTL AND LTL 40 FT TRAILERS (FLATBED)

1 A FULL TRUCKLOAD OF MK 65 MOD 0 AND MODS MINE IN THE MK 25 MOD 2 SKID CONSISTS OF FIFTEEN SKIDS, (15 MINES), BLOCK AND TIEDOWN AS SHOWN ON PAGE 4

2 WHEN SHIPPING 14 OR LESS SKIDS, SELECT THE CORRECT LOAD PATTERN FROM TABLE I LOAD THE SKIDS ACCORDING TO THIS PATTERN AND BLOCK AND TIEDOWN IN ACCORDANCE WITH THE PRINCIPLES SHOWN FOR THE TRUCKLOADS ON PAGE 4 AND 5

3 WHEN SKIDS ARE TWO HIGH, THEY SHALL BE UNITIZED AS SHOWN ON PAGE 3
















DETAIL A

PREPOSITIONED SLEEPERS FOR 3 ACROSS STACK OF SKIDS
SEE GENERAL NOTE 5

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.


TABLE

LOAD PATTERN *

NO. OF SKIDS		NO. OF SKIDS		NO. OF SKIDS	
15		10			
14		9		4	
13		8			
12		7		3	
11		6		1	

* LOAD PATTERN IS THE FLOOR PLAN FOR THE LOAD. THE NUMBER IN THE BLOCKS IS THE NUMBER OF LAYERS OF SKID IN THE STACK. ARROW INDICATES NOSE END OF MINE

UNITIZING PROCEDURE




1. USING A FORKLIFT TRUCK, STACK THE TOP SKID ON THE BOTTOM SKID.
2. STRAP THE TOP SKID TO THE BOTTOM SKID WITH TWO 1 1/4 X .035 STEEL STRAPS. THE STRAPS PASS THROUGH THE FORK POCKETS OF EACH SKID. TENSION STRAPPING AND SEAL WITH 1 SEAL DOUBLE NOTCHED OR 2 SEALS DOUBLED CRIMPED.

WARNING


ADEQUATE HANDLING EQUIPMENT MUST BE USED TO POSITION THE SKIDS ON THE TRAILER. IF ADEQUATE HANDLING EQUIPMENT IS NOT AVAILABLE, SKIDS SHALL BE LOADED ONE AT A TIME AND STRAPPED TOGETHER IN PLACE WITH STRAPS REPOSITIONED AS REQUIRED.

SKIDS SHALL BE DEUNITIZED AFTER UNLOADING THE VEHICLE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.



DETAIL B




TRUCKLOAD DATA

NUMBER OF SKIDS	15
WEIGHT (APPROX.)	43 500 LBS


PIECE NO	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL	NUMBER NAILS	SIZE
6	SEAL	FOR 1 1/4 STRAP	12		-	
5	STRAPPING	1 1/4 X 035 X 11FT 5	12		-	-
4	CHAIN & LOADBINDER	5/16 OR 3/8	8	-	-	
3	SLEEPER	2 X 4 X 23 1/2	24	SEE FIELD NOTE		
2	BACKUP CLEAT	2 X 6 X 26	24	SEE FIELD NOTE		
1	SEPARATOR	2 X 4 X 90	4	SEE FIELD NOTE		

LIST OF MATERIALS & NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.



DETAIL C




TRUCKLOAD DATA

NUMBER OF SKIDS	5
WEIGHT (APPROX.)	14 500 LBS


PIECE NO	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NUMBER	SIZE
					NAILS	
5	CHAIN & LOADBINDER	5/16 OR 3/8	4	SEE GENERAL NOTE 4		
4	SLEEPER	2 X 4 X 18	8	SEE FIELD NOTE		
3	SLEEPER	2 X 4 X 23 1/2	8	SEE FIELD NOTE		
2	BACKUP CLEAT	2 X 6 X 28	20	SEE FIELD NOTE		
1	SEPARATOR	2 X 4 X 84	2	SEE FIELD NOTE		

LIST OF MATERIALS & NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.



DETAIL C



NOTES .

1 FOR LESS THAN 6 MINES USE LOAD PLANS SHOWN ON PAGE 3 TABLE I ADAPTED TO SHORTER TRAILER

2 FOR LESS THAN 6 MINES USE SIDE BLOCKING AS SHOWN ON PAGE 5

TRUCKLOAD DATA

NUMBER OF SKIDS	6
WEIGHT (APPROX) .	17,500 LBS

PIECE NO.	DESCRIPTION	SIZE	NO OF PIECES	NAIL TO	NUMBER NAILS	SIZE
4	CHAIN & LOADBINDER	5/16 OR 3/8	4	SEE GENERAL NOTE 4		
3	SLEEPER	2 X 4 X 23 1/2	16	SEE FIELD NOTE		
2	BACKUP CLEAT	2 X 6 X 28	24	SEE FIELD NOTE		
1	SEPARATOR	2 X 4 X 90	2	SEE FIELD NOTE		

35 FT TRAILER (FLATBED) W/6 SKIDS

REVIEW ACTIVITY
NAVY-OS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO 8140-N585)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge (*DO NOT STAPLE*), and mailed. In block 5, be as specific as possible about particular problem areas such as wording which requires interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDING OFFICER
NAVAL WEAPONS STATION EARLE (CODE 803)
COLTS NECK, NJ 07722

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FO CUT ALONG THIS LINE.)

DD FORM 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.