MILITARY STANDARD

MIL-STD-1320-246A
(NAVY)
1 DECEMBER 1990

BLOCKLOADING

CLS BALLAST CANS

CHOCKED

SUPERSEDING
MIL-STD-1320 246
1 DECEMBER 1989


UNIT LOAD DATA

DIMENSIONS	265.75 L X 27 DIA
GROSS WEIGHT .	6766 LBS Δ
CUBE . .	1121 CU FT

Δ DO NOT USE FOR SHIPPING WEIGHT

HAZARD CLASSIFICATION INERT

MINIMUM 48 FT TRAILER IS REQUIRED FOR ALL TWO STACK LOADS



INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL TRAILER .	2 - 4
LTL TRAILER .	5 - 6

AMSC NO - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
A	ADDED CLS BALLAST CAN CHOCKS ADDED CHAMFERS ON PLYWOOD SPACERS	4/15/90	[illegible]	[illegible]
			APPROVAL	

NOTES

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY)

FSC 8140

AUTHORIZED AND RELEASED
FOR HIGHWAY SHIPMENT ONLY.

S/ E RINALDI 12/1/89
SIGNATURE TDA APPROVAL DATE

S/ K H ZIMMS 12/1/89
SIGNATURE SYSCOM APPROVAL DATE

ORIGINATOR S/ DAVID W HOEGLER 1 DEC 8_
DATE


WPNSTA CHARLESTON, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.


GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCK LOADING (BLOCKED PLUS BALLAST CASES) (THE BALLAST CRIB BLOCKS SHALL BE FABRICATED AND ATTACHED AS REQUIRED BY THIS DOCUMENT.)
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR MINIMUM 48 FT FLATBED TRAILERS FOR TWO STACK LOADS SHORTER TRAILERS MAY BE USED FOR SINGLE STACK LOADS DO NOT USE TRAILERS WITH METAL FLOORS
3. ONLY STEEL STRAPPING SHALL BE USED FOR TIE-DOWNS. (CHAINS AND LOAD BINDERS ARE NOT AUTHORIZED.)
4. STEEL STRAPPING USED AS TIE DOWNS SHALL BE 2 X .030 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
5. PROTECTOR BOARDS (DOUBLED 2 X 6'S) SHALL BE USED UNDER THE TIE DOWNS THE STRAPS SHALL BE STAPLED TO THE PROTECTOR BOARD USING 2 INCH STRAPPING STAPLES 5 STAPLES SHALL BE USED FOR EACH THREE WIDE STACK TIEDOWN AND 3 STAPLES SHALL BE USED FOR EACH TWO WIDE STACK TIEDOWN FIBERBOARD SHALL BE PLACED UNDER THE STRAP TIEDOWNS FOR A ONE WIDE STACK
6. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER STEEL STRAPPING STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
7. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS
8. AFTER THE BLOCKING BRACING AND TIE DOWNS HAVE BEEN INSPECTED THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS
9. ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA ON THE BACK DECK OF THE TRAILER
10. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

FTL 48 FT AND LONGER TRAILER (FLATBED)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.



REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
4/CAN	22	SIDE CHOCK BALLAST CAN	SEE NOTE 6 ON PAGE 2	4 X 4 X 5 1/4
4/CAN	21	CHOCK BASE BALLAST CAN	SEE NOTE 6 ON PAGE 2	2 X 4 X 29 1/2
2/CAN	20	SEAL BALLAST CAN	SEE NOTE 6 ON PAGE 2	1 1/4
2/CAN	19	STRAP BALLAST CAN	SEE NOTE 6 ON PAGE 2	1 1/4 X .035
2	18	CHOCK BASE SHORT	SEE NOTE 6 ON PAGE 2	4 X 4 X 30
4	17	CHOCK BASE MEDIUM	SEE NOTE 6 ON PAGE 2	4 X 4 X 60
12	16	PROTECTOR BOARD SHORT	SEE NOTE 6 ON PAGE 2	2 X 6 X 43
2	15	CROSSMEMBER VERTICAL SHORT	SEE NOTE 6 ON PAGE 2	2 X 8 X 60
6	14	CROSSMEMBER HORIZONTAL SHORT	SEE NOTE 6 ON PAGE 2	2 X 6 X 60
1	13	CLEAT	SEE NOTE 6 ON PAGE 2	2 X 4 X 24
1	12	SPACER PLYWOOD	SEE NOTE 6 ON PAGE 2	3/8 MIN X 27 1/2 X SEE DETAIL C
64	11	SEAL	SEE NOTE 4 & 6 ON PAGE 2	2 INCH
8	10	STRAP TIEDOWN	SEE NOTE 4 & 6 ON PAGE 2	2 X .050
8	9	INNER CHOCK	SEE NOTE 6 ON PAGE 2	4 X 4 X 20
32	8	OUTER CHOCK	SEE NOTE 6 ON PAGE 2	4 X 4 X 10
4	7	CHOCK BASE, LONG	SEE NOTE 6 ON PAGE 2	4 X 4 X 90
16	6	PROTECTOR BOARD	SEE NOTE 6 ON PAGE 2	2 X 6 X 76
16	5	SEPARATER	SEE NOTE 6 ON PAGE 2	2 X 6 X 18
2	4	CROSSMEMBER VERTICAL	SEE NOTE 6 ON PAGE 2	2 X 8 X 90
6	3	CROSSMEMBER HORIZONTAL	SEE NOTE 6 ON PAGE 2	2 X 6 X 90
6	2	BACKUP CLEAT TOP	SEE NOTE 6 ON PAGE 2	2 X 6 X 23 1/2
18	1	BACKUP CLEAT	SEE NOTE 6 ON PAGE 2	2 X 6 X 18

LIST OF MATERIALS PAGE 1

TRUCKLOAD DATA


NUMBER OF BALLAST CANS 6

WEIGHT 40600 LBS Δ


Δ DO NOT USE FOR SHIPPING WEIGHT

F 0 3 FT TRAILER (FLATBED)


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.




DETAIL D
(PROTECTOR BOARD ASSEMBLY)




DETAIL E
(CHOCK ASSEMBLY)




DETAIL F
(PROTECTOR BOARD ASSEMBLY)



DETAIL G
(CHOCK ASSEMBLY)




DETAIL H
(BLOCKING ASSEMBLY)



DETAIL I
(CHOCK ASSEMBLY)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

L[illegible] 48 F[illegible] TRAILER (FLATBED)



* NOTE PROTECTOR BOARD LOCATIONS ARE APPROXIMATE) IN LINE (AFR BOTTOM CHOCKS SEE PAGE 3

REVIEW ACTIVITY
NAVY OS

PREPARING ACTIVITY
NAVY-OS
(PROJECT NO 8140-N910)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Code 804 - M. Shelly
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1320-246A - Truckloading, CLS Ballast Cans

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes" in what way?)

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)	TELEPHONE NO
	DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.