MILITARY STANDARD

MIL-STD-1320-25B
(NAVY)
9 SEPTEMBER 1991


TRUCKLOADING
VERSATILE EXERCISE MINE SYSTEM (VEMS)
IN MINE CRATES MK113 AND MK114

CRATE DATA

DIMENSIONS	122 L X 26.62 W X 25.70 H
GROSS WEIGHT	1133 LBS Δ
CUBE	48.3 CU FT

Δ DO NOT USE FOR SHIPPING WEIGHT

FOR HAZARD CLASSIFICATIONS SEE NAVSEA OP 2165



AMSC NO - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

NOTES
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK 236 (NAVY)

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

AUTHORIZED AND RELEASED
FOR HIGHWAY SHIPMENT ONLY

SIGNATURE — TDA, WPNSTA EARLE — DATE 9 Sep 91

SIGNATURE — NAVSYSCOM BY DIRECTION — DATE

ORIGINATOR Carl W. Hegler DATE 9SEP91


WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING VERSATILE EXERCISE MINE (VE-13) IN MK113 AND MK114 MINE CRATES SEE PAGE 6 FOR RETURN SHIPMENT OF BOUY AND BALLAST SECTIONS (SEPARATE)
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 FT THROUGH 48 FT FLATBED TRAILERS WITH TANDEM AXLES DO NOT USE TRAILERS WITH METAL FLOORS
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS FOR TIE DOWNS
4. STEEL STRAPPING USED AS TIE DOWNS SHALL BE 2 X 050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
5. CHAINS FITTINGS AND LOAD BINDERS SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) EXCEPT THAT THE CHAIN/GRAB HOOKS SHALL BE ATTACHED TO THE STAKE POCKETS (NOT AROUND THE RUB RAIL)
6. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION REQUIRED BY NAVSEA OP 2165 AND REPORTED ON DD FORM 626 THE CHAINS FITTINGS AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH GOUGING BENT LINKS WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS FITTINGS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER
7. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER STEEL STRAPPING STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
8. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS
9. AFTER THE BLOCKING BRACING AND TIE DOWNS HAVE BEEN INSPECTED THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS THE TARPAULINS MAY BE UNDER THE TIE DOWNS
10. AFTER THE TARPAULINS ARE IN PLACE ATTACH APPLICABLE HAZARDOUS MATERIALS PLACARDS TO BOTH SIDES FRONT AND BACK OF THE TRAILER
11. ATTACH SHIPPING DOCUMENTS TO AN ACCESSABLE AREA ON THE BACK DECK OF THE TRAILER
12. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

FTL 40 FT THROUGH 48 FT TRAILER (FLATBED)



SEE DETAIL B
PAGE 3

TRAILER LENGTH	DIMENSION x
40 FT	51
42 FT	63
44 FT	75
45 FT	81
48 FT	99

DETAIL A

PREPOSITIONED FLOOR BLOCKING FOR 40 FT THROUGH 48 FT TRAILERS (40 FT TRAILER SHOWN)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.


DETAIL A


PRE POSITIONED BLOCKING
SEE PAGE 2

NOTE

TARPAULINS OVER CONTAINERS REMOVED FOR CLARITY

SEE DETAIL B





DETAIL B

1 2 x 6 DOUBLED
NAIL 1ST PIECE TO TRAILER FLOOR
W/16d NAILS EVERY 6-8 INCHES
NAIL 2ND PIECE TO 1ST IN LIKE MANNER

2 2 X 8 DOUBLED NAIL [illegible] TO TRAILER FLOOR WITH [illegible] 16d NAILS NAIL NO 2 TO 1ST IN LIKE MANNER 2PL

TRUCKLOAD DATA

NUMBER OF MINES 9

WEIGHT 10197 LBS Δ

Δ DO NOT USE FOR SHIPPING WEIGHT

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MATL/DWG	DIMENSIONS
2	6	CROSSMEMBER	SEE NOTE 7 ON PAGE 2	2 X 6 X 29
4	5	CROSSMEMBER	SEE NOTE 7 ON PAGE 2	2 X 6 X 55
6	4	CHAIN AND LOAD BINDER	SEE NOTE 5 ON PAGE 2	5/16 OR 3/8
36	3	SLEEPER	SEE NOTE 7 ON PAGE 2	2 X 4 X 18
16	2	BACKUP CLEAT	SEE NOTE 7 ON PAGE 2	2 X 6 X 30
8	1	CROSSMEMBER	SEE NOTE 7 ON PAGE 2	2 X 8 X 82

FOR 40 FT THROUGH 48 FT TRAILER (LABED)
(40 FT TRAILER SHOWN)


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

LTL 40 FT THROUGH 48 FT TRAILERS (FLATBED)

1. WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF ITEMS TO BE SHIPPED FROM TABLE I
2. POSITION MINES ON THE TRAILER AS SHOWN IN TABLE I BLOCK AND TIE DOWN USING THE PRINCIPLES SHOWN ON PAGES 3 AND 5 AND THE GENERAL DOCUMENT MIL-STD-1320 (NAVY)
3. THE LTL PLAN ON PAGE 5 SHOWS THE LESS-THAN-TRUCKLOAD METHODS FOR STACKS OF ONE AND TWO MINES FOR STACKS OF THREE MINES SEE PAGE 3
4. WHEN USING LOAD PATTERNS WITH 1 OR 2 MINES WIDE CENTER THE PREPOSITIONED BLOCKING AND MINES ON THE CENTER LINE OF THE TRAILER

TABLE I

LOAD PATTERN *




* LOAD PLAN SHOWS FLOOR PLAN FOR TRAILER

Source: https://assist.dla.mil - Downloaded: 2026-10-23T23:14Z
Check the source to verify that this is the current version before use.

TYPICAL CONSTRUCTION FOR STACKS


ONE AND TWO WIDE



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

DETAIL OF RETURN SHIPMENT OF BUOY AND BALLAST SECTIONS

NOTE MINE SECTIONS ARE SHIPPED SEPARATELY AS SHOWN USE SAME BLOCKING TECHNIQUES AS SHOWN HERE AND ON PAGE 3



REVIEW ACTIVITY
NAVY-OS

PREPARING ACTIVITY
NAVY-OS
PROJECT NO 8140-N981

Source: https://assist.dla.mil - Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-STD-1320-258 - Truckloading for VEMS in Crates MK 113 and MK 114

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO (If "Yes" in what way?

4 REMARKS

SUBMITTED BY (Print or type name and address - Optional)

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

PREVIOUS EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.