MILITARY STANDARD

MIL-STD-1323-95
(NAVY)
16 APRIL 1979

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
WING ASSEMBLY, MK 9 MOD 0 AND FIN ASSEMBLY, MK 23 MOD 1(WALLEYE I ERDL) IN CONTAINER, CNU-306/E

UNIT LOAD DATA DODIC/NALC NO	PALLET MOD 0	PALLET MOD 1
NUMBER OF WINGS PER CONTAINER	2	2
NUMBER OF FINS PER CONTAINER	2	2
NUMBER OF CONTAINERS PER UNIT LOAD	8	8
GROSS WEIGHT OF ONE CONTAINER (APPROX)	142 LBS	142 LBS
WEIGHT OF WOOD STACKING FRAME (APPROX)	20 LBS	20 LBS
WEIGHT OF STEEL STRAPPING (APPROX)	7 LBS	7 LBS
WEIGHT OF PALLET (APPROX)	110 LBS	72 LBS
GROSS WEIGHT OF UNIT LOAD (APPROX)	1273 LBS△	1235 LBS△
CUBE	69.0 CU FT	68 4 CU FT
DIMENSION A (UNIT LOAD HEIGHT)	43 3/8	43


△DO NOT USE FOR SHIPPING PURPOSES

SHIPPING AND STORAGE CONTAINER CNU-306/E
30003-1056AS200

CONTAINER DIMENSIONS

LENGTH	78 1/2
WIDTH	32 1/2
HEIGHT (OVERALL)	51/2
(STACKING)	41/2

DO NOT STACK MORE THAN
4 UNITS LOADS HIGH IN STORAGE



NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER AT-SEA IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT BY COMMON CARRIER.

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE 4/16/79

SIGNATURE AIR SYSCOM, BY DIRECTION DATE 4/16/79

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR 4/16/79 DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 2, BETWEEN DECK WIRES OF THE PALLET WITH EQUAL LENGTHS OF STRAPPING EXTENDING BEYOND EACH END OF THE PALLET AS SHOWN IN DETAIL A AND LAY EACH END OF STRAPPING BACK OVER THE DECK OF THE PALLET AS SHOWN IN DETAIL B

(B) THREAD THE LATERAL STRAPPING, ITEM 3, UNDER THE WIRES OF THE PALLET DECK SEE DETAIL A

(C) POSITION CONTAINERS ON THE PALLET WITH EQUAL OVERHANG AT BOTH ENDS AND EQUAL UNDERHANG ON BOTH SIDES ALTERNATING THE DIRECTION OF THE CONTAINERS BETWEEN LAYERS


(D) POSITION THE STACKING FRAME, AS SHOWN

(E) THREAD THE LATERAL STAPPING THROUGH THE HOLES IN THE STACKING FRAME TENSION AND DOUBLE NOTCH THE SEAL ITEM 4

(F) POSITION STRAPPING, ITEM 2, OVER THE EDGE PROTECTORS, ITEM 5, AND THE CONTAINERS TENSION AND DOUBLE NOTCH THE SEALS ITEM 4

MARKING

THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY)



NOTE DO NOT USE TYPE I STRAPPING WITH POWER MACHINES
031 COLD ROLLED HEAT TREATED MAY BE SUBSTITUTED


DEPALLETIZING PROCEDURE

(A) CUT AND REMOVE STRAPPING
(B) REMOVE EDGE PROTECTORS
(C) REMOVE STACKING FRAME
(D) REMOVE CONTAINERS.

REQ	ITEM	DESCRIPTION	MAT'L	MAT'L. SPEC.	DIMENSIONS
AS REQ'D	8	NAIL, BOX	STEEL	FF-N-105 TY II ST 4	6d
3	7	LATERAL BATTEN	WOOD, DRESSED	MIL-STD-731	1 X 6 X 35
4	6	LONGITUDINAL BATTEN	WOOD, DRESSED	MIL-STD-731	1 X 6 X 38
4	5	PROTECTOR, EDGE	STEEL ZINC COATED	MINIMUM MAT'L THICKNESS 030	MINIMUM DIMENS 3 WIDTH X 2 LEGS
4	4	SEAL	STEEL	QQ-S-781, TY D CL H, FIN A OR B	3/4
2	3	STRAPPING SEE NOTE	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	3/4 X 035 X 131
2	2	STRAPPING, SEE NOTE	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV, FIN B	3/4 X 035 X 29 FT
1	1	PALLET MK 12 MOD 1 OR MOD 0	STEEL	10001 - 2645217 10001 - 2086479	35 X 45 1/2 X 4 3/4 35 X 45 1/2 X 5 1/8


LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.




STACKING FRAME DETAIL

(1 REQUIRED)




MOD 1 PALLET

DETAIL A



MOD 0 PALLET



DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE: MIL-STD-1323-95 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1800

☆ U.S. GOVERNMENT PRINTING OFFICE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle (Code 803)
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.