MILITARY STANDARD

ENGINE, GASOLINE, AIR-COOLED 10 BHP, 4-CYCLE, MILITARY DESIGN, MODEL 2A042 INSTALLATION PROCEDURES

TO ALL HOLDERS OF MIL-STD-1402

1. THE FOLLOWING PAGES OF MIL-STD-1402 HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
13	1 December 1966	13	1 August 1966
14	1 December 1966	14	1 August 1966

2. RETAIN THIS NOTICE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of MIL-STD-1402 will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army - ME
Navy - YD
Air Force - 82

User activities:
Army - EL, MI
Navy - None
Air Force - None


Preparing activity:
Army - ME

Review activities:
Navy - YD, MC
Air Force - 82
DSA - CS

Project No. 2805-0437

FSC 2805


Source: https://assist.dla.mil -- Downloaded: 202610-24T00:20Z
Check the source to verify that this is the current version before use.



1. Sheet Metal Shrouding
2. Top Cover
3. Oil Drain Plug
4. Flywheel Fan Housing
5. Flywheel Fan
6. Engine Mounting Brackets
7. Harness Connector-Plug
8. Spark Plug
9. High Tension Lead
10. Regulator, Alternator
11. Oil Pan Baffle Control
12. Exhaust Manifold
13. Wiring Diagram

FIGURE 1. Model 2A042 - Military Design Engine - Drive End.

Source: https://assist.dla.mil -- Downloaded: 202610-24T00:20Z
Check the source to verify that this is the current version before use.



14. Air Cleaner Restriction Indicator
15. Air Cleaner
16. Oil Fill Tube and Dip Stick
17. Air Intake Preheat
18. Flexible Air Duct
19. Oil Pan
20. Oil Filter
21. Rocket Box Cover
22. Choke
23. Alternator and Rope Starter Pulley
24. Governor
25. Electric Starter

FIGURE 2. Model 2A042 - Military Design Engine - Accessory End.

Source: https://assist.dla.mil -- Downloaded: 202610-24T00:20Z
Check the source to verify that this is the current version before use.