P-S-596a

JANUARY 28, 1942

SUPERSEDING
Fed. Spec. P-S-596
October 14, 1930

FEDERAL STANDARD STOCK CATALOG

Section IV

(Part 5)

FEDERAL SPECIFICATION

FOR

SOAP; LAUNDRY, POWDERED

This specification was approved on the above date by the Director of Procurement, for the use of all departments and establishments of the Government, and shall become effective not later than July 15, 1942. It may be put into effect, however, at any earlier date after promulgation.

A. APPLICABLE SPECIFICATIONS.

A-1. The following Federal Specifications of the issue in effect on date of invitation for bids shall form a part of this specification:

P-S-536, Soap and Soap-Products; General Specifications (Methods for Sampling and Testing).
RR-S-366, Sieves; Standard, Testing.

B. TYPE.

B-1. Powdered soap shall be of but one type.

C. MATERIAL.

C-1. Powdered soap shall be as specified hereinafter.

D. GENERAL REQUIREMENTS.

D-1. *Soap, powdered.*—

D-1a. Powdered soap shall be a soap in powdered form made from soda and fats, without rosin, as free as possible from water and all substances other than true soap, of a light uniform color, free from disagreeable odor, and suitable for laundering and other washing, cleaning and scouring processes with soft water, when the presence of alkaline salts is not desirable. (See par. F-1.)

441977—42

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:18Z
Check the source to verify that this is the current version before use.

E. DETAIL REQUIREMENTS.

E-1. The material shall conform to the following detail requirements:

	Maximum	Minimum
Moisture and matter volatile at 105° C.....percent..	6.0	.....
Sum of free alkali, total matter insoluble in alcohol, and sodium chloride.....percent..	4.0	.....
Free alkali, calculated as sodium hydroxide (NaOH).percent..	.2	.....
Matter insoluble in water.....percent..	1.0	.....
Anhydrous soap.....percent..	.....	89.0
Titer of mixed fatty acids prepared from the soap.....	.....	39°C
Residue retained on a No. 12 sieve.....percent..	1.5	.....
Rosin.....	None	

E-2. *Computation.*—The percentage of moisture and volatile matter shall be computed, and reported by the testing laboratory, on the soap as received. The percentages of all other constituents shall be calculated and reported on an assumed moisture and volatile matter content of 6 percent.

F. METHODS OF SAMPLING, INSPECTION, AND TESTS.

F-1. The inspector shall determine whether the material has an objectionable odor. Soap having an objectionable odor should not be sent to the laboratory for further test. (See par. D-1.)

F-2. Deliveries will, in general, be sampled and tested according to the methods contained in Section F of Federal Specification P-S-536.

G. PACKAGING, PACKING, AND MARKING FOR SHIPMENT.

G-1. *Packaging.*—Unless otherwise specified, commercial packages are acceptable under this specification.

G-2. *Packing.*—Unless otherwise specified, the subject commodity shall be delivered in standard commercial containers, so constructed as to insure acceptance by common or other carriers, for safe transportation, at the lowest rate, to the point of delivery.

G-3. *Marking.*—Unless otherwise specified, shipping containers shall be marked with the name of the material, and the quantity contained therein, as defined by the contract or order under which the shipment is made, the name of the contractor, and the number of the contract or order.

H. REQUIREMENTS APPLICABLE TO INDIVIDUAL DEPARTMENTS.

H-1. The following Departmental specifications of the issue in effect on date of invitation for bids shall form a part of this specification.

H-1a. *Army.*—U. S. Army Specification No. 100-2, Standard Specification for Marking Shipments.

H-1b. *Navy.*—Navy Department General Specifications for Inspection of Material (copies of which may be obtained without cost

Source: https://assist.dla.mil -- Downloaded: 20260-26T11:18Z
Check the source to verify that this is the current version before use.

upon application to the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.).

H-1c. *Marine Corps.*—Instructions issued by the Quartermaster.

H-2. *Navy Department purchases.*—

H-2a. *Packing.*—Unless otherwise specified, the subject commodity shall be delivered in substantial wooden barrels, half barrels, or boxes. Barrels, half barrels, or boxes to be of the size commonly used and to be so constructed as to insure safe delivery, by common or other carriers to the point of delivery at the lowest shipping rate, and to withstand storage, further handling, and reshipping without being repacked.

H-2b. *Marking.*—Unless otherwise specified, shipping containers shall be marked on one end with the name of the material, the quantity contained therein (net weight), as defined by the contract or order under which shipment is made, the name of the contractor, the number of the contract or order, and the gross weight.

H-2c. Soap, powdered, when delivered, must be in strict accordance with the specifications. Failure to meet any of the requirements of the specifications shall be cause for rejection.

I. NOTES.

I-1. *Basis of purchase.*—

I-1a. Powdered soap is subject to a possible gain or loss of weight, depending on atmospheric or storage conditions, or both, or on packaging, as a result of fluctuation in the moisture content. Changes in the moisture content result in a corresponding change in the percentage of total solids or anhydrous soap content, or both.

I-1b. The material should be purchased by net weight, provided the matter volatile at 105° C. is neither above nor below 4 percent.

I-1c. Deliveries containing more than 6 percent of matter volatile at 105° C. should be rejected without further test.

I-1d. On deliveries containing less than 6 percent of matter volatile at 105° C., settlement should be made on the basis of a product containing 4 percent moisture; that is, 0.96 pound of nonvolatile matter should be considered 1 pound of soap.

I-1e. When the material conforms to these specifications on a calculated 6 percent moisture and volatile matter basis, the net weight of the material to be paid for should be calculated as follows:

$$W = \frac{R \times (100 - L)}{96}$$

where:

W = net weight of material to be paid for on 4 percent moisture and volatile matter basis,
R = net weight of material as received, and
L = percentage loss at 105° C.

I-1e (1). In the event that the above calculation results in a figure greater than 100 percent, due to low moisture content at the time of cutting, weighing, and packing, the seller should waive the right to invoice the purchaser for any amount in excess of 100 percent.

I-2. Bidder should state size and weight of his unit.

I-3. It is belived that this specification adequately describes the

Source: https://assist.dla.mil - Downloaded: 2026-10-26T11:18Z
Check the source to verify that this is the current version before use.

characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid samples should be definitely stated, the specification to apply in all other respects.

I-4. Federal specifications do not include all types, classes, grades, sizes, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

I-5. An index of Federal Specifications may be purchased as noted in the paragraph below, price to be obtained from the Superintendent of Documents.

I-6. Copies of this specification, P-S-536 and RR-S-366 may be obtained upon application, accompanied by money order, coupon, or cash to Superintendent of Documents, Government Printing Office, Washington, D. C., price 5 cents each.

Notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government, thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:18Z
Check the source to verify that this is the current version before use.