[METRIC]

A-A-1676A
June 18, 1993
SUPERSEDING
A-A-1676
February 26, 1981

COMMERCIAL ITEM DESCRIPTION
ALUMINUM FOIL (FOOD HANDLING AND PROCESSING)

This General Services Administration has authorized the use of this commercial item description, for all Federal agencies.

1. SCOPE. This description covers uncoated aluminum foil for food handling and processing applications.

2. SALIENT CHARACTERISTICS:

A. Construction. The Aluminum foil shall conform to the requirements of ASTM B 479 Sections 1,2,3,5,6,7,8,10,11 and 12 for Slick Annealed foil. Either matte one-side (M1S) or bright two-sides foil (B2S) is acceptable. The foil shall conform to 21 CFR Part 178.3910. Any type of splice is acceptable provided it does not make the foil unsuitable for use in food preservation or packaging.

B. Dimensions. The thickness, width, and length of the foil shall be as specified (see 7a).

C. Workmanship. The foil shall be free from dirt spots, holes, and soft spots across the face of the foil. The foil shall be of uniform quality and condition and shall be free of defects which affect serviceability.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Federal Supply Service, 26 Federal Plaza, New York N.Y. 10278
ATTN: Engineering Branch (2FYEE).

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited

FSC 8135

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

3. QUALITY ASSURANCE:

A. Responsibility for Inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the Commercial Item Description, where such inspection are deemed necessary to assure that supplies and services conform to prescribed requirements.

B. Sampling. Samples shall be selected for inspection in accordance with MIL-STD-105 using the plans described in Table I. A lot shall consist of a number of sample units manufactured by the same process form the same components at the same time. Random samples shall be drawn from each lot for the end item inspection. Unless otherwise specified, every lot shall be tested.

Table I

Inspection	Inspection Level	AQL (%) defective	Sample Unit	Requirements Paragraph/s
Construction	S-2	4.0	1 ROLL	2A
Dimensions	S-2	4.0	1 ROLL	2B
Workmanship	S-2	4.0	1 ROLL	2C
Packaging,Packing & Marking	S-2	4.0	1 ROLL	5

4. REGULATORY REQUIREMENTS: The offeror/contractor is encouraged to use recovered materials in accordance with Paragraph 23.403 of the Federal Acquisition Regulation.

5. PACKAGING, PACKING AND MARKING: Packaging, packing and marking shall be as specified in the contract or purchase order.

6. REFERENCED DOCUMENTS: The issue of the referenced documents in effect on the date of the solicitation for offers or request for proposals shall be used to determine conformance with the requirements of this Commercial Item Description.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

A. Federal Regulations:

21 CFR 121 - Federal Food, Drug and Cosmetic Act and Regulations Promulgated There under

Federal Acquisition Regulation. Paragraph 23.403

Copies of the U.S. Code may be obtained through the Congressional Sales Office, U.S. Government Printing Office, Washington D.C. 20402.

Copies of the Federal Food, Drug and Cosmetic Act, CFR Title, 21, Part 110, Sec. 35 and 37 are available from Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

B. Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

MIL-STD-105 is available from Naval Publication and Forms Center; 5801 Tabor Avenue; and Materials; Philadelphia, PA 19120.

C. American Society for Testing and Materials (ASTM):

ASTM B 479 - Standard specification for Annealed Aluminium and Aluminium Alloy for Electroplating

ASTM standard test methods can be obtained from the American Society for Testing and Material; 1916 Race Street; Philadelphia, PA 191103.

7. ORDERING DATA:

Purchasers should include the following in the contract or purchase order:

(a) The thickness, width, and length.
(b) Specific packaging, packing and labeling requirements.

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendment to this Commercial Item Description until further notice

PREPARING ACTIVITY

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.