NOTE: The document identifier and heading has been changed on this page to reflect that this is a performance specification. There are no other changes to this document. The document identifier on subsequent pages has not been changed, but will be changed the next time this document is revised.

INCH-POUND
MIL-PRF-24647B
AMENDMENT 1
9 August 1994

PERFORMANCE SPECIFICATION

PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL

This amendment forms a part of Military Specification MIL-P-24647B, dated 2 April 1991 and is approved for use by use by all Departments and Agencies of the Department of Defense.

PAGE 1

Beneficial comments block: Lines 3 and 4: Delete "55Z3, Department of the Navy, Washington, DC 20362-5101" and substitute "03R42, 2531 Jefferson Davis Hwy., Arlington, VA 22242-5160".

PAGE 2

Insert the following after Application 2:

"Application 3 - Paint systems having gray color antifouling for underwater hull, with a service life of five years. (Application 3 for classes 1C, 2 and 3C only.)"

Delete "Application 3" and substitute "Application 4".

Delete "Application 4" and substitute "Application 5".

Add as new:

"Application 6 - Paint systems having gray color antifouling for underwater hull, with a service life of seven years. (Application 6 for classes 1C, 2 and 3C only.)"

PAGE 3

Under SPECIFICATIONS, MILITARY: Delete MIL-P-15931 in its entirety.

2.1.2: Add the following to the list of EPA documents:

"Code of Federal Regulations (CFR), Volume 40, Part 261, Appendix II [40 CFR Part 261, Appendix II] - Toxic Characteristics Leaching Procedure."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:37Z
Check the source to verify that this is the current version before use.

PAGE 5

3.2(a): After the word "primer..", insert "when required....".

3.2(b): Delete "26260" and substitute "26270".

PAGE 6

Line 1: Delete paragraph "d." in entirety.

Line 7: Delete "e." and substitute "d."

Line 8: Delete paragraph beginning "Paint systems ..." in its entirety and substitute the following:

"Paint systems submitted for qualification to classes 1 and 2 of this specification are required to be qualified with anticorrosive paints to MIL-P-24441 and may, in addition, be qualified with a commercial product by the same manufacturer, used either directly or with an adhesion promoting coating (tie coat). Paint systems submitted for qualification to class 3 (rubber use) shall not need to qualify with anticorrosive coatings, but shall be qualified with any required adhesion promoting coat (tie coat)."

3.2.1 System identification. Manufacturer shall at the time of qualification submittal identify by unique nomenclature (system name, alpha/numeric identification) the total system being qualified and each individual product constituting the system by unique product nomenclature (product name, alpha/numeric identification, color and required application thickness in thousandths of an inch). At a minimum, manufacturer shall identify the any of the following products which are included in the system being qualified using unique nomenclature (product name, alpha/numeric identification, color and required application thickness in thousandths of an inch):

a. The product(s) constituting the antifouling topcoat(s).

b. All types, classes and grades - any required adhesion promoting (tie) coatings

c. Classes 1 and 2 - the commercial product designation for the manufacturer's approved MIL-P-24441 and commercial anticorrosive coatings being qualified with the antifouling paint topcoat(s)."

3.3.1: Delete "3.3.2.1" and substitute "3.3.1.1".

Source: https://assist.dla.mil -- Downloaded: 202610-20T00:37Z
Check the source to verify that this is the currentversion before use.

Add as new:

"3.3.1.2. Type II. Type II is a paint system with a nonablating antifouling topcoat which does not diminish in thickness during service. Most classes will function by leaching a toxic agent. Type II antifouling topcoats may also exercise the option to be rejuvenated by mechanical underwater cleaning."

PAGE 8

3.3.4.1: Title and line 1: Delete " Applications 1 and 2" and substitute " Applications 1, 2 and 3".

3.3.4.2: Title and line 1: Delete " Applications 3 and 4" and substitute " Applications 4, 5 and 6".

3.3.5: Line 6: After the word "Copper..", insert: "and Zinc". Correct word "content" to "contents".

PAGE 10

Table III: Last two lines, insert "---" in the test method columns to clarify.

PAGE 11

3.4.1.c: Line 1: Delete "3" and substitute "4".

3.4.1.c: Line 2: Delete "4" and substitute "5".

3.4.1.c: At end of the paragraph, Add: "The color of applications 3 and 6 antifouling topcoat paints shall match FED-STD-595 color number 26173 or 26270 as specified (see 6.2) when tested in accordance 4.5.8."

PAGE 12

3.4.4.1.1: Lines 1 and 2: Delete "1 and 2" and substitute "1, 2 and 3".

PAGE 13

Line 1: Delete "or commercial designation MIL-P-15931".

3.4.4.1.2: Lines 1 and 2: Delete "applications 3 and 4" and substitute "applications 4, 5 and 6".

3.4.4.2.1: Line 2: Delete: "applications 1 and 2" and substitute "applications 1, 2 and 3".

Source: https://assist.dla.mil -- Downloaded: 202610-20T00:37Z
Check the source to verify that this is the current version before use.

3.4.4.2.2: Line 2: Delete: "applications 3 and 4" and substitute "applications 4, 5 and 6".

PAGE 14

3.4.4.3.1.B.: Line 2: Change "wave: to "have".

3.4.4.3.1.B.: Line 3: Delete "commercial designation MIL-P-15931 or type II" and insert "anticorrosive".

PAGE 15

3.4.4.3.7: Line 4: Delete: "1 and 2" and substitute "1, 2 and 3".
Delete: "3 and 4" and substitute "4, 5 and 6".

PAGE 17

3.9: Line 5: Delete "dry-doc" and substitute "dry-dock".

PAGE 18

TABLE IV: Under the requirement for Color: Delete "Applications 1 and 3" and substitute "Applications 1 and 4". Delete "Applications 2 and 4" and substitute "Applications 2, 3, 5 and 6".

PAGE 20

4.5.1.1.d.: Second line: Delete "control", insert "test".

4.5.1.1.d.(1): Delete in its entirety.

4.5.1.1.d.(2): Delete "4.5.1.1.d.(2)" and substitute "4.5.1.1.d.(1)".

4.5.1.1.d.(2): Line 3: Insert "." after "procedure".

4.5.1.1.d.(3): Delete "4.5.1.1.d.(3)" and substitute "4.5.1.1.d.(2)".

4.5.1.1.d.(4): Delete "4.5.1.1.d.(4)" and substitute "4.5.1.1.d.(3)".

4.5.1.1.e.: Line 7: Delete ".. type II, MIL-P-15931,..".

4.5.1.1.f.: Line 5: Delete ".. type II, MIL-P-15931, ..".

Source: https://assist.dla.mil -- Downloaded: 20260-20T00:37Z
Check the source to verify that this is the current version before use.

4.5.1.1.f.: Add to end of the paragraph:

"At every third monthly inspection, after conducting the required monthly inspections, the test panels being qualified for classes 1C and 3C shall be washed with cold tap water or pumped ambient exposure site water at a pressure of 40 to 50 pounds per square inch (psi) for a period not to exceed 5 minutes. Water shall be supplied through a hose having an internal diameter of 3/4 to 1 inch and no longer than 50 feet equipped with a nozzle having a 1/4 inch (nominal) diameter hole (for example: a hose cap having a drilled 1/4 inch) that delivers a solid stream of water. Washing shall be done from a distance of approximately 12 inches at an angle of 0° to 45° above the horizontal of the face of the test plate. After washing the test panels, rerate the test panels. Reimmerse all test panels after required inspections and washing."

PAGE 21

4.5.1.2.d.(2): Second sentence: Add "or type IV" after "type III".

4.5.1.2.d.(3): Delete in its entirety.

4.5.1.2.d.(4): Delete "(4)" and substitute "(3)".

4.5.1.2.d.(5): Delete in its entirety.

4.5.1.2.d.(6): Delete "(6)" and substitute "(4)".

PAGE 22

4.5.1.2.d.(7): Delete "(7)" and substitute "(5)".

4.5.1.2.d.(8): Delete "(8)" and substitute "(6)".

4.5.1.3.1: Line 1: Delete: "applications 1 and 2" and substitute "applications 1, 2 and 3 and type II, classes 1C and 3C, all grades, applications 1, 2 and 3".

4.5.1.3.2: Line 1: Delete "applications 3 and 4" and substitute "applications 4, 5 and 6 and type II, classes 1C and 3C, all grades, applications 1, 2 and 3".

4.5.1.3.2: Line 3: Delete ".. type II, MIL-P-15931, or..".

4.5.1.4: Line 1: Delete "shallow" and substitute "Shallow".

Source: https://assist.dla.mil -- Downloaded: 202610-20T00:37Z
Check the source to verify that this is the current version before use.

PAGE 23

4.5.1.4.1: Line 1: Delete "applications 1 and 2" and substitute "applications 1, 2 and 3".

4.5.1.4.1: Add to the end of the paragraph: "Types I and II, Classes 1C and 3C, all grades and applications 1, 2 and 3 shall be in accordance with the requirements of 3.4.4.2.1 when rated after the wash required in 4.5.1.1.f."

4.5.1.4.2: Line 1: Delete "applications 3 and 4" and substitute "applications 4, 5 and 6".

4.5.1.4.2: Add to end of the paragraph: "Types I and II, Classes 1C and 3C, all grades and applications 4, 5 and 6 shall be in accordance with the requirements of 3.4.4.2.2 when rated after the wash required in 4.5.1.1.f."

PAGE 25

4.5.8.1: Delete "Application 2 and 4" and substitute "Applications 1, 2, 3, 4, 5 and 6 antifouling topcoat colors."

4.5.8.1: Add new line 1: "Application 1 and 4 antifouling topcoats shall be visually consistent with pigments used."

4.5.8.1: Old line 1: Delete: "2 and 4" and insert: "2, 3, 5 and 6". In last line of paragraph correct "(A)" and "(B)" to "(a)" and "(b)".

4.5.8.2: Delete "Applications 1 and 3" and substitute "Color of camouflage R_o anticorrosive paints."

4.5.8.2: Last line: Delete "(B)" and substitute "(b)" .

PAGE 26

4.5.11: Delete: "Federal Register (FR), Volume 55, paragraph 117908, March 19, 1990" and substitute "40 CFR Part 261, Appendix II".

PAGE 28

6.2.b.: Add to end of line: "If ordering Application 4 or 6 paint specify color (see 1.2)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:37Z
Check the source to verify that this is the current version before use.

PAGE 29

6.4: Line 10: Delete "55Z3" and substitute "03R42".

Custodians:
Army - ME
Navy - SH
Review activity:
Army - MR

User activities:
Navy - CG
Navy - YD

Preparing activity:
Navy -SH
(Project 8010-0405)

Source: https://assist.dla.mil -- Downloaded: 202640-20T00:37Z
Check the source to verify that this is the current version before use.