METRIC

MIL-T-24649/7(SH)
10 June 1994

MILITARY SPECIFICATION SHEET

TELEPHONE, HARDWARE, SOUND POWERED
H-25A, SOUND POWERED JACK

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-T-24649

REQUIREMENTS:

Dripproof (see 3.3 6)	not required
Splashproof (see 3.3.7)	not required
Insulation resistance (see 3.3.9)	not required
Talk demonstration (see 3.3.10)	not required
Identification plate (see 3.4.3)	not required
Information plate (see 3.4.4)	not required
Station plate (see 3 4.5)	not required
Switches (see 3.4.6)	not required
Terminal boards (see 3.4.7)	not required
Wiring (see 3 4.8)	not required
Wire terminals (see 3.4.9)	not required


Construction

1. All dimensions unless otherwise specified are in mm. Tolerances, unless otherwise specified shall be plus or minus 127 mm.
2. No deviation in details, dimensions, size and type as shown on the applicable standard will be permitted, unless approved by the Naval Sea Systems Command (NAVSEA).
3. All loose parts required for installation or operation shall be provided in a suitable cloth or plastic bag and packaged with the assembly.
4. A 152.4 mm safety cable terminated at each end with a fastening device capable of accepting a number 10 machine screw shall be attached to the sound powered jack cover.


Preparing activity:
Navy - SH
(Project 5935-N457-07)

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:39Z
Check the source to verify that this is the current version before use.



SIDE VIEW



CUT AWAY VIEW



DETAIL "A" - JACK HOUSING

FIGURE 1 H-25A Sound powered jack

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:39Z
Check the source to verify that this is the current version before use.




FIGURE 2. H-25A Sound powered jack -(Continued)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:39Z
Check the source to verify that this is the current version before use.




FIGURE 3 H-25A Sound powered jack - (Continued)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:39Z
Check the source to verify that this is the current version before use.