MIL-S-43770/3

31 March 1972

MILITARY SPECIFICATION SHEET

SNAP HOOKS, CAST BODY, FIXED LOOP EYE

WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH

The complete requirement for procuring the snap hooks described herein shall consist of this document and the issue in effect of Specification MIL-S-43770.

This specification is mandatory for use by all departments and agencies of the Department of Defense.

REQUIREMENTS:

Configuration: See figure.

Dimensions: Inches, plus 1/16 minus 0 tolerance (see table I).

Material and Finish:

Material 1:

Body - Copper alloy casting
Roller - Brass sheet and strip
Closure - Phosphor bronze
Rivets - Commercial brass

Material 2:

Body - Malleable iron casting
Roller - Carbon steel sheet and strip
Closure - Carbon steel strip, spring quality
Rivets - Commercial carbon steel

Finish A - Black chemical finish.
Finish B - Zinc coating or cadmium plating followed by enamel.
Finish C - Phosphate coating followed by enamel.

PART NUMBER: Consists of letter M, the specification sheet number, and a dash number taken from table II. Example: M43770/3-MIZE1.

Code Letters:

CCBC indicates copper alloy cast body (CC), black chemical finish (BC).
MIZE indicates malleable iron body (MI), zinc or cadmium plated (Z), followed by enamel (E).
MIPE indicates malleable iron body (MI), phosphate coated (P), followed by enamel (E).

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 202610-21T22:16Z
Check the source to verify that this is the current version before use.




TABLE I.- Dimensions

NOMINAL SIZE	5/8	1	1 OPTIONAL	1 1/2
A OPENING	21/32	1 1/16	1 1/32	1 17/32
B LENGTH	1 3/4	2 7/8	3 1/8	3 3/4
C OPENING	1/4	7/16	7/16	1/2
D OPENING	3/16	5/16	5/16	9/16

TABLE II.- Dash numbers

SIZE	DASH NO.			SUPERSEDED MS NO.
	Material-1	Material-2		
	Finish A	Finish B	Finish C	
5/8		MIZE1		MS51828-1M & -1M1
5/8			MIPE1	MS51828-1M2
1	CCBC2			MS51828-5B
1		MIZE2		MS51828-2M & -2M1
1			MIPE2	MS51828-2M2
1 optional		MIZE3		MS51828-3M & -3M1
1 optional			MIPE3	MS51828-3M2
1 1/2		MIZE4		MS51828-4M & -4M1
1 1/2			MIPE4	MS51828-4M2

Source: https://assist.dla.mil -- Downloaded: 202610-21T22:16Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - YD
Air Force - 82

Review activities:

Army - AV, WC
Navy - MC

User activities:

Army - AT, ME, MI
Navy - AS, CG, SH

Preparing activity:

Army - GL

Project No. 5340-0932

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:16Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-EQS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:16Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION Snap Hooks, Cast Body, Fixed Loop Eye With Roller, Flat Spring Closure, Narrow Mouth MIL-S-43770/3

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:16Z
Check the source to verify that this is the current version before use.

VALIDATION

MIL-S-43770/3
NOTICE 1
12 February 1988

MILITARY SPECIFICATION

SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH

Military Specification MIL-S-43770/3, dated 31 March 1972, has been reviewed and determined to be current.

Custodians:

Army - GL
Navy - YD
Air Force - 99

Interested activities:

Army - MI, ME, AT, AV
Navy - MC, SA, CG
DLA - IS

Preparing Activity:

Army - GL

FSC 5340

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-21T22:16Z
Check the source to verify that this is the current version before use.