MILITARY SPECIFICATION SHEET

SNAP HOOKS, CAST BODY, SWIVEL EYE,

SLIDING BOLT CLOSURE

The complete requirement for procuring the snap hooks described herein shall consist of this document and the issue in effect of Specification MIL-S-43770.

This specification is mandatory for use by all the departments and agencies of the Department of Defense.

REQUIREMENTS:

Configuration: See illustration.

Dimensions: Inches, with ± 1/32 tolerance unless otherwise shown in illustration.

Material 1

Body and bolt - Copper alloy castings
Spring - Copper alloy wire
Finish - Black chemical finish

Material 2

Body and bolt - Malleable iron casting
Spring - Steel, wire, high carbon
Finish - Zinc coating followed by enamel


PART NUMBER: Consists of the letter M, the specification sheet number, and a dash number from table I. Example: M43770/6-CCBC1.

Code Letters:

CCBC indicates copper alloy cast body (CC), black chemical finish (BC).
MIZE indicates malleable iron body (MI), zinc coated (Z), followed by enamel (E).

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:17Z
Check the source to verify that this is the current version before use.



SECTION A-A

TABLE I.- Dash numbers

SIZE	DASH NUMBER		SUPERSEDED MIL-S-2032 Classes
	Material-1	Material-2	
1 1/4	CCBC1		Class-1
1 1/4		MIZE1	Class-2

Source: https://assist.dla.mil -- Downloaded: 20261O-21T22:17Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - YD
Air Force - 82

Review activities:

Army - AV, WC
Navy - MC

User activities:

Army - AT, ME, MI
Navy - AS, CG, SA

Preparing activity:

Army - GL

Project No. 5340-0935

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:17Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION Snap Hooks, Cast Body, Swivel Eye, Sliding Bolt Closure MIL-S-43770/6

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 20260-21T22:17Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-EQS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:17Z
Check the source to verify that this is the current version before use.

VALIDATION

MIL-S-43770/6
NOTICE 1
12 February 1988

MILITARY SPECIFICATION

SNAP HOOK CAST BODY, SWIVEL EYE, SLIDING

BOLT CLOSURE

Military Specification MIL-S-43770/6, dated 31 March 1972, has been reviewed and determined to be current.

Custodians:

Army - GL
Navy - YD
Air Force - 99

Preparing Activity:

Army - GL

Interested activities:

Army - AV, AT, MI, ME
Navy - CG, SA, MC
DLA - IS

FSC 5340

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:17Z
Check the source to verify that this is the current version before use.