MILITARY STANDARD

MIL-STD-1322-50

(NAVY)

19 MARCH 1982


UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
STANDARD MISSILE CONTROL SURFACES
MK 26 MOD 0 AND MK 36 MOD 0
IN MK 492 MOD 1 CONTAINER

UNIT LOAD DATA DODIC/NALC NO. VW61-MK 26 MOD 0


NUMBER OF DEVICES PER DRUM	4
NUMBER OF DRUMS PER UNIT LOAD	16
NUMBER OF DEVICES PER UNIT LOAD	64
GROSS WEIGHT OF ONE DRUM (ESTIMATED)	79 LBS.
WEIGHT OF PALLET	90 LBS.
WEIGHT OF STRAPPING	9.6 LBS.
WEIGHT OF WOOD FRAMES	81 LBS.
GROSS WEIGHT OF UNIT LOAD (ESTIMATED)	1445 LBS. △
CUBE	65.9 CU. FT.

DO NOT STACK MORE THAN
3 UNIT LOADS HIGH IN STORAGE

△ DO NOT USE FOR SHIPPING PURPOSES



CONTAINER, MK 492 MOD 1
DL 2644043



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

U.S GOVERNMENT PRINTING OFFICE 1982 – 505-022 3977

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DOMESTIC AND OVERSEAS SHIPPING, HANDLING AND STORAGE.

M.S. Gray NWHC 3/2/82
SIGNATURE TECHNICAL DIRECTION AGENT [TDA] DATE


J.E. Kelly 3/2/82
SIGNATURE SEASYSCOM BY DIRECTION DATE


REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

ORIGINATOR [signature] 3/11/82
DATE


NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.






DETAIL A



BOTTOM FRAME
(1 REQUIRED)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.



TOP FRAME
(1 REQUIRED)

PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 2, THROUGH SLOTS IN PALLET DECK, ITEM 1, AS SHOWN IN DETAIL A.
(b) POSITION THE BOTTOM FRAME ON THE PALLET DECK WITH EQUAL OVERHANG ON BOTH SIDES AS SHOWN.
(c) PLACE FOUR CONTAINERS OVER THE CLEATS OF THE BOTTOM FRAME ORIENTING CONTAINER MARKINGS TOWARD THE OUTSIDE. STACK CONTAINERS FOUR HIGH.
(d) POSITION THE TOP FRAME OVER THE CONTAINERS WITH THE BATTENS IN THE SAME DIRECTION AS BOTTOM FRAME.
(e) POSITION STRAPPING, ITEM 2, AROUND THE UNIT LOAD. TENSION AND DOUBLE NOTCH SEAL, ITEM 5.
(f) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL.
(g) SECURE STRAPS TO TOP AND BOTTOM FRAMES WITH STAPLES, ITEM 6.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.

DEPALLETIZING PROCEDURE

(a) REMOVE STAPLES.
(b) CUT AND REMOVE STRAPPING.
(c) REMOVE TOP FRAME.
(d) REMOVE CONTAINERS.
(e) REMOVE BOTTOM FRAME.

NOTES:

1. UNLESS OTHERWISE SPECIFIED MATERIAL SHALL BE IN ACCORDANCE WITH THE GENERAL DOCUMENT, MIL-STD-1322.
2. COLD ROLLED, HEAT TREATED .031 STRAPPING MAY BE SUBSTITUTED.
3. ALTERNATE PALLET IS NN-P-71, TYPE V, SIZE 2, GRP. 4

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
3 PER JOINT	15	NAIL, PALLET	SEE NOTE 1	2 1/4 X .120
2 PER JOINT	14	NAIL, BOX	SEE NOTE 1	12d
4 PER JOINT	13	NAIL, BOX	SEE NOTE 1	2d
4	12	CLEAT	PLYWOOD SEE NOTE 1	1/2 X 3 X 18 5/8
1	11	SPACER	SEE NOTE 1	2 X 4 X 43 1/2
2	10	BATTEN	SEE NOTE 1	1 X 8 X 46 1/2
8	9	BATTEN	SEE NOTE 1	1 X 6 X 46 1/2
4	8	END PIECE	SEE NOTE 1	2 X 4 X 43 1/2
4	7	SIDE PIECE	SEE NOTE 1	2 X 4 X 48
24	6	STAPLE	SEE NOTE 1	3/4
6	5	SEAL	SEE NOTE 1	3/4
2	4	STRAPPING, GIRTHWISE	SEE NOTES 1 & 2	3/4 X .035 X 18 FT
2	3	STRAPPING, LATERAL	SEE NOTES 1 & 2	3/4 X .035 X 18 FT
2	2	STRAPPING, LONGITUDINAL	SEE NOTES 1 & 2	3/4 X .035 X 18 FT
1	1	PALLET, WOOD	MIL-P-15011, STY.1 SEE NOTES 1 & 3	40 X 48 X 5 1/2

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.