INCH-POUND

MIL-B-27036A(USAF)
AMENDMENT 1
1 April 1990

MILITARY SPECIFICATION

BOMB, LOADING PRACTICE BDU-9/E

This amendment forms a part of Military Specification MIL-B-27036A(USAF), dated 9 February 1962, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2, Under Specifications Federal delete and substitute:

delete:	"TT-A-468	Aluminum-Pigment: Powder and Paste (For) Paint
	PPP-T-60	Tape, Pressure Sensitive Adhesive, Waterproof - For Packaging and Sealing"
substitute:	"TT-L-32	Lacquer, Cellulose Nitrate, Gloss, For Aircraft Use
	TT-P-320	Pigment, Aluminum: Powder And Paste, For Paint
	TT-P-1757	Primer Coating, Zinc Chromate, Low-Moisture-Sensitivity
	PPP-T-60	Tape: Packaging, Waterproof"

2, Under Specifications Military delete and substitute:

delete:	"JAN-P-100	Packaging and Packing for Overseas Shipment, General Specification
	MIL-P-6889	Primer; Zinc-Chromate, For Aircraft Use

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:39Z
Check the source to verify that this is the current version before use.

	MIL-L-7178	Lacquer; Cellulose-Nitrate, Gloss, For Aircraft Use
	MIL-T-9107	Test Reports, Preparation of
	MIL-B-27000	Bombs, Practice, General"
substitute:	"MIL-W-27000	Weapons, Nuclear, Practice And Training - And Similar Special Weapons Items, General Specification For"

PAGE 2

2, Under Standards add the following Military Standards:

Add:	"MIL-STD-831	Test Reports, Preparation of
	MIL-STD-1186	Cushioning, Anchoring, Bracing, Blocking and Waterproofing; With Appropriate Test Methods"

3.3.3, Line 2 delete "MIL-B-27000" and substitute "MIL-W-27000".

PAGE 3

3.3.4.3, Line 2 delete "MIL-B-27000" and substitute "MIL-W-27000".

3.4, Line 1 delete "MIL-B-27000" and substitute "MIL-W-27000".
Line 5 delete "MIL-P-6889" and substitute "TT-P-1757".

3.4.1, Line 4 delete "MIL-L-7178" and substitute "TT-L-32".
Line 5 delete "TT-A-468" and substitute "TT-P-320".

PAGE 4

3.4.3, Line 4 delete "MIL-L-7178" and substitute "TT-L-32".

3.5.3, Line 3 delete "MIL-B-27000" and substitute "MIL-W-27000".

3.7, Paragraph b. should read:

b.	NOCM 6685-00-575-4692	Gauge, Pressure, Dial Indicating T-283	1

3.8, Line 1 delete "MIL-B-27000" and substitute "MIL-W-27000".

PAGE 5

4.2.1.1, Line 4 delete "MIL-T-9107" and substitute "MIL-STD-831".

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:39Z
Check the source to verify that this is the current version before use.

PAGE 6

4.5.4, Line 2 delete the word "guage" and substitute "gauge".

4.5.5.2, Line 2 delete "MIL-B-27000" and substitute "MIL-W-27000".

PAGE 8

4.5.5.2, Line 1 of page 8 delete "MIL-B-27000" and substitute "MIL-W-27000".

4.5.6.1, Paragraph b. Line 1 delete "MIL-B-27000" and substitute "MIL-W-27000".

4.5.6.2, Line 2 delete "MIL-B-27000" and substitute "MIL-W-27000".

5.2, Line 8 delete "JAN-P-100" and substitute "MIL-STD-1186".

Custodian
Air Force - 79

Review Activity:
Air Force - 15

Preparing Activity:
Air Force - 79

(Project 1105F012)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:39Z
Check the source to verify that this is the current version before use.