MILITARY SPECIFICATION

CARTRIDGE, BOMB EJECTION MLU-11/C AND CARTRIDGE KIT, BOMB EJECTION MLU-12/C

This amendment forms a part of Military Specification MIL-C-27029A (USAF) dated 29 September 1967.

Page 1, paragraph 2.1, Federal Specifications: Delete
"PPP-B-621 Boxes, Wood, Nailed & Lock Corner"

Page 1, paragraph 2.1, Military Standards: Delete
"MIL-STD-1186 Cushioning, Anchoring, Bracing, Blocking and Water Proofing, with Appropriate Test Methods"

Page 2, paragraph 2.1, drawings - Air Force: Add:
"TP013778709296 Cartridge Kit, Bomb MLU-12/C"

Page 2, paragraph 2.1, publications: Delete "Department of Defense Index of Specifications and Standards" and "Air Force Specifications Bulletin 23".

Page 2, paragraph 2.2, other publications: Delete "49CFR71-78" and substitute "49CFR171-178".

Page 2, paragraph 3.2: Delete and substitute:
"3.2 Selection of specifications and standards. Specifications and standards for necessary commodities and services not specified herein shall be selected in accordance with MIL-STD-143".

Page 3, paragraph 3.5.3: In the second line, delete "5 to 20" and substitute "20". In the third line, delete "from 5 to 40" and substutute "within 40".

Page 3, paragraph 3.6.4: Delete and substitute:
"3.6.4 High temperature. The cartridge shall be capable of proper operation after prolonged exposure to a temperature of 121° Centigrade (C) [250° Fahrenheit (F)]. The cartridge shall not fire during prolonged exposure to a temperature of 143°C (290°F)."

Page 4, paragraph 3.8: Delete and substitute:
"3.8 Explosive classification. Cartridges (MLU-11/C) and cartridge kits (MLU-12/C) shall be assigned the following explosive classification in accordance with 49CFR 171-178:

a. 1000 or more cartridges (MLU-11/C) or 500 or more cartridge kits (MLU-12/C) - Explosives A
b. Less than 1000 cartridges (MLU-11/C) or less than 500 cartridge kits (MLU-12/C) - Explosives C

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:39Z
Check the source to verify that this is the current version before use.

Page 5, paragraph 4.1: Delete and substitute:
"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Page 5, paragraph 4.2.1: Delete and substitute:
"4.2.1 Preproduction test samples. The preproduction test samples shall be representative of production cartridges. They shall be consecutively numbered for test identification."

Page 5, paragraph 4.2.1.1: Delete and substitute:
"4.2.1.1 Preproduction test report. The contractor shall prepare a preproduction test report and furnish two complete copies of the report to the procuring activity."

Page 5, paragraph 4.2.2: Delete and substitute:
"4.2.2 Preproduction tests. Preproduction tests shall consist of all tests described herein under 4.6.1, 4.6.2, 4.6.3, and 4.6.4."

Page 5, paragraph 4.2.3: Delete and substitute:
"4.2.3 Preproduction schedule and test plan. The preproduction schedule and test plan shall be as described in 4.6.4.1."

Page 6, paragraph 4.3.1: Delete and substitute:
"4.3.1 Individual tests. Each cartridge shall be subjected to the tests described in 4.6.1, 4.6.2 and 4.6.3."

Page 6, paragraph 4.3.2.2.1: Delete and substitute:
"4.3.2.2.1 Sampling tests. The sample units shall be subjected to the tests described in 4.6.5.1, 4.6.5.2, 4.6.5.3 and 4.6.5.4, in accordance with procedures outlined in 4.6.5."

Page 21, paragraph 5.1: Delete and substitute:
"5.1 Packaging and packing. Packaging of MLU-11/C cartridge and packing of MLU-12/C cartridge kits shall be in accordance with TPO 1377-870-9296 which shall be a part of each solicitation."

Page 21, paragraph 5.2: Delete and substitute:
"5.2 Marking. The MLU-12/C cartridge kit shall be marked in accordance with TPO 1377-870-9296. Exterior containers shall be marked in accordance with MIL-STD-129. The nomenclature shall be:

CARTRIDGE KIT, BOMB EJECTION, MLU-12/C

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:39Z
Check the source to verify that this is the current version before use.

"5.2.1 Additional marking (explosive). In addition to the nomenclature above each exterior container shall be marked/ labeled to comply with 49CFR 171-178, or other regulation applicable to the mode of transportation anticipated. The shipping name shall be:
"ELECTRIC BLASTING CAPS, Handle Carefully".

Page 21, paragraph 6.2: Delete and substitute:
"6.2 Ordering data. Procurement documents should specify the following:
a. Title, number and date of this specification.
b. If preproduction testing is not required (see 3.1 and 4.2)."

Page 21, paragraph 6.2.1: Delete.

Page 22, paragraph 6.4.a: Delete and substitute:
"a. Preproduction tests. Preproduction tests are those tests made on samples, which have been manufactured by a contractor prior to his starting production but using the same materials, tools, and processes as will be used for production, to prove that the product meets specified requirements."

Custodians:
Air Force - 70

Preparing activity:
Air Force - 70

Project No 1377-F518

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:39Z
Check the source to verify that this is the current version before use.