INCH-POUND

MIL-B-49458(ER)
AMENDMENT 2

17 January 1992

SUPERSEDING
AMENDMENT 1
28 February 1991

MILITARY SPECIFICATION

-

BATTERIES, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE

This amendment forms a part of MIL-B-49458(ER), dated 25 June 1986, and is approved for use by the Laboratory Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* Paragraph 2.1.1, SPECIFICATIONS, MILITARY - Delete reference to MIL-P-116.

* Paragraph 2.1.1, STANDARDS, FEDERAL - Delete reference to FED-STD-101.

* Paragraph 2.1.1, STANDARDS, MILITARY - Delete reference to MIL-STD-129.

PAGE 3

* Paragraph 2.1.2 - Delete reference to AG00000066.

PAGE 10

* Paragraph 4.2d - Delete in its entirety.

* TABLE 1, Solder - Add types Sn60 and Sn63.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:08Z
Check the source to verify that this is the current version before use.

PAGE 14

* Paragraph 4.6.1.4.1, second line - Delete "General Inspection Level I" and replace with "Special Inspection Level S-4".

* Paragraph 4.6.1.4.2, first line - Delete "AQL of 6.5" and replace with "AQL of 4.0".

Paragraph 4.6.1.5.1 - Delete in its entirety and substitute:

"4.6.1.5.1 Sampling plan. A sample of n_s batteries shall be selected at random from production for each shipment lot in amounts determined from the following formula, and rounded off in case of fractions to an adjacent integer (up or down for each shipment lot), so that exactly n batteries have been assigned to both T and D capacity tests when the sample for the final shipment of the contract lot has been drawn.

$$n_s = a + (N_s/N) \times 2n$$

Where:

a= 10 batteries for ILR capacity testing
n_s= total number of sample batteries to be taken from each shipment lot.
N_s= number of batteries in the shipment lot.
N= number of batteries in the contract lot (see Table VII).
n= number of batteries to be taken from the contract lot for each of two capacity tests, T and D, in accordance with Table VII (total number of T and D samples selected is 2n)."

Add the following new paragraph:

"4.6.1.5.1.1 Allocation of sample batteries for Group D inspection. The number of batteries, n_s, selected from a shipment lot, shall be assigned at random at the Government test facility, so that 10 batteries shall be submitted for the ILR capacity test and the remainder (n_s-10) split approximately in half for the T and D tests. Such assignment shall result in the allocation of exactly n batteries to both T and D capacity tests after the final shipment on the contract lot is made. If necessary, the sample size n_s taken from the last shipment lot of the contract lot shall be adjusted so that this result is achieved."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:08Z
Check the source to verify that this is the current version before use.

Delete Table VII in its entirety and substitute the following:

TABLE VII Sample Size and Acceptance Number for Both T and D Tests.

Contract Lot Size "N"	Sample Size "n" for T and D test from contract lot.	1/ Acceptance No. for T and D tests.
0 to 110	5	2/ --
111 to 500	15	3
501 to 800	25	5
801 to 1,300	35	7
1,301 to 3,200	50	9
3,201 to 8,000	75	13
8,001 to 22,000	110	18
22,001 to 110,000	150	24
over 110,000	225	34

1/ When the number of capacity values falling below the minimum requirements specified (See 3.1) for a given test is equal to or less than the associated acceptance number, the contract lot from which the samples were drawn have met the requirements of that test.

2/ Determination of compliance specified in 4.6.1.5.2 shall not apply to contract lot sizes of less than 111.

Paragraph 4.6.1.5.2 - Delete in its entirety and substitute:

"4.6.1.5.2 Compliance. The entire contract lot shall be considered as complying when the T and D tests show compliance as specified in Table VII, and the number of ILR failures for the contract lot does not exceed twenty (20) percent of the number of samples submitted to ILR testing."

Paragraph 4.6.1.5.3.1, second line - Delete "4.7.1.5.2" and replace with "4.6.1.5.2."

Paragraph 4.6.1.5.3.1, third line - Delete "inspection battery lot" and replace with "contract lot".

* Paragraph 4.6.2 - Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:08Z
Check the source to verify that this is the current version before use.

PAGE 17

Paragraph 4.7.3, sixth one - Delete "20°F" and replace with "-20°F".

PAGE 22

* Paragraph 4.7.12.1 - Delete in its entirety and substitute:

"4.7.12.1 Sample size. The sample size shall be twenty (20) each for each shipment lot. No failures are allowed."

* Paragraph 4.7.12.2 - Delete in its entirety.

* Paragraph 4.8 through 4.8.2.3 - Delete in their entirety.

PAGE 23

* TABLE IX - Delete in its entirety.

* Paragraph 5 through 5.2 - Delete in their entirety and substitute:

"5. PACKAGING.

5.1 Packaging requirements. The packaging requirements for the desired level(s) of protection shall be as specified by the acquisition activity."

PAGE 24

* Paragraph 6.2 m and n - Delete in their entirety.

* Paragraph 6.4 - Delete in its entirety.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-ER

Preparing Activity:
Army-ER

(Project 6135-A244)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:08Z
Check the source to verify that this is the current version before use.