INCH-POUND

MIL-C-50466(AR)
AMENDMENT 2
30 January 1991
SUPERSEDING
AMENDMENT 1
10 March 1982

MILITARY SPECIFICATION

CARTRIDGE, 40MM, HE, XM684
LOADING, ASSEMBLING AND PACKING

This amendment forms a part of Military Specification MIL-C-50466 (MU), dated 21 November 1969, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Delete "8865431 and 8865432" and substitute "9251995 and 9251996" wherever referenced in this specification.

PAGE 2

* Under drawings, add:

| | |
|---|---|
| "9362543 | Packing and marking of Shipping and Storage Container M548 W/Linked 40MM Cartridges |
| 9325874 | Packing for Light Boxes |
| 8796522 | Marking Diagram and Sealing for Wood Packing Boxes |
| 1948-4116 | Basic Procedures Unitization Procedures for Boxed Ammunition and Components on 4-Way Entry Pallets |



DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:25Z
Check the source to verify that this is the current version before use.

| | |
|---|---|
| 1948-4138 | Basic Procedures Unitization Procedures for Boxed Ammunition and Components on Skidded Bases |
| 9251195 | Box, Wirebound, Packing, Ammunition for Cartridge, 40MM, Linked |
| 9251996 | Box, Fiber, Packing, Ammunition for Cartridge, 40MM, Linked" |

PAGE 5

* Delete 4.3.1g in its entirety and substitute:

"g. cartridges in less than full belt quantities shall be handled as described in paragraph 5.5."

PAGE 8

4.3.2.8: Add Major defect 104 as follows:

"104. Support missing Visual 08004."

* 4.3.2.8, delete all Major categories and substitute:

| | | | |
|---|---|---|---|
| "101. | Incorrect number of cartridges in full boxes | Visual | 11001 |
| 102. | Cartridges inverted | Visual | 11002 |
| 103. | Filler missing | Visual | 11003 |
| 104. | At the beginning and end of lot - more than one ammunition lot per box" | Visual | 11004 |

PAGE 9

* 4.3.2.11 Add the following under Major category:

| | | |
|---|---|---|
| "102. | Light boxes prepared in improper manner" | Visual |

* Add the following examination subparagraphs:

"4.3.2.12 Unsealed shipping and storage container M548 (see dwg. 9362543).



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:25Z
Check the source to verify that this is the current version before use.

| Categories | Defects | Method of Inspection | Code No. |
|---|---|---|---|
| Critical: | None defined | | |
| Major: | AQL 0.40 percent | | |
| 101. | Incorrect number of cartridges in full boxes | Visual | 12001 |
| 102. | Fillers, supports and spacers not positioned properly or missing | Visual | 12002 |
| 103. | Top pad not positioned properly or missing | Visual | 12003 |
| 104. | Cartridge inverted | Visual | 12004 |
| 105. | At the beginning and end of lot more than one ammunition lot per box | Visual | 12005 |
| Minor: | None defined" | | |

"4.3.2.13 Sealed shipping and storage container M548 (see dwg. 9362543).

| Categories | Defects | Method of Inspection | Code No. |
|---|---|---|---|
| Critical: | None defined | | |
| Major: | AQL 0.40 Percent | | |
| 101: | Light boxes prepared in improper manner | Visual | 13001 |
| Minor: | AQL 1.50 Percent | | |
| 201: | Marking misleading or unidentifiable | Visual | 13002 |
| 202: | Contents loose | Manual | 13003" |



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:25Z
Check the source to verify that this is the current version before use.

4.3.3.11: Delete last sentence in its entirety and substitute the following:

"The sample cartridges shall be selected at random prior to linking and then linked with the same lot of links to which its respective end item lot has been assembled."

4.3.3.11.1: Delete "f and g" in their entirety and substitute the following:

"f. Major - Twelve (12) or more fail high order proper detonation at target area (see 6.12).

g. Major - Less than 65 are not between 2 and 25 feet."



Add new paragraphs 4.3.3.14 and 4.3.3.15 as follows:

"4.3.3.14 Pot life of adhesive (see 6.13) (See Dwg. 9217500), Major Defect, Code No. 25001. - Each batch of adhesive mixed for use in assembly of fuzes to bodies shall be subjected to this determination. If any batch fails to comply with applicable requirement, it shall not be used for assembly of fuzes to bodies. Projectile assemblies which have been assembled with adhesive which exceed the pot life requirement shall be disassembled, cleaned and new adhesive applied. The test shall be performed as specified in 4.4.13.

4.3.3.15 Disassembly torque of fuze (See Dwg. 9247851). Major defect Code No. 26001. - One (1) cartridge shall be selected from each batch of adhesive and held for 24 hours, after which each of the selected cartridges shall be subjected to this test. If any cartridge fails to comply with the applicable requirement the lot shall be rejected. This test shall be performed as specified in 4.4.13 using equipment in accordance with 4.3.4."



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:25Z
Check the source to verify that this is the current version before use.

Add new paragraphs 4.4.13 and 4.4.14 as follows:

"4.4.13 Pot life of adhesive - The time from preparation of the adhesive for use in assembly of fuzes to bodies, to its application shall be determined. Any method considered satisfactory to the Contracting Officer may be used in performing this determination. This is a non-destructive test. Adhesive so tested shall be returned to the lot.

4.4.14 Disassembly torque of fuze. The projectile assembly shall be placed in a fixture as specified on the Equipment List and the torque specified on Dwg. 9247851 shall be applied. This is a destructive test, no cartridge so tested may be returned to the lot."

* 5.1.1, Add the following to sentence:

"or drawing 9362543 as applicable."

* 5.2.1, Add the following to sentence:

"or drawing 9362543 as applicable."

* 5.3, Add the following to sentence:

"or drawing 9362543 as applicable."

* Add new paragraph 5.5 as follows:

"5.5 Light boxes. Cartridges in less than full belt quantities shall be handled in the following manner:

(1) An ammunition box (exterior pack, shipping and storage container, or fiber packing box) will not contain more than one lot of ammunition per box.

(2) Less-than-full boxes (light boxes) of an ammunition item are limited to only one lot of ammunition per box (see Procedures 19-48-4116 and 19-48-4138) and shall be packed in accordance with drawing 9325874.

(3) Light boxes shall be painted and marked in accordance with "MARKING INSTRUCTIONS FOR LESS THAN FULL BOXES" in drawing 8796562."



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:25Z
Check the source to verify that this is the current version before use.

6.12: delete in its entirety and substitute the following:

"6.12 Proper ambient functions are defined as from the surface to 35 feet."

Add new paragraph 6.13 as follows:

"6.13 The period of time during which an adhesive after mixing with catalyst, solvent, or other compounding ingredients, remains suitable for use."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing Activity:
Army-AR

(Project 1310-A479)



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:25Z
Check the source to verify that this is the current version before use.