A-A-50971
1 May 1984

COMMERCIAL ITEM DESCRIPTION

SOLDERING IRON, NON-ELECTRIC (COPPERS)

The General Services Administration has authorized the use of this commercial item description in preference to Federal Specification GGG-S-595.

This description covers non-electric soldering irons, commonly referred to as soldering coppers.

Salient characteristics.

Types and sizes. Soldering irons shall be of the following types and sizes.

Type I - Pointed (pyramid) tip
Type II - Flat (wedge) tip

Size 1	- 4 ounces (113 gm)	Size 7	- 2-1/2 pound (1.13 kg)
2	- 8 ounces (227 gm)	8	- 3 pound (1.36 kg)
3	- 12 ounces (340 gm)	9	- 4 pound (1.81 kg)
4	- 1 pound (454 gm)	10	- 5 pound (2.27 kg)
5	- 1-1/2 pound (680 gm)	11	- 6 pound (2.72 kg)
6	- 2 pound (907 gm)	12	- 7 pound (3.18 kg)

Size. Size is defined as the weight per single soldering iron (copper) including the handle rod. The weight shall be within a tolerance of -0 to +15 percent of the weight specified.

Body. The body shall be manufactured of electrolytic copper.

Handle rod. The handle rod shall be manufactured of corrosion resisting steel and shall be of sufficient strength and rigidity to support the forces exerted in normal soldering operations. The handle rod shall have one end pointed for insertion into a handle. The other end of the handle rod shall be securely attached to the body.

Handle. The handle shall be made of wood and shall be proportioned and contoured for a comfortable grip. The handle shall be securely attached to the handle rod.

FSC 3439

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:49Z
Check the source to verify that this is the current version before use.

Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any inspections set forth in the commercial item description where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Acceptance inspection. The supplier shall randomly select the number of samples specified in table I that is applicable to the quantity of items being purchased. Each sample shall be visually inspected, measured, and tested by the supplier to determine conformance with the salient characteristics specified herein. Any sample failing to meet these requirements shall be considered a defective item. If the number of defective items equals, or is less than the quantity specified under "Acceptance, number defective" in table I, the supplier shall replace the defective samples with acceptable items, and the entire lot shall be considered acceptable for shipment. If the number of defective samples equals, or exceeds, the quantity specified in the "Rejection, number defective" column of table I, the entire lot shall be considered defective and unsuitable for acceptance.

TABLE I. Sampling plan.

Lot size	Sample size	Acceptance, number defective	Rejection, number defective
8 and under	2	0	1
9 to 15	3	0	1
16 to 25	5	0	1
26 to 50	8	1	2
51 to 90	13	1	2
91 to 150	20	2	3
151 to 280	32	3	4
281 to 500	50	5	6

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling and marking. The preservation, packaging, packing, labeling, and marking shall be in accordance with the American Society for Testing and Materials (ASTM) Standard D3951 Standard Practice for Commercial Packaging, or as specified in the contract or order.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:49Z
Check the source to verify that this is the currenversion before use.

Cross reference. The types and classes listed in Federal Specification GGG-S-595b are cross referenced to the types listed in this commercial item description as shown in table II.

TABLE II. Cross reference.

GGG-S-595B	A-A-50971
Type I, Class 1	Type I
Type I, Class 2	Type II
Type II	Deleted

Notes. Purchasers will specify quantity, type and size of soldering irons required.

ASTM Standard D3951 is available from the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.

MILITARY INTERESTS

Custodians:

Army - AL
Navy - SH
Air Force - 99

Review Activities:

Air Force - 84
DLA - GS, DH

CIVIL AGENCY COORDINATING ACTIVITY

GSA - FSS

PREPARING ACTIVITY:

DLA - IP

Project Number 3439-0536

☆U.S. GOVERNMENT PRINTING OFFICE: 1984 — 705-040/A2683

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:49Z
Check the source to verify that this is the current version before use.