A-A-50982A
31 January 1989
SUPERSEDING
A-A-50982
17 July, 1985

COMMERCIAL ITEM DESCRIPTION

BAG, ICE

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for Types I and II of Federal Specification ZZ-B-586, which is cancelled.

This Commercial Item Description covers a conventional ice bag suitable for use in medical treatment.

Salient characteristics:

The bag shall be a conventional ice bag suitable for use in medical treatment. The bag shall be of the following types:

Type I - oval shaped ice bag.
Type II - rectangular, throat-type, ice bag.

The type I bag shall be a conventional oval shaped ice bag. It shall have dimensions of 11 inches (27.94 cm) ± 1 inch (2.54 cm) long by 7 inches (17.78 cm) ± 1 inch (2.54 cm) wide. The bag shall have at least two tying tabs which shall be securely attached to the opposite ends of the long axis. The bag shall have a filler opening with a minimum 1-3/4 inch diameter, and a threaded cap to securely seal the opening.

The type II bag shall be a conventional throat ice bag. It shall have an oblong shape and shall measure at least 11 inches (27.94 cm) in length and 3 inches (7.62 cm) in width at the middle. The sides of the bag shall be concave, so that the width in the center shall be 3/4 inch (1.91 cm) ± 1/4 inch (0.64 cm) less than the width at the ends. The bag shall have a minimum of two tying tabs, one at each end of the long axis, and a suitable tie tape.

AMSC N/A FSC 6530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Both type bags shall be fabricated of natural rubber, synthetic rubber, or a suitable mixture of synthetic and natural rubber. The outside surfaces of the bags shall be free from tackiness and the inside surfaces of the bags shall not stick together. The rubber compound shall be free from any ingredient that might cause irritation of the skin. The tensile strength of the rubber compound in the bag shall not be less than 1300 pounds per square inch.

Both type bags shall be reinforced at seams and throat and constructed so they can be closed water tight with a noncorrosive screwcap. The screw cap shall be made of a corrosion-resisting metal, polystrene, polyethylene, or polypropylene. The thread of the screwcap shall mate smoothly with the thread of the bag opening.

The tying tabs of the bags shall be made of double-layered gum rubber, rubberized fabric, or molded rubber. Tab eyelets shall be reinforced and free of cuts, breaks, flash, and sharpness.

The bags shall be any standard commercial color. The color shall be permanent.

The exterior surfaces of the body of the bags shall be smooth for the patient's comfort. They shall be free of unspecified protrusions, occlusions, flash, and imbedded foreign matter.

The outside surface of the bags shall be free of cuts, cracks, abrasions, tears, pits, or pinholes. It shall be free of dirt, grease, oil, and other foreign matter.

Workmanship. The ice bag shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One bag, as specified, constitutes one unit.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 2.5 (percent defective) and an inspection level of I. The unit of product for examination purposes shall be one ice bag as specified in this description.

Defects.

Bag is not designed and constructed as specified.

Bag is not complete with all components.

Bag outer surfaces are not free of tackiness.

Inside surfaces of bag are not free from sticking together.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Defects. (continued)

Outside surface of bag is not free of cuts, cracks, abrasions, tears, pits, or pinholes.

Tying tab is missing or not located as specified.

Rubber tab hole is not reinforced.

Tab eyelets are not free of cuts, breaks, flash, and sharpness.

Thread of screw cap does not mate smoothly with thread of opening on bag.

Tie tape on type II bag is not long enough.

Bag surface is not free of unspecified protrusions, occlusions, flash, or imbedded foreign matter.

Bag is not free of dirt, grease, oil, and other foreign matter.

Sampling for tests. Sampling for tests, including dimensional tests, shall be conducted in accordance with MIL-STD-105, with an AQL of 2.5 (percent defective) and an inspection level of S-1. The unit of product for test purposes shall be one ice bag

a. First article. Where a first article sample is required, all tests shall be performed on that unit.

b. Acceptance testing. When a first article sample has not been required, one unit shall be subjected to the performance test specified herein. If a test article sample has successfully passed all tests, performance test shall not be required at acceptance.

Tests

Tensile Strength. Tensile strength testing shall be according to ASTM D-412. A tensile strength of less than 1300 pounds per square inch shall constitute a defect.

Permanency of Color. The surface of the body of the bag shall be rubbed briskly with a ball of soft cotton for a period of one minute. The surface of the bag and cotton ball shall be inspected for any evidence of color rubbing off the bag. Any evidence of color loss shall constitute a defect.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Numbers are covered by this document:

6530-00-770-7000 (Type I)
6530-00-770-7500 (Type II)

Ordering data. Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6530-2039

Location: CID/BAG/ICE/H13-33

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in ting comments and suggestions for improvements All users of military standardization documents are invited to provide estions This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and led In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems Enter in block 6 any remarks not related to a specific paragraph of the document If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 4968 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
ATTN DPSC-RSTE
2800 South 20th Street
Philadelphia, Pennsylvania 19101-8419

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE
A-A-50982A	BAG, ICE

3a NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER *(Last, First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.