A-A-50986A
3 September 1987
SUPERCEDING
A-A-50986
25 July 1985

COMMERCIAL ITEM DESCRIPTION

BOTTLE, SAFETY CAP
(Glass, Light-Resistant, Tablet and Capsule)

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-B-37035A.

This commercial item description covers a light-resistant glass bottle with one type of screwcap safety closure, suitable for dispensing tablet and capsule pharmaceutical preparations.

Salient characteristics:

Shall be a wide mouth light-resistant glass bottle with a molded plastic safety closure, suitable for dispensing tablet and capsule pharmaceutical preparations.

Shall comply with the provisions of the Pharmacopeia of the United States (USP) pertaining to Permeation Standards for tight containers and Light Transmission for light-resistant type NP glass containers.

The configuration (shape) of the bottle that is a 13 dram size or under, shall be cylindrical with a wide mouth opening. The configuration (shape) of the bottle that is larger than a 13 dram size shall be square with a cylindrical wide mouth opening. Both shapes shall have an exterior continuous type threaded finish for the closure, and a flat top surface, level and free of discernible ridges, to make contact with the liner of the closure cap. The minimum cubic centimeter (cc) overflow capacity of the 7, 11 and 13 dram size bottles shall be 24.5, 38.0 and 48.5 cc respectively. The minimum overflow capacity of the 16, 24, 32, 48 and 64 dram bottles shall be 59.5, 89.0 148.5, 180.0 and 237.0 cc. respectively. The maximum allowable overflow capacity for aforementioned size bottles shall be such that there is no overlapping of capacities between two bottles. All bottles shall have an available prescription label surface height of 51 mm (2 inches), below the closure cap.

AMSC N/A FSC 6530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

The closure cap on the bottle shall be one that can only be opened by two coordinated actions of pushing down on the top while turning in a counter clockwise direction.

The closure cap shall be a two-piece screwcap design consisting of an inner cap and an outer cap. The inner cap shall have a continuous type thread for closure, and a liner to form a seal when full contact is made with the top surface of the bottle. The outer cap shall fit over the inner cap in such a manner that the two caps do not separate. Instructions for opening the safety closure shall be embossed on the top surface of the outer cap with the lettering in either contrasting color to the body of the cap or with letter size at least 2.5 millimeters in height.

The safety closure shall be designed to conform to the Poison Prevention Packaging Act of 1970 (Public Law 91-601 dated 30 December 1970) under 16 CFR 1700.20 (Testing Procedure for Special Packaging). A copy of test data showing successful conformance shall be submitted to the Consumer Product Safety Commission.

The contractor shall submit a copy of protocol test data to the contracting officer, prior to award of contract, as proof that the child-resistant bottles to be delivered under the contract conform to the Poison Prevention Packaging Act under 16 CFR 1700.20. Compliance with this paragraph does not excuse compliance with other requirements of the specification and contract or purchase order.

Each bottle shall be permanently and legibly marked with the name or registered trademark of the manufacturer and the capacity.

Reference standard. Where standard is referenced herein, the issue of that standard in effect on the date of solicitation shall be used to determine compliance with stated requirements.

Workmanship. The safety cap bottle shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Package (PG). One package containing seventy-two bottles of 16, 24, 13, 11 or 32 dram, or thirty-six bottles of 64, 48 dram or one hundred forty-four of 7 dram, as specified, constitutes one unit.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Inspections and tests. Inspections and tests shall be conducted in accordance with commercial practice to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling for inspection and tests. Sampling for inspection and tests shall be conducted in accordance with commercial practice. The unit of product for test purposes shall be one safety cap bottle.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Numbers are covered by this document:

6530-00-112-0152	16 dram (59 cc)
6530-00-112-0155	24 dram (89 cc)
6530-00-112-0158	32 dram (118 cc)
6530-00-112-0160	7 dram (26 cc)
6530-00-112-0161	13 dram (48 cc)
6530-00-112-0162	11 dram (41 cc)
6530-00-112-0187	64 dram (237 cc)
6530-00-112-0189	48 dram (178 cc)

Ordering data. (Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing Activity:

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6530-1963

Location: Disk # 9

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.