INCH-POUND

A-A-54598
6 March 1992

COMMERCIAL ITEM DESCRIPTION

CLIPPER, HAIR, AND BLADE SETS

(Small Animal)

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for MIL-C-43390B which is cancelled.

This Commercial Item Description covers an electrically operating hair clipper for small animals and three sizes of blade sets.

Salient Characteristics:

The hair clipper shall be suitable for hair clipping of small animals. The clipper shall accept and be used with blade sets of the following sizes:

Size 10 - General and under body clipping

Size 15 - Medium-close clipping (mane, fetlock, udder, and cat)

Size 40 - Surgical area clipping

The hair clipper shall be of double insulation construction or third wire grounding construction. The clipper shall be a nominal 8 inches in overall length and weigh not more than 1-1/2 pounds. The clipper shall include a body, a detachable cutter head with blade guard, hanger, and self-contained toggle switch. The switch shall be attached to the clipper end opposite the blade. Exposed metal surfaces of the clipper, including the hanger, ring, or fitting for attachment of a security line, shall be plated or fabricated from rust-resistant material. Each clipper shall be provided with a size 10 blade set and shall be

AMSC N/A FSC 3770

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.

packaged in a suitable case. The complete clipper assembly shall withstand a 3 foot drop on a security line, while clipper is running without evidence of damage or malfunction.

The cutter head shall be attached to, and shall be detachable from, the body top section. The head shall be designed to accommodate different size blade sets. The gear housing of the cutter head shall be covered by a corrosion-resisting steel, brass, or aluminum plate, and shall be held in place by not less than two screws.

The cutting blades shall be furnished in sets consisting of a top blade and a bottom blade, operating as a pair, and shall be fabricated of tool steel. The cutting blades shall be hardened and tempered, and shall have a Rockwell C average hardness of 58-68, when tested in accordance with ASTM E 18. The blades shall be free from cracked or malformed teeth. The edges of holes for screws shall be free from burrs. The head of the blade screw and the ends of the clamping spring screws shall set flush with, or below, the bottom blade surface. Interchanging of the blade sets shall be accomplished with ease.

The blade guard shall be fabricated of plastic, rubber, or corrosion-resisting steel, brass, or aluminum. The blade guard shall cover the blade edges without looseness.

The clipper motor shall be universal wound and intended for 115V-120V, single phase, 50-60 Hz, AC-DC, operation with double insulation or a means of grounding. The rubber covered flexible electrical cord shall be not less than 10 feet long. Cords of double insulated clippers shall have two conductors, with a molded 2-prong male plug. Grounded cords shall have three conductors, with a molded 3-prong male plug. The clipper shall comply with the applicable requirements of UL 1028, Hair Clipping and Shaving Appliances. The molded 3-prong male plug shall conform to ANSI Standard C-73-11.

All clipper fasteners, oil ports, and alignment plates shall be chromium or nickel plated. The blades shall have a flat ground finish. Blade size numbers 10, 15, or 40, as applicable, shall be marked on blades.

Each clipper shall be furnished with the following accessories:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.

1 - Tube of oil, 1/2 ounce
1 - Tube of grease
1 - Set of carbon brushes
1 - Set carbon brush springs
1 - Set of clamping springs
2 - Clamping spring screws
1 - Blade screw

The finished clipper shall be free from defects such as fractures, splits, punches, tears, dents, creases, bows, miscasts, deteriorations, or malformations. There shall be no sharp edges, burrs, or slivers.

Workmanship. The hair clipper and blade sets shall be free from defects which detract from their appearance or impair their serviceability.

Unit. For NSN 3770-00-804-4700. Each (EA). One clipper, along with accessories, as specified, constitutes one unit.

For NSN 3770-00-804-4800, 3770-00-804-4900 and 3770-00-804-5000. Set (SE). One blade set of the size specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 4.0 (percent defective) and an inspection level of II. The unit of product for examination purposes shall be one hair clipper and blade set.

Sampling for tests. Sampling for tests, including dimensional test, shall be conducted in accordance with MIL-STD-105, with an AQL of 2.5 (percent defective) and an inspection level of S-2. The unit of product for test purposes shall be one hair clipper and blade set.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics. Tests shall include, but shall not be limited to, the following:

Drop test. The clipper, with motor running, shall be attached by the hanger and a 3 foot long security line to a fixed point and allowed to drop in a free fall through the 3-feet, without striking the floor or any other object. The clipper shall show no evidence of damage or malfunction.

Hardness test. Tests for hardness of cutting blades shall be performed in accordance with ASTM E 18. Cutting edge hardness shall be taken at three locations on teeth, i.e., each end tooth and the middle tooth. Hardness reading shall be taken in the center of the widest surface area of the teeth.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data. Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

NOTES: 1. The following National Stock Numbers are covered by this document.

3770-00-804-4700 (Hair Clipper)
3770-00-804-4800 (Size 10 Blade Set)
3770-00-804-4900 (Size 15 Blade Set)
3770-00-804-5000 (Size 40 Blade Set)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.

2. The hair clipper, NSN 3770-00-804-4700 is intended to be compatible with blade sets, NSNs 3770-00-804-4800, 3770-00-804-4900, and 3770-00-804-5000.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 84

PREPARING ACTIVITY:

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA - OSS
USPHS
FDA-MPQAS

Project Number: 3770-0135

Location: CLPRC13A.DOC

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-54598	2. DOCUMENT DATE (YYMMDD) 6 March 1992

3. DOCUMENT TITLE
CLIPPER, HAIR, AND BLADE SETS (Small Animal)

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME DEFENSE PERSONNEL SUPPORT CENTER ATTN: DPSC-MSE	b. TELEPHONE (Include Area Code) (1) Commercial: AC 215-737-2870 (2) AUTOVON: AV 444-2870
c. ADDRESS (Include Zip Code) 2800 SO. 20TH STREET PHILADELPHIA, PA 19145	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

DD Form 1426, OCT 89 — Previous editions are obsolete — 198/290

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:36Z
Check the source to verify that this is the current version before use.