
MILITARY SPECIFICATION SHEET

WAVEGUIDE ASSEMBLY, RIGID, CAST, 60-DEGREE H-PLANE BEND, FULL CORRAL

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the waveguide assembly described herein shall consist of this document and the latest issue of Specification MIL-W-3970.



INCHES	MM	INCHES	MM	INCHES	MM
002	.05	012	.30	.51	13 0
.0025	064	.03	.8	.622	15.80
.003	.08	311	7.90	704	17.88
010	.25	393	9.98	81	20.6
.01	.3	.396	10.06		

NOTES
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm

FIGURE 1 Dimensions for full corral configuration.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:09Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Physical characteristics
Dimensions and configuration See figure 1.
Operating temperature range -55° to +300°C
Material D712.0, temper F, aluminum alloy per QQ-A-601 or C712.1 per QQ-A-371.
Surfaces (sandblasting after machining permissible)
Internal $63\sqrt{}$ microinches per ANSI B46.1.
External $125\sqrt{}$ microinches per ANSI B46.1.
Fungus resistance Materials nutrient to fungus shall not be used.

Pressurization 45 lb_f/in^2 gage maximum.

Penetrant inspection No indication of any cracks at any location when tested per MIL-I-6866, type I, method B

Electrical characteristics
Frequency range 12.4 to 18.0 GHz.
VSWR 1.05:1 maximum.
Peak power handling capability Bends shall have the same power handling capabilities as their mating waveguides.

Part number M3970/27-001.

NOTE The mating waveguides are M85/1-090, -091, and -180.

Custodians
Army - EL
Navy - EC
Air Force - 85

Review activities
Army - MI,
Navy - EC, OS
Air Force - 11, 17, 99
DLA - ES

User activities
Army - AR
Navy - MC, CG, AS
Air Force - 14, 19

Preparing activity
Navy - EC

Agent
DLA - ES

(Project 5985-0881-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:09Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
NAVY DEPARTMENT
DOD 316

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:09Z
Check the source to verify that this is the current version before use.