NOT MEASUREMENT SENSITIVE

MIL-STD-361-5(TM)
15 JULY 1992

SUPERSEDING
(See 6.4.)

MILITARY STANDARD

MANUALS, TECHNICAL:

REQUIREMENTS FOR PACKAGING

AMSC A6754

AREA TMSS

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

FOREWORD

1. This military standard is approved for use by the Department of the Army and is available for use by all Departments and Agencies of the Department of the Defense (DOD).

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, USAMC Materiel Readiness Support Activity, ATTN: AMXMD-EP, Lexington, KY 40511-5101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

3. This document is one part of an 11-part bookform standard to be used in the preparation and acquisition of technical manuals that are essential to support (operate and maintain) the various types of equipment and weapon systems within the Department of the Army.

4. This document covers the packaging requirements for the preparation of technical manuals.

5. Other parts of this multipart standard are:

MIL-STD-361-1	-	Writing Style and Format Requirements.
MIL-STD-361-2	-	Comprehensibility Requirements.
MIL-STD-361-3	-	Requirements for Graphics.
MIL-STD-361-4	-	Quality Assurance Requirements.
MIL-STD-361-6	-	Introductory Information with Theory of Operations Requirements.
MIL-STD-361-7	-	Operator and Preventive Maintenance Instructions.
MIL-STD-361-8	-	Maintenance Instructions.
MIL-STD-361-9	-	Troubleshooting Procedures.
MIL-STD-361-10	-	Lubrication Instructions.
MIL-STD-361-11	-	Repair Parts and Special Tools List (RPSTL).

6. By incorporating standardized and service-unique technical manual requirements, this document and its dash-numbered companion parts, along with the general acquisition specification MIL-M-63008, Acquisition/Preparation Requirements, support the acquisition of technical manuals.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

CONTENTS

PARAGRAPH		PAGE
1.	SCOPE	1
1.1	Scope	1
1.2	Purpose	1
1.3	Applicability	1
1.4	Selective application and tailoring	1
2.	APPLICABLE DOCUMENTS	2
2.1	Government documents	2
2.1.1	Specifications and standards	2
2.1.2	Other Government documents and publications	2
2.2	Non-Government publications	3
2.3	Order of precedence	3
3.	DEFINITIONS	4
3.1	Acronyms used in this standard	4
4.	GENERAL REQUIREMENTS	5
4.1	Packaging and packing	5
4.2	Marking	5
4.3	Classified material	5
5.	DETAILED REQUIREMENTS	6
5.1	General	6
5.2	Final Reproducible Copy (FRC)	6
5.3	Illustrations	6
5.3.1	Mounted text and illustrations	6
5.4	Negatives	6
5.5	Technical manuals	6
5.5.1	Marking	6
5.6	Encoded magnetic computer tapes and disks	6
5.6.1	Protection	6
5.6.2	Packaging	6
5.6.3	Marking	7
6.	NOTES	8
6.1	Intended use	8
6.2	Issue of DODISS	8
6.3	Tailoring guidance	8
6.4	Supersession data	8
6.5	Subject term (key word) listing	8
INDEX		10

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Scope. This document establishes the content and procedural packaging requirements for technical manuals (TMs), revisions, supplements, and changes.

1.2 Purpose. This packaging document supplements the various content requirements in the other parts to this 11-part standard for specific types of technical manuals and related publications and does not alone deliver any technical data.

1.3 Applicability. The applicability of the requirements contained in this document is governed by the commodity to be packaged (e.g., final reproducible copy (FRC), illustrations, etc.) and the acquisition documents citing this document. This document is applicable for use by the Department of the Army.

1.4 Selective application and tailoring. This document contains some requirements that may not be applicable for all technical manuals. Selective application and tailoring of requirements contained in this document are the responsibility of the contracting activity and shall be accomplished through the use of MIL-M-63008. The applicability of some requirements is also designated by one of the following statements:

- unless requirement is specifically excluded by the contracting activity; or
- as/when specified by the contracting activity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation. (See 6.2.)

SPECIFICATIONS

FEDERAL

L-P-378	-	Plastic Sheet and Strip, Thin Gauge, Polyolefin.

MILITARY

MIL-B-131	-	Barrier Material, Watervaporproof, Greaseproof, Flexible, Heat-sealable.
MIL-M-63008	-	Manuals, Technical: Acquisition/ Preparation Requirements.

STANDARDS

MILITARY

MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-361-3	-	Requirements for Graphics.

(Unless otherwise indicated, copies of federal and military specifications and standards are available from Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5904.)

2.1.2 Other Government documents and publications. The following other Government document/publication forms a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

AR 380-5	-	Department of the Army Information Security Program.
DOD 5220.22-M	-	Industrial Security Manual for Safeguarding Classified Information.

(Copies of DOD 5220.22-M are available from the Government Printing Office, ATTN: Superintendent of Documents, Washington, DC 20402-0001. Copies of AR 380-5 are available from the U.S.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.)

2.2 Non-Government publications. The following document forms a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents that are DOD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are issues of the documents cited in the solicitation. (See 6.2.)

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM D 3951
(DOD adopted) - Standard Practice for Commercial Packaging.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

2.3 Order of precedence. In the event of a conflict between the text of this document ("This document" includes all volumes of MIL-STD-361 series.) and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

3.1 Acronyms used in this standard. The acronyms used in this standard are defined as follows:

a. ASTM - American Society for Testing and Materials.

b. DOD - Department of Defense.

c. DODISS - Department of Defense Index of Specifications and Standards.

d. RPSTL - Repair Parts and Special Tools List.

e. TM - Technical Manual.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 Packaging and packing. The packaging and packing of TMs and other associated TM products shall conform to ASTM D 3951 (for unclassified), AR 380-5 (for classified), and this document.

4.2 Marking. In addition to any special marking requirements contained herein, packs shall be marked in accordance with MIL-STD-129 and ASTM D 3951, as applicable, and shall include the appropriate TM number and publication date.

4.3 Classified material. All classified material shall be safeguarded, packaged, and marked in accordance with DOD 5220.22-M.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 General. The packaging of TMs, final reproducible copy (FRC), illustrations, negatives, and encoded computer tapes and disks shall conform to ASTM D 3951 and this document.

5.2 Final Reproducible Copy (FRC). Final reproducible copy (all text pages and artwork suitable for reproduction) shall be collated, assembled in order of presentation and shall be packed flat and double packaged. The interior packaging material shall be equal to L-P-378. The exterior packaging shall conform to ASTM D 3951.

5.3 Illustrations. Original illustrations shall be packed flat and double packaged. The interior packaging material shall be equal to L-P-378. The exterior packaging shall conform to ASTM D 3951. Copies of large illustrations or drawings may be folded or rolled as necessary.

5.3.1 Mounted text and illustrations. When the original text and illustrations are mounted on artboards, each artboard shall be provided an inner flap of non-oily tissue or vellum and an outer flap of heavy paper. (See MIL-STD-361-3.) All mounted text and illustrations shall be packed flat and double packaged.

5.4 Negatives. Negatives shall be slip-sheeted with manifold or bond paper, be collated, assembled in order of presentation and shall be packed flat and double packaged. The interior packaging material shall be equal to L-P-378. The exterior packaging shall conform to ASTM D 3951.

5.5 Technical manuals. The packaging of TMs shall conform to ASTM D 3951.

5.5.1 Marking. Exterior cartons containing TMs shall be marked to conform to MIL-STD-129 and ASTM D 3951, as applicable, and shall include the appropriate TM number and publication date.


5.6 Encoded magnetic computer tapes and disks.

5.6.1 Protection. Encoded tapes, disks, and other electromagnetically inscribed information transfer media shall be protected against exposure and the close proximity of electric motors, magnets, and scanning devices. Such exposure may cause total or partial loss of the encoded data.

5.6.2 Packaging. Encoded magnetic computer tapes and disks shall be placed in a barrier bag or be wrapped in barrier sheet material. The barrier material or bag shall conform to MIL-B-131, with at least one of its laminants containing aluminum foil. The package then shall be placed in an appropriate shipping carton. The exterior packaging shall conform to ASTM D 3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

5.6.3 Marking. Encoded magnetic computer tape or disk shipping containers shall be conspicuously marked with a warning. The letters shall be red on a white background; the warning shall be similar to the following:



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. This document prescribes the packaging requirements applicable to various types of technical manuals, revisions, supplements, and changes prepared by or for the Department of the Army.

6.2 Issue of DODISS. When this document is used in acquisition, the applicable issue of the DODISS must be cited in the solicitation. (See 2.1.1.)

6.3 Tailoring guidance. The contracting activity should tailor any required options offered herein in accordance with MIL-M-63008.

6.4 Supersession data. This document consolidates, standardizes, and supersedes the packaging requirements contained in the following documents:

MIL-M-49502(TM)	-	Manuals, Technical: Repair Parts and Special Tools List.
MIL-M-49504(TM)	-	Manuals, Technical: Combat Vehicle Precombat Checklist.
MIL-M-63004C(TM)	-	Manuals, Technical: Preparation of Lubrication Orders.
MIL-M-63036D(TM)	-	Manuals, Technical: Operators, Preparation of.
MIL-M-63038C(TM)	-	Manuals, Technical: Organizational and Aviation Unit, Direct Support or Aviation Intermediate, and General Support Maintenance.
MIL-M-63041D(TM)	-	Manuals, Technical: Preparation of Depot Maintenance Work Requirements.

6.5 Subject term (key word) listing. The following terms are to be used to identify this document during retrieval searches:

Barrier bag
Electric motors
Encoded computer tapes
Final reproducible copy
Magnetic tape
Magnets
Negatives
Packaging

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

Scanning devices
Transfer media

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

INDEX

	PARAGRAPH	PAGE
Acronyms used in this standard	3.1	4
Applicability	1.3	1
APPLICABLE DOCUMENTS	2.	2
Classified material	4.3	5
DEFINITIONS	3.	4
DETAILED REQUIREMENTS	5.	6
Encoded magnetic computer tapes and disks	5.6	6
Final Reproducible Copy (FRC)	5.2	6
General	5.1	6
GENERAL REQUIREMENTS	4.	5
Government documents	2.1	2
Illustrations	5.3	6
Intended use	6.1	8
Issue of DODISS	6.2	8
Marking	4.2	5
Marking	5.5.1	6
Marking	5.6.3	7
Mounted text and illustrations	5.3.1	6
Negatives	5.4	6
Non-Government publications	2.2	3
NOTES	6.	8
Order of precedence	2.3	3
Other Government documents and publications	2.1.2	2
Packaging	5.6.2	6
Packaging and packing	4.1	5
Protection	5.6.1	6
Purpose	1.2	1
Scope	1.1	1
SCOPE	1.	1
Selective application and tailoring	1.4	1
Specifications and standards	2.1.1	2
Subject term (key word) listing	6.5	8
Supersession data	6.4	8
Tailoring guidance	6.3	8
Technical manuals	5.5	6

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

CUSTODIAN:

Army - TM

PREPARING ACTIVITY:

Army - TM

(PROJECT TMSS 0276-5)

REVIEW ACTIVITIES:

Army - AL, AR, AT, AV, CR,
CU, EA, ER, ME, MI, SC

USER ACTIVITY:

Army - MD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

Commander
USAMC Materiel Readiness Support Activity
ATTN: AMXMD-EP
Lexington, KY 40511-5101

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1,2,3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4,5,6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE *(YYMMDD)*
	MIL-STD-361-5(TM)	920715

3. DOCUMENT TITLE
Requirements for Packaging

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(If applicable)*	7. DATE SUBMITTED *(YYMMDD)*

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE *(Include Area Code)*
USAMC Materiel Readiness Support Activity	(1) Commercial: (606) 293-3469 (2) AUTOVON: 745-3469
c. ADDRESS *(Include Zip Code)* ATTN: AMXMD-EP (TMSS) Lexington, KY 40511-5101	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

DD Form 1426, OCT 89 *Previous editions are obsolete.* 90
(Unauthorized electronic version)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:58Z
Check the source to verify that this is the current version before use.