MIL-S-52548A(ME)
26 March 1975
SUPERSEDING
MIL-S-52548(ME)
16 December 1966

MILITARY SPECIFICATION

SURVEYING SET, TRIANGULATION: PRINCIPAL

OBSERVER AND SIGNAL TENDER, PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for the preservation, packaging, packing, and marking of "Surveying Set, Triangulation: Principal Observer and Signal Tender", SC 6675-97-CL-E28, NSN 6675-00-641-3600.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-T-14132	- Theodolite, Surveying, Direction: Second Order.

STANDARDS

Federal

FED. TEST METHOD STD. NO. 101	- Preservation, Packaging and Packing Materials: Test Procedures.

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:25Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination and testing within the time frame specified (see 6.2) to prove prior to starting production packaging that the applied preservation, packaging, packing and marking comply with the requirements of this specification. Examination and tests shall be those specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Material. Material shall be as specified herein and in applicable specifications. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.3 Preservation and packaging. Preservation and packaging shall be Level A, B or C, as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Preservatives and methods of preservation. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116. Methods of preservation indicated by symbols herein shall conform to the applicable symbols listed in MIL-P-116.

3.3.1.2 Binoculars. Each binocular, with the eyepiece and aperture lens covers in place, shall be placed in the carrying case and preserved Method IIb. The carrying case shall be the inner container and the outer container shall conform to PPP-B-636, W6c, style optional. Closure of the outer container shall be in accordance with the appendix to the box specification, Method V.

3.3.1.3 Map and photograph case. The map and photograph case shall be preserved Method IC-1.

3.3.1.4 Base plates. Each base plate shall be preserved Method IC-1.

3.3.1.5 Battery power supplies. Each battery power supply shall be preserved Method IA-14. The aluminum alloy case shall be the inner container and shall contain the connector cord and plugs. The outer container shall conform to PPP-B-636, W6c, style optional. Closure of the outer container shall be in accordance with the appendix to the box specification, Method V.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.3.1.6 Heliotropes. Each heliotrope shall be placed in the carrying case and preserved Method IIb. The carrying case shall be the inner container, and the outer container shall conform to PPP-B-636, W6c, style optional. Closure of the outer container shall be in accordance with the appendix to the box specification, Method V.

3.3.1.7 Signal lights. Each signal light shall be placed in the carrying case and preserved Method III, using a box conforming to PPP-B-636, W6c, style optional. Closure of the box shall be in accordance with the appendix to the box specification, Method V.

3.3.1.8 Multimeters. Each multimeter shall be preserved Method IA-15 using as the container a box conforming to PPP-B-566, Variety 1, style and class optional.

3.3.1.9 Target sets. Each case containing the target set components shall be preserved Method IA-14. The case shall be the inner container, and the outer container shall conform to PPP-B-636, W6c, style optional. Closure of outer container shall be in accordance with the appendix to the box specification, Method V.

3.3.1.10 Theodolite. The theodolite and accessories shall be preserved and packaged in accordance with MIL-T-14132, Level A.

3.3.1.11 Tripods. Each tripod shall be folded, retracted or collapsed to the minimum dimensions and preserved Method III. The sharp tips of the tripod legs shall be recessed in a block of wood secured to the tripod. The box shall conform to PPP-B-636, W5c, style optional. Closure of the box shall be in accordance with the appendix to the box specification, Method V.

3.3.1.12 Trivet. The trivet shall be preserved Method III. Metal surfaces requiring a contact preservative in accordance with MIL-P-116 shall be coated with Type P-7 preservative. The box shall conform to PPP-B-636, W6c, style optional. Closure of the box shall be in accordance with the appendix to the box specification, Method V.

3.3.2 Level B. Each component of the set, with the exception of the theodolite, shall be preserved and packaged as specified for Level A, except that boxes specified for outer containers or Method III shall be Domestic Class, Variety SW, grade as applicable; and closure of boxes shall not be required to be Method V.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.3.2.1 Theodolite. The theodolite and accessories shall be preserved and packaged in accordance with MIL-T-14132, Level B.

3.3.3 Level C. The components of each surveying set shall be preserved and packaged to provide adequate protection against deterioration and damage during shipment and handling from the supplier to the initial destination for immediate use.

3.4 Packing. Packing shall be Level A, B or C, as specified (see 6.2).

3.4.1 Level A. The theodolite shall be placed in the transporting case. The components of the surveying set, including the transporting case containing the theodolite, shall be packed together in a close-fitting box conforming to PPP-B-601, Overseas Type, style optional, Grade B. Blocking, bracing and cushioning shall be provided to prevent damage from shifting of the contents.

3.4.2 Level B. The theodolite shall be placed in the transport case. The components of the surveying set, including transport case containing the theodolite, shall be packed together in a close-fitting box conforming to PPP-B-601, Domestic Type, style optional. Blocking, bracing and cushioning shall be provided to prevent damage from shifting of the contents. Strapping shall be in accordance with the appendix to the box specification.

3.4.3 Level C. The theodolite shall be packed in the transporting case. All components of the surveying set shall be packed to assure carrier acceptance and safe delivery to destination at lowest ratings in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. Marking shall be in accordance with MIL-STD-129.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:25Z
Check the source to verify that this is the current version before use.

Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that materials used are manufactured, examined and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for defects specified in 4.4.3. Presence of one or more defects shall be cause for rejection.

4.3.2 Test. The preproduction pack for Levels A and B shall be subjected to the free-fall drop test in accordance with FED. TEST METHOD STD. No. 101, Method 5007. Rupture or deformation of the pack or packages, or damage to the components of the surveying set shall constitute failure of the test and shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.4.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.3 Examination. Samples selected in accordance with 4.4.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials, methods or containers not as specified. Each incorrect material, method or container shall constitute one defect.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

102. Closure of boxes not Method V for Level A as specified.
103. Blocking, bracing and cushioning not provided as specified.
104. Marking illegible, incomplete, incorrect or missing.

5. PREPARATION FOR DELIVERY
(Not applicable to this specification)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders to cover the preservation, packaging, packing and marking of "Surveying Set, Triangulation: Principal Observer and Signal Tender", SC 6675-97-CL-E28, NSN (6675-00-641-3600).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack and mark the surveying sets in accordance with this specification.

Custodian:

Army - ME

User activity:

Army - SM

Preparing activity:

Army - ME

Project No. 6675-A158

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-S-52548A(ME) Surveying Set, Triangulation: Principal Observer and Signal Tender, Packaging Of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Center
ATTN: STSFB-DS
Ft. Belvoir, Va. 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.