MILITARY SPECIFICATION SHEET

HOSE, RUBBER: HYDRAULIC PRESSURE-TYPE: TYPE 100R12

FOUR-SPIRAL-WRAP REINFORCEMENT HOSE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the hose described herein shall consist of this specification and the latest issue of MIL-H-52471.

REQUIREMENTS:

1. The hose shall be in accordance with tables I and II, figure I, and as specified herein.

2. Inside and outside diameters are measured at least 2 inches from the end.

3. This hose must be listed on QPL-52471.

AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions, type 100R12 hose.

Nominal hose size I.D.	Dash number	Inside diameter		Outside diameter		Maximum operating pressure		Minimum burst pressure	
		inch	mm	inch	mm	psi	MPa	psi	MPa
1/2	-08	.50 +.031 -.015	12. 7 +.79 -.38	.94 +.031	23.7 +.79	4000	27.6	16000	110.3
3/4	-12	.75 +.031 -.015	19.05 +.79 -.38	1.21 +.031	46.3 +.79	4000	27.6	16000	110.3
1	-16	1.00 +.040 -.015	25.4 +1.00 -.38	1.50 -.045 -.049	38.0 +1.14 -1.24	4000	27.6	16000	110.3

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE II. Dimensions, type 100R12 hose. - Continued

Nominal hose size I.D.	Dash number	Minimum bend radius		Weight per. ft.		Wire reinforcement OD	
		inch	mm	lbs	Kg	inch	mm
1/2	-08	7.00	177.8	.58	0.27	0.784/0.846	19.91/21.49
3/4	-12	9.50	241.3	.87	0.449	1.059/1.120	26.90/28.45
1	-16	12.00	304.8	1.40	0.631	1.344/1.405	34.14/35.69

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE II. Concentricity.

Nominal hose I.D.	Concentricity (FIM) between			
	Tube I.D. (A) and cover O.D. (B)		Tube I.D. (A) and reinforcement O.D. (C)	
inch	inch	mm	inch	mm
Up to 3/4, Incl.	0.040	1.0	0.028	0.7
1	0.050	1.3	0.035	0.9

CATALOGING DATA: The military specification part number is a definitive part number which corresponds to the size of hoses covered by this specification sheet. The specification sheet number and the size dash number are combined to form a definitive military specification part number.

EXAMPLE: Military specification part number M52471/9 -12

Military specification sheet number
Size dash number (see table I)

Custodian:
Army - ME
Air Force - 99

Review activities:
Army - GL
Air Force - 82
DLA - CS

User activity:
Army - AR

Preparing activity:
Army - ME

Project 4720-0746

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.




FIGURE 1. Hose: Type 100R12, 4 spiral wrap reinforcement.

X-4304

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.