MILITARY SPECIFICATION

MOUNT, PISTOL RACK, MAGNETIC WEAPON SENSOR

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers a pistol rack mount designed to accomodate a loop wire tranducer for the magnetic weapon sensor of the Joint Services Interior Intrusion Detection System (J-SIIDS).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Military

MIL-E-17555	- Electronic and Electrical Equipment, Accessories, and Repair Parts; Packaging and Packing of.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-130	- Identification Marking of US Military Property.

FSC 6350

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.

DRAWINGS

ME

D13220E0833 - Mount, Pistol Rack, Magnetic Weapon Sensor.

(Copies of specifications, standards and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3011 - Reinforced and Filled Polystyrene, Styrene-Acrylonitrile, and Acrylonitrile-Butadine-Styrene for Molding and Extrusion.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103).

3. REQUIREMENTS

3.1 Description. The pistol rack mount shall be in accordance with Drawing D13220E0833. It shall be of a one-piece injection molded construction and shall be produced by the use of a Government-loaned injection mold (see 3.6 and 6.5).

3.1.1 Drawings. The drawings forming a part of this specification are end product drawings. No deviation from the prescribed dimensions or tolerances is permissible without prior approval of the contracting officer. Where tolerances could cumulatively result in incorrect fits, the supplier shall provide tolerances within those prescribed on the drawings to insure correct fit, assembly, and operation of the pistol rack mounts. Any data (e.g. shop drawings, layouts, flow sheets, processing procedures, etc.) prepared by the supplier or obtained from a vendor to support fabrication and manufacture of the production item shall be made available, upon request, for inspection by the contracting officer or his designated representative.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.

3.2 First article (first-produced pistol rack mounts). The supplier shall furnish one or more pistol rack mounts for examination and testing within the time frame specified (see 6.2), to prove prior to starting production that his production methods will produce pistol rack mounts that comply with the requirements of this specification. Examination and tests shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.3 Material. Plastic material shall be Acrylonitrile-Butadiene-Styrene (ABS), conforming to ASTM D 3011, Table I, Column 3, color green.

3.4 Identification markings. The pistol rack mount shall be identified in accordance with MIL-STD-130.

3.5 Government-loaned property. One injection mold for the mount (NSN-6350-00-228-2601) will be loaned by the Government (see 6.5).

3.6 Workmanship. The pistol rack mounts shall be free of metal inclusions and any odor not normally associated with the chemical composition of Acrylonitrile-Butadiene-Styrene (ABS) or its production. The pistol rack mounts shall be uniform in color, form, and all other specified requirements determinable by visual examination.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) First-produced mount inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).
(c) Inspection of preparation for delivery (see 4.6).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.

4.3 First-produced mount inspection.

4.3.1 Examination. The pistol rack mount shall be examined as specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Examination.

4.4.1.1 Individual. Each pistol rack mount shall be examined for defects specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.5 Inspection procedure.

4.5.1 Examination. Pistol rack mounts shall be examined for the following defects:

101. Dimensions not as specified.
102. Material not as specified.
103. Workmanship not as specified.

4.6 Inspection of preparation for delivery.

4.6.1 Quality conformance inspection of pack.

4.6.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.6.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105, Inspection Level S-1.

4.6.1.3 Examination. Samples selected in accordance with 4.6.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

104. Containers not as specified.
105. Contents not cushioned to prevent movement within the box.
106. Box not waterproofed as specified.
107. Quantities packed together not as specified.
108. Marking missing, illegible, incorrect, or complete.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging, packing, and marking. Sets of pistol rack mounts (see 6.4) shall be preserved, packaged, packed, and marked in accordance with MIL-E-17555. Preservation and packaging shall be Level A or C as specified and packing shall be Level A, B, or C as specified (see 6.2). The pistol rack mounts shall be internally packed or restrained to prevent intertwining or mutual damage during shipment.

6. NOTES

6.1 Intended use. The pistol rack mount covered by this specification is intended to be used with the magnetic weapon sensor, a component of the Joint Services Interior Intrusion Detection System (J-SIIDS).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of first-produced rack mounts, and number of pistol rack mounts required (see 3.2).
(c) Level of preservation and packaging and level of packing required (see 5.1).

6.3 First-produced mounts. Any changes or deviations of production pistol rack mounts from the approved first-produced mounts during production will be subject to the approval of the contracting officer. Approval of the first-produced mounts will not relieve the supplier of his obligation to furnish pistol rack mounts conforming to this specification.

6.4 Pistol rack mount set. Four pistol rack mounts constitute a set.

6.5 Injection mold. The injection mold for the mount (NSN 6350-00-228-2601) will be loaned for specific procurement functions as directed by the contracting officer. Request for the mold should be addressed to the Commander, Sacramento Army Depot, ATTN: AMXSA-TIC-4, Sacramento, CA 95813 referring to Mold No. 6350 X01 0130.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6350-A048

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Center
ATTN: AMXFB-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE **MIL-M-52887(ME) Mount, Pistol Rack, Magnetic Weapon Sensor**

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:39Z
Check the source to verify that this is the current version before use.