[INCH-POUND]
A-A-1073B
September 24, 1997
SUPERSEDING
A-A-1073A
November 6, 1991

COMMERCIAL ITEM DESCRIPTION

PANS; CAKE, MUFFIN, AND PUDDING

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers pans used for cakes, muffins, and pudding.

2. CLASSIFICATION

2.1 Classification. The pans shall be of the following types and styles.

Type I - Round cake pan
Type II - Muffin pan
  Style A - Lock seamed, heavy duty
  Style B - One-piece
Type III - Pudding pan, 3 quart

3. SALIENT CHARACTERISTICS

3.1 Design and construction.

3.1.1 Type I, Round cake pan. The cake pan shall be formed seamless from a single piece of 3000 series aluminum with a minimum thickness of 0.030 inch (0.76 mm). The round pan shall have a top outside diameter of 9 inches (22.9 cm), plus 5/8 inch (1.6 cm), minus 1/8 inch (0.3 cm). The pan shall have a top inside diameter of 8-1/2 inches (21.6 cm), plus 5/8 inch (1.6 cm), minus 1/8 inch (0.3 cm). The bottom outside diameter shall be 8 inches (20.3 cm) minimum. The outside vertical depth of the pan shall be 1-1/2 inches (3.8 cm) minimum. The top edge of the pan shall have a rolled bead.

3.1.2 Type II, Muffin pan. The muffin pans shall be formed from 3000 series aluminum or aluminized steel with a minimum thickness of 0.040 inch (1.0 mm). Both style pans shall have 12 muffin cups. The overall dimensions of the pans shall be 10-5/8 by 13-7/8 inches (27.0 x 35.2 cm) with tolerances of plus or minus 1 inch (2.5 cm). The muffin cups shall have a top inside diameter of 2-3/4 inches (7.0 cm), bottom inside diameter of 2 inches (5.1 cm), and inside depth on the slant of 1-3/8 inches (3.5 cm); tolerances of plus or minus 1/4 inch (6.4 mm) for each. The edges of the pans shall have a rolled bead.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

3.1.2.1 Style A, Lock seamed, heavy duty. The style A pan shall consist of a rack in which 12 cups are individually secured.

3.1.2.2 Style B, One-piece. The style B pan shall be constructed with 12 cups and shall be formed seamless from a single piece of material. The minimum sidewall thickness for the cups shall be 0.012 inch (0.3 mm). Top rim edges, if constructed without a reinforcing member, shall be closed to a maximum opening of 1/32 inch (0.8 mm).

3.1.3 Type III, Pudding pan. The pudding pan shall be formed seamless from a single piece of 3000 series aluminum or 300 series stainless steel with a minimum thickness of 0.020 inch (0.5 mm). The pan shall have a maximum top outside diameter of 11-1/4 inches (28.6 cm) and a capacity of 3 quarts (2.8 l); plus 20 percent, minus 10 percent.

3.2 BISSC Standard compliance. The pans shall comply with all provisions of BISSC Standard No. 35, Baking Pans. If a conflict arises between BISSC 35 and the cid, the requirements of the cid shall take precedence.

3.3 Workmanship. Pans shall have no sharp edges, slivers, burrs, scratches, tool marks, or other defects which might affect serviceability, durability, or appearance.

3.4 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or purchase order.

7. NOTES

7.1 CID based part identification numbering. Part identification numbers are not required to be placed on the product or container.

Part Identification Numbering System for Commercial Item Description A-A-1073

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Example: AA1073-2A (AA1073-2A) Example - Type II, Style A pan
| ||-------Style (A or B)
| |---- Type (1 - I, 2 - II, or 3 - III)
|----General commercial item description number

7.2 Non-Government documents. Application for copies of BISSC standards should be addressed to BISSC, 111 E. Wacker Drive, Suite 600, Chicago, IL 60601.

7.3 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Type and style, if applicable, pan required (see 1.2)
c. The packaging, packing, and marking desired.

7.4 National Stock Numbers (NSNs): The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with this CID.

NSN	Nomenclature	P/N
7330-00-205-3150	Pan, Cake, Round	AA1073-1
7330-00-244-4549	Pan, Muffin	AA1073-2A
7330-00-143-0965	Pan, Muffin	AA1073-2B
7330-00-655-5257	Pan, Pudding	AA1073-3

MILITARY INTERESTS:

Military Coordinating Activity:
Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Civil Agency Coordinating Activity:
HHS - NIH

Review Activities:
Army - MD, TS
Air Force - 84, 50

Preparing Activity:
GSA - FSS

User Activity:
Navy - MC

(DoD Project No. 7330-0743)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.