[INCH-POUND]
A-A-1994A
January 6, 1998
SUPERSEDES
See 6.4

COMMERCIAL ITEM DESCRIPTION

HELMET AND HANDHELD SHIELD, WELDER'S

The General Services Administration has authorized the use of this commercial item description by all Federal agencies.

1. SCOPE

1.1 Scope. This CID covers welding helmets and handheld shields, with impact and welding plates.

2. CLASSIFICATION

2.1 Classification. The welding helmets and handheld shields shall be of the following types:

Type 1 - Welding helmet.
Type 2 - Handheld shield.

3. SALIENT CHARACTERISTICS

3.1 Industrial standards compliance. All helmets, handheld shields, and plates shall meet all the applicable requirements of ANSI Z87.1, and be labeled as required.

3.2 Welding Helmet, type 1. The type 1 helmet shall have a shell, a lift front plate holder, and a pivoting headgear system that supports the helmet on the wearers head. The helmet shall include the following plates: A clear cover plate and a Shade Number 10 safety plate in the lift front plate holder, and a clear impact plate that remains in place to protect the eyes when the lift front is raised. The lift front shall stay in the lifted position when released. The welding helmet shall be configured similar to figure 1 and shall be designed to completely shield the front of the user's head from above the forehead to below the chin when in the down position. If the headgear does not support the helmet in the down position, the helmet shall have a chin rest properly placed on the inside. The shell of the helmet shall be opaque. The headgear shall comfortably support the helmet on the wearer's head and allow the helmet to be tilted back over the head, holding it there. As a minimum the headband shall have an adjustment range of hat size 6-1/2 to 8 in increments of 1/4 or smaller hat size. The front portion of the headband shall be covered with a removable sweatband. The sweatband shall be a material which is non-irritating and non-allergenic.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor Street, Fort Worth, TX 76102

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.




Figure 1

3.3 Handheld shield, Type 2. The type 2 handheld shields shall be complete with a shell, a stationary plate holder, a handle, a clear cover plate, and a Shade number 10 safety plate. The handheld shield shall be configured similar to figure 2 and shall completely shield the front of the user's head from above the forehead to below the chin when held in place. The handheld shield shell shall be opaque.




Figure 2

3.3.1 Handle. The handle shall be firmly and securely fastened to the lower part of the handheld shield and shall be made of a thermally nonconductive material. The handle shall be round or oval shaped, 1/2 inch (1.3 cm) minimum in diameter, and extend 6 inches (15.2 cm) minimum below the lower part of the shield.

3.4 Weight. The helmet or handheld shield, including headgear or handle, not including any plates, shall weigh no more than 2 pounds (0.9 kg).

3.5 Plate retention. The plates shall be positively retained in the holder. All slack and looseness shall be positively eliminated by a mechanism which restrains movement of the plates within the holder and uniformly loads the plates toward the front of the holder.

3.6 Hardware. Any metal parts, including rivets, which extend through the shell of the helmet shall not be exposed on the inside of the helmet. Such metal parts shall be insulated by permanent non-conductive insulation which completely covers the metallic parts.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

3.7 Plates. All plates provided shall meet the applicable requirements of ANSI Z87.1. The plates shall each be 2 by 4-1/4 (±1/32) inches (50.8 by 108.0 (±0.8) mm) in size.

3.8 Workmanship. The welding helmet or handheld shield, and all plates, shall be clean, free from sharp edges, flashing, burrs, and shall function smoothly and comfortably. The helmets or handheld shields and plates shall have no defects that might affect durability, appearance, or serviceability.

3.9 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified and all other requirements of this document are met.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, shall conform to the producer's own drawings, specifications, standards, and quality assurance practices, and shall be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. PACKAGING, PACKING AND MARKING

6.1 Packaging, packing and marking. The packaging, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number, and date of this CID.
b. Type.
c. The packaging, packing and marking desired.

7.2 Referenced document.

ANSI Z87.1 - Practice for Occupational and Educational Eye and Face Protection

Copies of American National Standard Institute (ANSI) documents are available from ANSI, 11 West 42nd. Street, New York, NY 10036 (212-642-4900).

7.3 National Stock Numbers. This document is referenced the following NSNs:

4240-00-540-0623 Type 1
4240-00-270-4415 Type 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

7.4 Supersession data. This document replaces A-A-1994 dated November 1, 1982, and A-A-2244 dated March 19, 1984.

MILITARY INTERESTS:

Preparing Activity
GSA-FSS

Coordinating Activity:

DLA - GS

Custodian:

Air Force - 99

Review Activities:

Navy - AS, MC, MS, OS, YD1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.