[METRIC]
A-A-2356B
December 15, 1997
SUPERSEDING
A-A-2356A
January 29, 1993

COMMERCIAL ITEM DESCRIPTION

CASE, FILING, TRANSFER, (COLLAPSIBLE)

The General Services Administration has authorized the use of this Commercial Item Description in lieu of Federal Specification UU-C-250, which is cancelled.

This description covers transfer filing cases of the collapsible, vertical, open-end type, with a telescopic inner binder having a removable lock-arch paper holder with a compressor.

1. SIZES:

Size 1 - Letter size
Size 2 - Legal size

2. SALIENT CHARACTERISTICS:

2.1 Standard product. The transfer filing cases furnished under this description shall be the manufacturer's standard commercial product.

2.2 Material. The material shall be of the quality and composition best suited for the intended purpose.

2.3 Fiberboard. The outer case shall be made of corrugated or solid fiberboard. The inner binder shall be made of solid fiberboard. Corrugated fiberboard shall be domestic class, single wall, grade 200 minimum. Solid fiberboard shall be domestic class, grade 275 minimum. The grade of the fiberboard shall be tested in accordance with TAPPI T810.

{Beneficial comments, recommendations, additions, deletions clarifications, etc. and any other data which may improve this document should be sent to: General Services Administration, Engineering Branch (2FYEE), New York, NY 10278.}

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:22Z
Check the source to verify that this is the current version before use.

2.4 Steel wire. The steel wire shall be plain carbon steel and shall be plated with nickel, zinc, or chromium.

2.5 Sheet steel. The sheet steel shall be plain carbon steel, hot or cold rolled, at the option of the manufacturer. The sheet steel shall be plated with nickel, cadmium, zinc, or chromium.

2.6 Outer case dimensions. The inside dimensions of the outer case shall be as specified in the following table. A plus or minus tolerance of 0.635 cm (1/4-inch) will be permitted.

Inside dimensions of the outer case

Size	Height	Width	Depth
Letter Size	23.5 cms (9-1/4")	8.9 cms (3-1/2")	32.07 cms (12-5/8")
Legal Size	23.5 cms (9-1/4")	8.9 cms (3-1/2")	39.7 cms (15-5/8")

2.7 Design and construction. The transfer filing cases shall be made of the material described and shall be of the dimensions stated in the table. The case shall consist of a collapsible outer case and a collapsible telescoping inner binder. The inner binder shall be equipped with a removable lock-arch paper holder with a compressor.

2.8 Arch paper holder. The arch paper holder shall have a metal base with two metal arches attached thereon and spaced on 7-cm (2-3/4-inch) centers. Each arch shall have a movable and fixed portion. The movable portion shall be J-shaped wires not less than 0.32 cm (1/8 inch) in diameter. The fixed portion shall be not less than 0.48 cm (3/16 inch) in diameter, of tubular construction with tops cut back to receive the ends of the movable arches. The arch paper holder shall be attachable to the metal plate attached to the inner binder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:22Z
Check the source to verify that this is the current version before use.

2.9 Adjustable metal compressor. Each paper holder shall have an adjustable metal compressor designed with a locking device to fit over the fixed arch posts for holding paper in a compact arrangement.

2.10 End item testing. Transfer cases shall meet the requirements of the weight support test as decribed in 4.

2.11 Identification marking. Each filing case shall be permanently and legibly marked with the name or trademark of the manufacturer.

2.12 Workmanship. The transfer filing case shall be free from defects or imperfections which may affect its appearance or impair its serviceability. It shall be devoid of sharp corners, edges, or other imperfections that may be hazardous to the user.

3. RECOVERED MATERIALS: The contractor must certify that the fiberboard used shall include a minimum of 40 % post consumer recovered material as defined in 40 CFR, Part 250. The Government reserves the right to require proof of such conformance.

4. QUALITY ASSURANCE:

4.1 Product Conformance. The product provided shall meet the salient characteristics of this commercial item description. The quality of the product sold to the government shall be equal to or better than the quality of the product sold by the manufacturer in the commercial market. The government reserves the right to require proof of such conformance.

4.2 End Item Testing: The following test shall be performed as described below:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:22Z
Check the source to verify that this is the current version before use.

4.2.1 Weight support test. Remove the inner binder from the outer case and place the outer case on a flat table surface in the usual filing position. Place a 2.268-kilogram (5-pound) weight across the top surface of the outer case. Then place a straight-edge to the sides of the outer case and measure the bend or bulge. The sides of the case shall not bend or bulge more than 1.27 cms (1/2 inch).

5. APPLICATION FOR COPIES OF DOCUMENTS REFERENCED HEREIN:

5.1 TAPPI T810 is available from the Technical Association of the Pulp and Paper Industry, 15 Technology Parkway South, Norcross, GA 30092.

5.2 Code of Federal Regulations, Title 40, Part 250 is available through the Superintendent of documents, U.S. Government Printing Office, Washington DC 20402.

6. PREPARATION FOR HANDLING: Packaging, Packing, Labeling, and Marking shall be as specified in the contract or purchase order.

7. ORDERING DATA: Purchasers should reference this commercial item description when ordering and state their requirements for size and for packaging, packing, labeling and marking.

8. LIST OF NSN's
7520-00-285-4940
7520-00-634-6293

No official DOD interest has been registered

Preparing Activity
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:22Z
Check the source to verify that this is the current version before use.