[METRIC]
A-A-2741
June 24, 1991

COMMERCIAL ITEM DESCRIPTION

RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, PORTABLE)

The General Services Administration has authorized the use of this commercial item description as a replacement for commercial item descriptions A-A-1620, A-A-1621 and A-A-1622 which have been canceled.

This description covers portable (handheld) dictating machines of the following cassette types; as specified:

Type I - Standard
Type II - Micro
Type III - Mini

Salient characteristics.

Design. Design shall provide for ease of use with all operating controls easily accessible and convenient to the user; with each control marked so as to be readily recognizable as to intended function.

Power. Self-contained non-rechargeable battery(ies) and 120 volt AC, 60 Hz or nickel cadmium batteries and 120 volt AC, 60 Hz, as specified. One (1) set of non-rechargeable battery(ies) and one (1) AC adapter shall be furnished with each machine or one (1) set of nickel cadmium battery(ies) with recharger and one (1) AC adapter shall be furnished with each machine as specified in the contract or order.

Circuitry. Solid state.

Maximum size. 146 x 95 x 51 millimeters

Recording medium. One of the appropriate size cassette shall be provided with each unit.

Recording speed. Manufacturer's standard.

Recording time (minimum).

Type I - 60 minutes.
Type II - 60 minutes.
Type III - 30 minutes.

Operational features, functions and controls.
Dictation/Recording: Through built-in microphone.
Playback: Through built-in speaker.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7450

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

Indexing/Cueing: Shall allow user to place electronic signals on the tape to mark end of letters and instructions. Signals shall be retrievable as audible tones and/or LED displays by a compatible transcribing machine.

Automatic gain control.
Record mode indicator and control.
End of tape indicator in record mode, as a minimum.
Start/stop control(s).
Playback function and control.
Fast forward/reverse (rewind) capability and controls.
Adequate adjustable playback volume.
Operating instructions shall be included with each unit.
Battery condition indicator.
Jacks for external microphone and earphone.
Carrying case.

Identification. Each machine shall have the manufacturer's serial number permanently and legibly stamped or affixed on a major component in a readily accessible location. In addition, each machine shall be permanently marked in a conspicuous location with the manufacturer's name or trademark.

Conformance. Shall comply with the requirements of UL Standard 114 (applicable to adapters and rechargers). Test reports or labels from a testing laboratory recognized by OSHA under Appendix A to 29 CFR 1910.7 are acceptable as evidence of compliance.

Workmanship. Machines shall be free from faulty construction or any other characteristic or defect which affects the appearance, usability, serviceability or durability or which may constitute a hazard to the user.

QUALITY ASSURANCE PROVISIONS.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein.

Lot acceptance inspection. The finished items shall be visually inspected and functionally tested in order to establish acceptability based on conformance to the following requirements.

Sampling. Sampling for visual inspection and testing of machines shall be performed in accordance with the provisions of MIL-STD-105. Inspection levels and acceptable quality levels shall be as follows: Visual inspections, level II, AQL 2.5 percent defective; Performance testing, level S-2, AQL 1.5 percent defective.

Visual inspection. Samples of the finished machines selected in accordance with the requirements herein shall be visually inspected to verify compliance the with item description and salient characteristics of the CID. Compliance with the above shall be determined based upon the presence or absence of defects as classified below.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

Defects

Machine type, not as specified
Operational features, functions and controls not as specified.
No evidence of conformance to UL Standard 114.
Not in conformance with identification paragraph.
Not in conformance with workmanship paragraph.
Instructions not available, inadequate or illegible.

Performance testing. Samples selected in accordance with the requirements herein shall be tested to verify conformance with requirements of the CID for machine capability to operate under the specified/rated power. Nonconformance with any of the above shall be regarded as a test failure and grounds for rejection.

Regulatory requirements. In accordance with Section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing the supplier's employees to undue hazards from the recovered materials.

Preservation, packaging, packing, labeling and marking. The preservation, packaging, packing, labeling and marking shall be as specified in the contract or purchase order.

Note. Purchaser shall specify either non-chargeable battery(ies) with AC adapter or rechargeable battery(ies) with recharger and AC adapter, as applicable.

Copies of MIL-STD-105 may be obtained from the Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, PA 19120.

UL standards may be obtained from the Underwriters Laboratories, 333 Pfingsten Road, Northbrook, IL 60062.

The Code of Federal Regulations (CFR) is for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

Note: Purchaser shall specify Type and NSN.

Type I - NSN 7450-01-165-0912.
Type II - NSN 7450-01-165-0914.
Type III - NSN 7450-01-165-0913.

MILITARY INTERESTS:

NONE

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.