[INCH-POUND]
A-A-422C
September 24, 1997
SUPERSEDING
A-A-422B
August 29, 1991

COMMERCIAL ITEM DESCRIPTION

PAN SET, BREAD

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers aluminized steel bread pan sets for use in bakeries.

2. CLASSIFICATION

2.1 Classification. The pan sets shall be of the following sizes.

Size 1 - 4 pan set
Size 2 - 5 pan set

3. SALIENT CHARACTERISTICS

3.1 Design and construction. The pan sets shall be constructed from aluminized steel. The pans shall be formed from a single piece of aluminized steel 0.0208 inch minimum thickness (0.53 mm). The pan sets shall be constructed as shown in figure 1. The bread pans shall be encircled on the top edge by a 0.140 inch (3.6 mm) minimum diameter steel wire. The pan sets shall have strapping fabricated of the same material as the pans completely encircling the pan set either below or over the wire bead at the manufacturer's option. The strapping shall have reinforcing channels. The bread pans shall be permanently joined to the strapping at the pan ends. The dimensions shall be as listed in table I. The spacing between the top of the pan sets shall be at the manufacturer's discretion and shall be consistent within each pan set. The pans may have a nesting flare at the manufacturer's option.

3.2 Finish. The exterior of the pan sets shall be finished with a heat absorbent coating. The interior of the pan sets shall be glazed with the manufacturers standard commercial glaze.

3.3 BISSC Standard compliance. The pan sets shall comply with all provisions of BISSC Standard No. 35, Baking Pans. In the event of a conflict between BISSC 35 and the cid, the requirements of the cid shall take precedence.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:08Z
Check the source to verify that this is the current version before use.

TABLE I - Dimensions

Size	A Top overall length	B Top outside length	C Inside slope depth	D Bottom outside width	E Bottom outside length	F Top inside length	G Top inside width
1	21-7/8 (56 cm)	9-1/2 (24 cm)	2-3/4 (7 cm)	3-3/4 (9.5 cm)	8-1/4 (21 cm)	9 (23 cm)	4-1/2 (11.4 cm)
2	26 (66 cm)	9-1/2 (24 cm)	2-3/4 (7 cm)	3-3/4 (9.5 cm)	8-1/4 (21 cm)	9 (23 cm)	4-1/2 (11.4 cm)

Note: All dimensions are listed in inches unless otherwise stated. Tolerances shall be as follows: Dimensions ≤ 4-1/2 inches: ± 1/4 inch (6.4 mm); Dimensions ≥ 4-1/2 and < 9-1/2 inches: ± 3/8 inch (9.5 mm); Dimensions ≥ 9-1/2 inches: ± 1-1/4 inches (3.2 cm).

3.4 Marking. The pan sets shall be marked with the manufacturer's name, trade name, or trademark of such known character that the source of the pan set may be readily determined.

3.5 Workmanship. The pan sets shall be clean and free of embedded foreign material, slivers, scratches, rough die or gouge marks, pits, rust or scale. The pan sets shall not be fractured, buckled, bent, punctured, malformed, or damaged. Welds shall be sound, smooth, clean and free of porosity and surface burns. Rivets shall be tight and rivet heads shall be concentric and in full contact with the riveted metal surfaces. There shall be no defect which may affect serviceability, durability, or appearance.

3.6 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Non-Government documents. Application for copies of BISSC standards should be addressed to BISSC, 111 E. Wacker Drive, Suite 600, Chicago, IL 60601.

7.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Size required.
c. Preservation, packing, and marking required.

7.2 National Stock Numbers (NSNs): The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Size	Number of pans
7330-00-255-5995	1	4
7330-00-255-1534	2	5




FIGURE 1 - Bread Pan Sets

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Military Coordinating Activity:

Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Review Activities:
Army - MD, TS
Air Force - 84, 50

User Activity:
Navy - MC

Civil Agency Coordinating Activity:
HHS - NIH

Preparing Activity:
GSA - FSS

(DoD Project 7330-0742)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.