MILITARY SPECIFICATION SHEET

CIRCUIT CARD ASSEMBLY, 9290793
(BITE "C")

This specification is approved for use by the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the circuit card assembly described herein shall consist of this document and the latest issue of specification MIL-C-63371(AR).

Electrical Requirements

All input and output levels shall be consistent with IC operating levels and power supply regulation and shall be within plus or minus 1.0% of the indicated nominal values, unless otherwise specified.

FSC 1095

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

BOARD POWER

NOTE: Maintain the following throughout all tests.

Pin No.	Voltage
2	14
37	14
35	0
70	0

NOTE: Connect 175 ohm, 2 watt resistor between each of the output pin and plus 14 volts.

RIGHT MAGAZINE DENSITY

Test 1A

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	14	11	0
14	0		
15	0		

Test 1B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	0	48	0
14	0		
15	14		

Test 1C

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	14	45	0
14	0		
15	14		

Source: https://assist.dla.mil -- Downloaded: 20261O-23T02:44Z
Check the source to verify that this is the current version before use.

Test 1D

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	0	50	0
14	14		
15	0		

Test 1E

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	14	47	0
14	14		
15	0		

Test 1F

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	0	46	0
14	14		
15	14		

Test 1G

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	0	11	14
14	0	48	14
15	0	45	14
		50	14
		47	14
		46	14

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

MAGAZINE LOAD, UNLOAD

Test 2A

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
14	0	49	0
15	0	7	0
13	0		
6	0		

Test 2B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
14	0	49	14
15	0	7	14
13	0		
6	14		

Test 2C

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
14	14	49	14
15	14	7	0
13	14		
6	0		

Test 2D

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	0	43	0
10	0		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

Test 2E

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	14	43	14
10	14		

Test 2F

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
13	14	43	14
10	0		

Test 2G

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
15	0	42	0
10	0		

Test 2H

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
15	0	42	14
10	14		

Test 2I

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
15	14	42	14
10	0		

Source: https://assist.dla.mil -- Downloaded: 20261-23T02:44Z
Check the source to verify that this is the current version before use.

LEFT MAGAZINE DENSITY

Test 3A

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	14	52	0
20	0		
21	0		

Test 3B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	0	51	0
20	0		
21	14		

Test 3C

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	14	53	0
20	0		
21	14		

Test 3D

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	0	56	0
20	14		
21	0		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

Test 3E

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	14	54	0
20	14		
21	0		

Test 3F

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	0	55	0
20	14		
21	14		

Test 3G

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	0	51	14
20	0	52	14
21	0	53	14
		54	14
		55	14
		56	14

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

MAGAZINE LOAD, UNLOAD

Test 4A

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
20	0	44	0
21	0	7	0
19	0		
6	0		

Test 4B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
20	0	44	14
21	0	7	14
19	0		
6	14		

Test 4C

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
20	14	44	14
21	14	7	0
19	14		
6	0		

Test 4D

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	0	9	0
10	0		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

Test 4E

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	0	9	14
10	14		

Test 4F

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
19	14	9	14
10	0		

Test 4G

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
21	0	8	0
10	0		

Test 4H

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
21	0	8	14
10	14		

Test 4I

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
21	14	8	14
10	0		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

PATTERNS

Test 5A

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	14	60	0
27	0		
28	0		

Test 5B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	0	58	0
27	14		
28	0		

Test 5C

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	14	62	0
27	14		
28	0		

Test 5D

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	0	59	0
27	0		
28	14		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

Test 5E

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	14	61	0
27	0		
28	14		

Test 5F

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	0	57	0
27	14		
28	14		

Test 5G

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
26	0	57	14
27	0	58	14
28	0	59	14
		60	14
		61	14
		62	14

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

INDICATOR LAMP TESTS

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
24	14	63	14
24	0	63	0
41	14	64	14
41	0	64	0
32	14	67	0
32, 29	0	67	14
34	14	68	0
34, 29	0	68	14
33	14	65	0
33, 29	0	65	14
30	14	66	0
30, 29	0	66	14
31	14	69	0
31, 29	0	69	14
25	0	-	
22	14	38	Figure 1
		39	14
25	14	38	14
22	14	39	14
25	Figure 1	38	14
22	0	39	Figure 1
23	Figure 1		
22	14	40	Figure 1
		36	14
23	14	40	14
22	14	36	14
23	Figure 1	40	14
22	0	36	Figure 1




FIGURE 1. CORRECT MAGAZINE COUNT, LEFT, RIGHT
(B) denotes change

Custodian:
Army-AR

Preparing Activity:
Army-AR

(Project 1095-A140/11)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-63371/11B (AR)	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426

PREVIOUS EDITION IS OBSOLETE.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.