MIL-E-50069B
20 SEPTEMBER 1964
SUPERSEDING
MIL-E-50069A(CmlC)
18 AUGUST 1961

MILITARY SPECIFICATION

EYERING, FIELD PROTECTIVE MASK, C4

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type of protective mask eyering.

2. APPLICABLE DOCUMENTS

2.1 Government documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-636 — Box, Fiberboard.

STANDARDS

MILITARY

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 — Marking for Shipment and Storage.

DRAWINGS

EDGEWOOD ARSENAL

D5-2-952 — Eyering.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials. The materials used in the manufacture of the eyering shall conform to the specifications and drawings forming a part of this specification.

3.2 Manufacture. The eyering shall be manufactured as specified on Drawing D5-2-952.

3.3 Preproduction sample. Prior to the start of regular production, a preproduction sample of five eyerings shall be produced from each set of dies, using the same methods, materials, and equipment as will be used during regular production. Any change in operating conditions, materials, or dies shall require a new preproduction sample.

3.4 Workmanship. The eyering shall be free from foreign matter and damage, such as bent or broken prongs, distortion, surface imperfection, or any other defects which will impair its use.

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to insure that supplies and services conform to specified requirements.

4.2 Special provisions.

4.2.1 *Alternative inspection.* The supplier may utilize any alternative inspection procedure which will provide equal or better assurance of quality by submitting a written proposal with justification and obtaining written approval from the Government prior to instituting the procedure. In case of dispute, the procedures of this specification will govern.

4.2.2 *Objective evidence.* The supplier shall provide objective evidence acceptable to the contracting officer that the requirements of 3.1 and section 5 for which specific inspection has not been provided in this specification have been satisfied.

4.2.3 *Inspection substation.* If the supplier elects to establish inspection substations for the purpose of conducting inspection for certain listed defects, the Acceptable Quality Levels (AQL's) for each inspection substation shall be equal to the AQL which is the next numerically lower value than the AQL specified for the total listed defects. The requirements of MIL–STD–105 are applicable to each substation and to the end item.

4.3 Preproduction sample inspection.

4.3.1 *Examination.* The sample eyerings shall be inspected for all the requirements of the drawings and this specification.

4.3.2 *Acceptable/rejection criteria.* The eyerings shall pass the examination specified by 4.3.1 to be acceptable. The supplier shall obtain written approval from the contracting officer before proceeding with regular production.

4.4 Lotting. A lot shall consist of the eyerings produced by one manufacturer at one plant, from the same materials, under essentially the same manufacturing conditions.

4.5 Sampling for examination. Sampling shall be conducted in accordance with MIL–STD–105.

4.6 Inspection provisions.

4.6.1 *For examination.* Sample eyerings and the preparation for delivery thereof shall be examined in accordance with the classification of defects and MIL–STD–105.

4.6.2 *Classification of defects.*

4.6.2.1 *Eyering (Dwg D5–2–952).*

Categories	Defects
Critical:	None defined.
Major:	AQL 1.0 percent defective.
#101	Prong tip length incorrect.
102	Height of inner flange incorrect.
*103	Profile and curvature incorrect.
104	Center marks missing.
105	Workmanship (3.4).
Minor:	AQL 2.5 percent defective.
201	Protective finish missing, inadequate, or incorrect.

Reference Drawing D5–2–952.
* Tool controlled (may be periodically checked).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

(For repair parts packaging see 6.3.)

5.1 Packing, level C. Eyerings shall be packed in two or more layers in a type 1, class 1 fiberboard box conforming to PPP–B–636. The interior of the box shall be divided into equal-sized cells through use of interlocking slotted partitions with a separator placed between each slotted partitioned layer. The cells formed by the interlocking slotted partitions shall be of sufficient size to contain a uniform quantity of eyerings (no fewer than 10), accordion wrapped in minimum 40-pound basis-weight kraft wrapping paper. The interlocking slotted partitions and separators shall be fabricated from the same material as the box. The fiberboard box shall be closed in accordance with the applicable appendix requirements of PPP–B–636.

5.2 Marking. In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with MIL–STD–129.

6. NOTES

6.1 Intended use. The eyering covered by this specification is intended for use in the manufacture of the M17 Field Protective Mask.

6.2 Ordering data. Procurement documents should specify the title, number, and date of this specification.

6.3 Repair parts packaging. When repair parts packaging and packing is required for items authorized for stocking as repair parts, the repair parts packaging data sheets covering the eyering should be used. (Copies of repair parts packaging data sheets may be obtained from the Director of Engineering and Industrial Services, ATTN: Chief, Design Branch, U.S. Army Edgewood Arsenal, Edgewood Arsenal, Md. 21010.)

6.4 International interest. Certain provisions of this specification are the subject of ABC international standardization agreement. When amendment, revision, or cancellation of this specification is proposed, the departmental custodians will inform their respective Departmental Standardization Offices so that appropriate action may be taken respecting the international agreement concerned.

Custodians:

Army—MU

Navy—SH

Air Force—84

International interest (see 6.4)

Review activities:

Army—MD

Navy—SH

User activities:

Navy—MC

Air Force—84

Preparing activity:

Army—MU(EA)

Project No. 4240–0061

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:15Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.