QUALIFICATIONS CERTIFIED

QPL-7949-24
1 May 1999
SUPERSEDING
QPL-7949-23
23 February 1999

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER AEROSPACE STANDARD

SAE-AS7949

BEARINGS, BALL, AIRFRAME, ANTIFRICTION

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND

Questions concerning this QPL may be directed to the Raytheon Systems Company, CNE560, MS-60, 6125 East 21st Street, Indianapolis, IN 46219-2058, Mr. James R. Meiner, (317)306-3942.

MANUFACTURER'S FULL NAME, CAGE #, OFFICE ADDRESS AND MANUFACTURING PLANT ADDRESS ARE LISTED AT THE END OF THIS QPL.

AN EXAMPLE OF A PART NUMBER LISTING FORMAT AND INTREPRETATION IS SHOWN ON THE NEXT PAGE.

*Note (1)
NOTE: Provisions Government Procurement. Procurement of these bearings shall be in accordance with FAR 52.225-3 (Buy American Act) and D. FAR 52.225-7012 (Preference for Domestic Specialty Metals). The contractor should include these provisions in every subcontract and purchase order.

AMSC N/A FSC 3110
Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

EXAMPLE OF PART NUMBER LISTING

For the sake of brevity, part number designations are displayed and interpreted as shown:

MS27640-3A	-		KP3L	-
-3	G		KP3	X
-4	R		KP4	Y
-5	RG		KP5	YX
-6			KP6	

The above matrix represents the following part numbers:

MS27640-3A	KP3L
-3	KP3
-4	KP4
-5	KP5
-6	KP6
MS27640-3AG	KP3LX
-3G	KP3X
-4G	KP4X
-5G	KP5X
-6G	KP6X
MS27640-3AR	KP3LY
-3R	KP3Y
-4R	KP4Y
-5R	KP5Y
-6R	KP6Y
MS27640-3ARG	KP3LYX
-3RG	KP3YX
-4RG	KP4YX
-5RG	KP5YX
-6RG	KP6YX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
SAE-AS21428	**Bearing, Ball, Airframe, Antifriction, Extra Light Duty, Precision**	
MS21428-38|-| -39|G| -40| -41| -42| -43| -44| -45| -46|	MB538DD|NFC| MB539DD|NGC| MB540DD| MB541DD| MB542DD| MB543DD| MB544DD| MB545DD| MB546DD|	Industrial Tectonics Bearings 05413001.AE/7-23-98
MS21428-38|-| -39|G| -40| -41| -42| -43| -44| -45| -46|	MB538DD|- | MB539DD|LY196| MB540DD| MB541DD| MB542DD| MB543DD| MB544DD| MB545DD| MB546DD|	Miniature Precision Bearings 05415701.AC/7-23-98
MS21428-38|-| -39|G| -40| -41| -42| -43| -44| -45| -46|	MB538DD|- | MB538DD|SD610| MB540DD| MB541DD| MB542DD| MB543DD| MB544DD| MB545DD| MB546DD|	New Hampshire Ball Bearings, Inc. (1) 05416301.AA/7-23-98
MS21428-38|-| -39|G| -40| -41| -42| -43| -44| -45| -46|	MT338E|:G2| MT339E|- | MT340E| MT341E| MT342E| MT343E| MT344E| MT345E| MT346E|	RHP Aerospace 05420501.AA/7-23-98 *See NOTE (1/)
MS21428-38|-| -39|G| -40| -41| -42| -43| -44| -45| -46|	MB538DD -|FS464| MB539DD -|FS428| MB540DD -| MB541DD -| MB542DD -| MB543DD -| MB544DD -| MB545DD -| MB546DD -|	The Torrington Co. 05431901.AA/7-23-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
SAE-AS21443	**Bearing, Ball, Airframe, Antifriction, Pulley Type**	
MS21443-3A -3B -4A -4B -4C -5A -5B -8 -10	KP3AK KP3K W4AK P4K KP4K P5K PD5K P8 P10K	New Hampshire Ball Bearings, Inc. (1) 05416301.AA/7-23-98
MS21443-3A -3B -4B -4C -5A	KP3AK KP3K P4K KP4K P5K	New Hampshire Ball Bearings, Inc. (2) 05433101.AB/7-23-98
MS21443-4B|-| -5B|G|	CE104E |:G2| DCE105E|- |	RHP Aerospace 05420501.AA/7-23-98 *See NOTE (1/)
MS21443-3A|-| -3B|G| -4A| -4B| -4C| -5A| -5B| -8 | -10|	KP3AK-|H| KP3K- |L| W4AK- | P4K- | KP4K- | P5K- | PD5K- | P8- | P10K- |	Schatz Bearing Corp. 05421601.AF/7-23-98 05421601.AA/2-4-99
MS21443-4A|-| -4B|G| -4C|	W4AK -|FS464| P4K -|FS428| KP4K -|	The Torrington Co. 05431901.AA/7-23-98
SAE-AS27640	**Bearing, Ball, Airframe, Antifriction, Heavy Duty**	
MS27640 -3A|- | -3 |R | -4 |G | -5 |RG| -6 | -8 | -10|	KP 3L|- | KP 3 |P25 | KP 4 |LY196 | KP 5 |P25LY196| KP 6 | KP 8 | KP 10|	Miniature Precision Bearings 05415701.AC/7-23-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
MS27640-3A|- | -3 |G | -4 |R | -5 |RG| -6 | -8 | -10|	KP3L |- | KP3 |SD610| KP4 |SD630| KP5 |SD631| KP6 | KP8 | KP10 |	New Hampshire Ball Bearings, Inc. (1) 05416301.AA/7-23-98
MS27640-3A|- | -3 |G | -4 |R | |RG|	KP3L |- | KP3 |SD510| KP4 |SD530| |SD531|	New Hampshire Ball Bearings, Inc. (2) 05433101.AB/7-23-98
MS27640-3A|- | -3 |R | -4 |G | -5 |RG| -6 | -8 | -10|	CS103AE|:G2 | CS103E |:G2R5/13| CS104E |- | CS105E |:R5/13 | CS106E | CS108E | CS110E |	RHP Aerospace 05420501.AA/7-23-98 *See NOTE (1/)
MS27640-3A|-| -3 |G| -4 | -5 | -6 | -8 | -10|	K3L |- | KP3 |-L| KP4 | KP5 | KP6 | KP8 | KP10|	Schatz Bearing Corp. 05421601.AF/7-23-98
MS27640-3A|- | -3 |G | -4 | -5 | -6 | -8 | -10| MS27640-3A|R | -3 |RG| -4 | -5 | -6 | -8 | -10|	KP3L - |FS464 | KP3 - |FS428 | KP4 - | KP5 - | KP6 - | KP8 - | KP10 - | MKP3L -|FS464 | MKP3 -|FS428 | MKP4 -| MKP5 -| MKP6 -| MKP8 -| MKP10 -|	The Torrington Co. 05431901.AA/7-23-98

SAE-AS27641 Bearing, Ball, Airframe, Antifriction, Intermediate Duty

MS27641-3 |-| -4 |G| -5 | -6 | -8 |	KP3A |- | KP4A |LY196| KP5A | KP6A | KP8A |	Miniature Precision Bearings 05415701.AC/7-23-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
-10	KP10A	Miniature Precision Bearings (Continued)
-12	KP12A	
-16	KP16A	
-20	KP20A	
MS27641-3 |-	KP3A |-	New Hampshire Ball Bearings, Inc. (1)
-4 |G	KP4A |SD610	
-5 |R	KP5A |SD630	
-6 |RG	KP6A |SD631	05416301.AA/7-23-98
-8	KP8A	
-10	KP10A	
-12	KP12A	
-16	KP16A	
-20	KP20A	
MS27641-3 |-	KP3A |-	New Hampshire Ball Bearings, Inc. (2)
-4 |G	KP4A |SD510	
-5 |R	KP5A |SD530	
-6 |RG	KP6A |SD531	05433101.AB/7-23-98
-8	KP8A	
MS27641-3 |-	CS203E|:G2	RHP Aerospace
-4 |R	CS304E|:G2R5/13	
-5 |G	CS205E|-	05420501.AA/7-23-98
-6 |RG	CS206E|:R5/13	*See NOTE (1/)
-8	CS208E	
-10	CS210E	
-12	CS212E	
-16	CS216E	
-20	CS220E	
MS27641-3 |-	KP3A |-	Schatz Bearing Corp.
-4 |G	KP4A |-L	
-5	KP5A	05421601.AF/7-23-98
-6	KP6A	05421601.AA/3-15-99
-8	KP8A	
-10	KP10A	
-12	KP12A	
-16	KP16A	
-20	KP20A	
MS27641-3 |-	KP3A - |FS464	The Torrington Co.
-4 |G	KP4A - |FS428	
-5	KP5A -	05431901.AA/7-23-98
-6	KP6A -	
-8	KP8A -	
-10	KP10A-	
-12	KP12A-	
-16	KP16A-	
-20	KP20A-	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
MS27641-3 |R |	MKP3A -|FS464 |	The Torrington Co. (continued)
-4 |RG|	MKP4A -|FS428 |	
-5 |	MKP5A -|	
-6 |	MKP6A -|	
-8 |	MKP8A -|	
-10|	MKP10A-|	
-12|	MKP12A-|	
-16|	MKP16A-|	
-20|	MKP20A-|	

SAE-AS27642 Bearing, Ball, Airframe, Extra Light Duty

MS27642-16|-|	KP16B|NFC|	Industrial Tectonics Bearings
-21|G|	KP21B|NGC|	
-23|	KP23B|	
-25|	KP25B|	05413001.AE/7-23-98
-29|	KP29B|	
-33|	KP33B|	
-37|	KP37B|	
-47|	KP47B|	
-49|	KP49B|	
MS27642-16S|-|	MKP16B|NFC|	
-21S|G|	MKP21B|NGC|	
-23S|	MKP23B|	
-25S|	MKP25B|	
-29S|	MKP29B|	
-33S|	MKP33B|	
-37S|	MKP37B|	
-47S|	MKP47B|	
-49S|	MKP49B|	
MS27642-16|-|	KP16B|- |	Miniature Precision Bearings
-21|G|	KP21B|LY196|	
-23|	KP23B|	
-25|	KP25B|	05415701.AC/7-23-98
-29|	KP29B|	
-33|	KP33B|	
-37|	KP37B|	
-47|	KP47B|	
-49|	KP49B|	
-52|	KP52B|	
-64|	KP64B|	
-68|	KP68B|	
-72|	KP72B|	
-76|	KP76B|	
-80|	KP80B|	
MS27642-16S|-|	MKP16B|- |	
-21S|G|	MKP21B|LY196|	
-23S|	MKP23B|	
-25S|	MKP25B|	
-29S|	MKP29B|	
-33S|	MKP33B|	
-37S|	MKP37B|	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
-47S -49S -52S	MKP47B MKP49B MKP52B	Miniature Precision Bearings (Continued)
MS27642-16|- -21|G -23 -25 -29 -33 -37 -47 -49 -52 -56 -60	KP16B|- KP21B|SD610 KP23B KP25B KP29B KP33B KP37B KP47B KP49B KP52B KP56B KP60B	New Hampshire Ball Bearings, Inc. (1) 05416301.AA/7-23-98
MS27642-16S|- -21S|G -23S -25S -29S -33S -37S -47S -49S -52S -56S	MKP16B|- MKP21B|SD610 MKP23B MKP25B MKP29B MKP33B MKP37B MKP47B MKP49B MKP52B MKP56B	
MS27642-16|- -21|G -23 -25 -29 -33 -37 -47 -49 -52 -56 -60 -64 -68 -72 -76 -80 -84 -88 -92 -96	KP16B -|FS464 KP21B -|FS428 KP23B - KP25B - KP29B - KP33B - KP37B - KP47B - KP49B - KP52B - KP56B - KP60B - KP64B - KP68B - KP72B - KP76B - KP80B - KP84B - KP88B - KP92B - KP96B -	The Torrington Co. 05431901.AA/7-23-98
MS27642-16S|- -21S|G -23S -25S -29S	MKP16B -|FS464 MKP21B -|FS428 MKP23B - MKP25B - MKP29B -	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
-33S|	MKP33B -|	The Torrington Co. (Continued)
-37S|	MKP37B -|	
-47S|	MKP47B -|	
-49S|	MKP49B -|	
SAE-AS27643	**Bearing, Ball, Airframe, Antifriction, Self-aligning, Double Row, Heavy Duty**	
MS27643-3 |- |	DSP3 |-	New Hampshire Ball
-4 |G |	DSP4 |SD610	Bearings, Inc. (1)
-5 |R |	DSP5 |SD630	
-6 |RG|	DSP6 |SD631	05416301.AA/7-23-98
-8 |	DSP8 |	
-10|	DSP10|	
MS27643-3 |- |	DSP3 - |FS464 |	The Torrington Co.
-4 |G |	DSP4 - |FS428 |	
-5 |	DSP5 - |	05431901.AA/7-23-98
-6 |	DSP6 - |	
-8 |	DSP8 - |	
-10|	DSP10- |	
MS27643-3 |R |	MDSP3 -|FS464 |	
-4 |RG|	MDSP4 -|FS428 |	
-5 |	MDSP5 -|	
-6 |	MDSP6 -|	
-8 |	MDSP8 -|	
-10|	MDSP10-|	
SAE-AS27644	**Bearing, Ball Airframe, Antifriction, Double Row, Heavy Duty**	
MS27644-3 |-|	DPP3 |- |	New Hampshire Ball
-4 |G|	DPP4 |SD610|	Bearings, Inc. (1)
-5 |	DPP5 |	
-6 |	DPP6 |	05416301.AA/7-23-98
-8 |	DPP8 |	
-10|	DPP10|	
MS27644-3 |-|	DCS103E |:G2|	RHP Aerospace
4 |G|	DCS104E |- |	
5 |	DCS105E |	05420501.AA/7-23-98
6 |	DCS106E |	*See NOTE (1/)
8 |	DCS108E |	
10|	DCS110E |	
MS27644-3|-	DPP3|-	Schatz Bearing Corp.
-4|G	DPP4|L	
-5|	DPP5|	05421601.AF/7-23-98
		05421601.AA/3-15-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
MS27644-3 |- |	DPP3 -|FS464|	The Torrington Co.
-4 |G |	DPP4 -|FS428|	
-5 |	DPP5 -|	05431901.AA/7-23-98
-6 |	DPP6 -|	
-8 |	DPP8 -|	
-10|	DPP10-|	
SAE-AS27645	**Bearing, Ball, Airframe, Antifriction, Self-aligning, Light and Heavy Duty**	
MS27645-3A|- |	KSP3L|- |	New Hampshire Ball
-4A|R |	KSP4A|SD630|	Bearings, Inc. (1)
-5A|RG|	KSP5A|SD631|	
-6A|G |	KSP6A|SD610|	05416301.AA/7-23-98
-3 |	KSP3 |	
-4 |	KSP4 |	
-5 |	KSP5 |	
-6 |	KSP6 |	
-8 |	KSP8 |	
-10|	KSP10|	
MS27645-3A|- |	KSP3L|- |	New Hampshire Ball
-4A|R |	KSP4A|SD530|	Bearings, Inc. (2)
-5A|RG|	KSP5A|SD531|	
-6A|G |	KSP6A|SD510|	05433101.AB/7-23-98
-4 |	KSP4 |	
MS27645-3A|-	KSP3L|-	Schatz Bearing Corp.
-4A|G	KSP4A|-L	
-5A|	KSP5A|	05421601.AF/7-23-98
-6A|	KSP6A|	05421601.AA/3-15-99
-3 |	KSP3 |	
-4 |	KSP4 |	
-5 |	KSP5 |	
-6 |	KSP6 |	
-8 |	KSP8 |	
-10|	KSP10|	
MS27645-3A |- |	KSP3L - |FS464 |	The Torrington Co.
-4A |G |	KSP4A - |FS428 |	
-5A |	KSP5A - |	05431901.AA/7-23-98
-6A |	KSP6A - |	
-3 |	KSP3 - |	
-4 |	KSP4 - |	
-5 |	KSP5 - |	
-6 |	KSP6 - |	
-8 |	KSP8 - |	
-10 |	KSP10 - |	
MS27645-3A |R |	MKSP3L -|FS464 |	
-4A |RG|	MKSP4A -|FS428 |	
-5A |	MKSP5A -|	
-6A |	MKSP6A -|	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
-3 |	MKSP3 -|	The Torrington Co. (Continued)
-4 |	MKSP4 -|	
-5 |	MKSP5 -|	
-6 |	MKSP6 -|	
-8 |	MKSP8 -|	
-10 |	MKSP10 -|	
SAE-AS27646	**Bearing, Ball, Airframe, Antifriction, Extra Light Duty**	
MS27646-38|-|	B538DD|NFC|	Industrial Tectonics
-39|G|	B539DD|NGC|	Bearings
-40|	B540DD|	
-41|	B541DD|	05413001.AE/7-23-98
-42|	B542DD|	
-43|	B543DD|	
-44|	B544DD|	
-45|	B545DD|	
-46|	B546DD|	
MS27646-38|-|	B538DD|- |	Miniature Precision
-39|G|	B539DD|LY196|	Bearings
-40|	B540DD|	
-41|	B541DD|	05415701.AC/7-23-98
-42|	B542DD|	
-43|	B543DD|	
-44|	B544DD|	
-45|	B545DD|	
-46|	B546DD|	
MS27646-38|-|	B538DD|- |	New Hampshire Ball
-39|G|	B539DD|SD610|	Bearings, Inc. (1)
-40|	B540DD|	
-41|	B541DD|	05416301.AA/7-23-98
-42|	B542DD|	
-43|	B543DD|	
-44|	B544DD|	
-45|	B545DD|	
MS27646-38|-|	T338E|:G2|	RHP Aerospace
-39|G|	T339E|- |	
-40|	T340E|	05420501.AA/7-23-98
-41|	T341E|	*See NOTE (1/)
-42|	T342E|	
-43|	T343E|	
-44|	T344E|	
-45|	T345E|	
-46|	T346E|	
MS27646-38|-	B538DD|-H	Schatz Bearing Corp.
-39|G	B539DD|-L	
-40|	B540DD|	05421601.AD/4-5-99
-41|	B541DD|	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
-42|	B542DD|	Schatz Bearing Corp. (Continued)
-43|	B543DD|	
-44|	B544DD|	
-45|	B545DD|	
-46	B546DD|	
MS27646-38|-|	B538DD -|FS464|	The Torrington Co.
-39|G|	B539DD -|FS428|	
-40|	B540DD -|	05431901.AA/7-23-98
-41|	B541DD -|	
-42|	B542DD -|	
-43|	B543DD -|	
-44|	B544DD -|	
-45|	B545DD -|	
-46|	B546DD -|	
SAE-AS27647	**Bearing, Ball, Airframe, Antifriction, Extra Wide, Double Row, Intermediate Duty**	
MS27647-4A	DW4K2	New Hampshire Ball Bearings, Inc. (1)
-4	DW4K	
-5	DW5	
-6	DW6	05416301.AA/7-23-98
-8	DW8	
MS27647-4A|-|	DW4K2-|H|	Schatz Bearing Corp.
-4 |L|	DW4K- |L|	
-5 |	DW5- |	05421601.AF/7-23-98
MS27647-4AG|-|	GDW4K2-|H|	
-4G |L|	GDW4K- |L|	
-5G |	GDW5- |	
MS27647-4A|- |	DW4K2 - |FS464 |	The Torrington Co.
-4 |L |	DW4K - |FS428 |	
-5 |	DW5 - |	05431901.AA/7-23-98
-6 |	DW6 - |	
-8 |	DW8 - |	
MS27647-4A|R |	MDW4K2 - |FS464 |	
-4 |RL|	MDW4K - |FS428 |	
-5 |	MDW5 - |	
-6 |	MDW6 - |	
-8 |	MDW8 - |	
MS27647-4AG| - |	GDW4K2 - |FS464 |	
-4G |L |	GDW4K - |FS428 |	
-5G |	GDW5 - |	
-6G |	GDW6 - |	
-8G |	GDW8 - |	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
MS27647-4AG|R |	MGDW4K2 -|FS464 |	The Torrington Co.
-4G |RL |	MGDW4K -|FS428 |	(Continued)
-5G |	MGDW5 -|	
-6G |	MGDW6 -|	
-8G |	MGDW8 -|	
SAE-AS27648	**Bearing, Ball, Airframe, Antifriction, Externally Self-aligning, Extra Light Duty**	
MS27648-16|-|	KP16BS|NFC|	Industrial Tectonics
-21|G|	KP21BS|NGC|	Bearings
-23|	KP23BS|	
-25|	KP25BS|	05413001.AE/7-23-98
-29|	KP29BS|	
-33|	KP33BS|	
-37|	KP37BS|	
-47|	KP47BS|	
-48|	KP48BS|	
-49|	KP49BS|	
MS27648-16|-|	KP16BS|- |	Miniature Precision
-21|G|	KP21BS|LY196|	Bearings
-23|	KP23BS|	
-25|	KP25BS|	05415701.AC/7-23-98
-29|	KP29BS|	
-33|	KP33BS|	
-37|	KP37BS|	
-47|	KP47BS|	
-48|	KP48BS|	
-49|	KP49BS|	
MS27648-16|-|	KP16BS|- |	New Hampshire Ball
-21|G|	KP21BS|SD610|	Bearings, Inc. (1)
-23|	KP23BS|	
-25|	KP25BS|	05416301.AA/7-23-98
-29|	KP29BS|	
-33|	KP33BS|	
-47|	KP47BS|	
-48|	KP48BS|	
-49|	KP49BS|	
MS27648-16|-|	KP16BS -|FS464|	The Torrington Co.
-21|G|	KP21BS -|FS428|	
-23|	KP23BS -|	05431901.AA/7-23-98
-25|	KP25BS -|	
-29|	KP29BS -|	
-33|	KP33BS -|	
-37|	KP37BS -|	
-47|	KP47BS -|	
-48|	KP48BS -|	
-49|	KP49BS -|	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & QUAL. TEST REFERENCE
SAE-AS27649	**Bearing, Ball, Airframe, Antifriction, Intermediate Duty**	
MS27649-3 |-| -4 |G| -5 | -6 | -8 | -10| -12| -16| -20|	AW3AK |- | AW4AK |LY196| AW5AK | AW6AK | AW8AK | AW10AK| AW12AK| AW16AK| AW20AK|	Miniature Precision Bearings 05415701.AC/7-23-98
MS27649-3 -4 -5 -6 -8 -12 -16 -20	SSW3AK SSW4AK SSW5AK SSW6AK SSW8AK SSW12AK SSW16AK SSW20AK	New Hampshire Ball Bearings, Inc. (1) 05416301.AA/7-23-98
MS27649-3 -4 -5 -6 -8	SSW3AK SSW4AK SSW5AK SSW6AK SSW8AK	New Hampshire Ball Bearings, Inc. (2) 05433101.AB/7-23-98
MS27649-3 |-| -4 |G| -5 | -6 | -8 | -10| -12| -16| -20|	AW3AK -|FS464| AW4AK -|FS428| AW5AK -| AW6AK -| AW8AK -| AW10AK-| AW12AK-| AW16AK-| AW20AK-|	The Torrington Co. 05431901.AA/7-23-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE #
OFFICE:	
Industrial Tectonics Bearings Corp. 18301 S. Sante Fe Rancho Dominguez, CA 90221	06144
Plant:	
Same as above	
OFFICE:	
Miniature Precision Bearings Precision Park P.O. Box 547 Keene, NH 03431-0547	40920
Plant:	
Same as above	
OFFICE:	
New Hampshire Ball Bearings, Inc.	
(1) Route 202 South Peterborough, NH 03458	(1) 83086
(2) 9727 DeSoto Avenue Chatsworth, CA 91311	(2) 50294
Plant:	
(1) Same as above	
(2) Same as above	
OFFICE:	
RHP Aerospace Oldends Lane Stonehouse Gloucestershire GL10 3RH England	K8455
Plant:	
Same address	
OFFICE:	
Schatz Bearing Corp. P.O. Box 1191 - Fairview Ave. Poughkeepsie, NY 12602	53268
Plant:	
Same address	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE #
OFFICE:	
The Torrington Company Fafnir Bearings Division 59 Field Street Torrington, CT 06790	21335
Plant:	
The Torrington Company Standard Plant 59 Field Street Torrington, CT 06790	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.