INCH-POUND

A-A-59849
20 November 2009

COMMERCIAL ITEM DESCRIPTION

PROTECTOR, ROPE

This commercial item description is approved for use by the Defense Supply Center, Philadelphia and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE. This commercial item description covers the requirements for a rope protector which is used to protect a rope from excessive abrasion from rough surfaces such as rock and dirt.

2. CLASSIFICATION. The rope protector will be furnished in the one type and size:

2.1 Sizing. The rope protector will be as light-weight as possible, while meeting the standards in the description.

3. SALIENT CHARACTERISTICS

3.1 Description. The rope protector design shall provide ease of use with typical combat gloves while meeting the standards in the description. The ropes protector shall provide protection to all types of ropes in as specified in with A-A-59835. The rope protector shall be capable of completely wrapping around the rope to ensure it doesn't slip out during movement. The rope protector shall be capable of being attached to the rope it protects or to another rope or anchor to prevent slipping down the rope. The means of attachment shall not prevent adjustment of the protector rope along the length of the rope. The rope protector shall be 24 inches (± 2) inches long. The rope protector shall have a hook and loop closure to speed placement and removal.

Comments, suggestions, or questions on this document should be addressed to: Defense Supply Center Philadelphia, Clothing and Textiles Directorate, Attn: DSCP Standardization Team, 700 Robbins Avenue, Philadelphia, PA 19111-5096. Since contact information can change, you may want to verify the currency of this address information using Acquisition Streamlining and Standardization Information System (ASSIST) online database at http://assist.daps.dla.mil/ .

AMSC N/A FSC 4020

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:29Z
Check the source to verify that this is the current version before use.

3.2 Color. The rope protector shall be provided in a low reflectance, matte finish and provide low contrast with typical use terrain unless otherwise stated in the contract or solicitation. (See 7.2).

3.3 Materials.

3.3.1 Basic material The rope protector shall be provided in a number eight (8) cotton duck or similarly durable material.

3.4 Workmanship. The finished rope protector shall conform to the quality of product established by this document. The occurrence of defects shall not exceed the contractors own quality assurance standards and the quality assurance standards defined in the technical data in the solicitation and/or contract.

3.5 Service life. The rope protector shall have no unexpected material or component failures during a continuous one-year cycle. The rope protector shall have no unexpected material or component failures during periodic use over a five year period.

3.6 Labels/barcoding/instruction slip. If applicable, all labeling, barcoding and instruction slip requirements shall be as specified in the solicitation or contract (see 7.2).

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.1 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible, provided that the material meets or exceeds the operational and maintenance requirements and promotes economically advantageous life cycle costs.

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

5.2 Visual examination. Each rope protector shall be examined for the following defects as listed in Table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:29Z
Check the source to verify that this is the current version before use.

Table I. End item examination

Examine	Defect Description
Finish	Not smooth and adherent. Not low reflectance matte finish. Does not provide low contrast with typical use terrain
Construction	Not free of burrs, rough spots, slivers, flat areas or projections
	Any component loose, missing or not specified type
	Any component fractured, slit, punctured, dented, bowed, malformed or damaged
	Marking etched or indented, contains rough or sharp edges
Label/barcoding and instruction slip	Incorrect, illegible, omitted or misplaced.
Marking	Omitted, missing information or illegible

5.3 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order (see 7.2).

6. PACKAGING.

6.1 Preservation, packing and marking. The preservation, packing and marking shall be as specified in the contract or order (see 7.2).

7. NOTES.

7.1 Sources of documents.

7.1.1 Government documents. Copies of Government documents are available online at http://assist.daps.dla.mil/quicksearch/ or from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 9111-5094.

7.12 Federal Acquisition Regulations are available online at http://acquisition.gov/far/index.html or by contacting the Superintendent of Documents at 202-512-1800.

7.1.3 Non-Government documents. Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents may be available in or through libraries or other informational services.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:29Z
Check the source to verify that this is the current version before use.

7.2 Ordering data. The contract or order should specify the following:

a. Title, number, and date of this Commercial Item Description.
b. Type and size required (see 2.1).
c. When required, labeling, barcoding, and instruction slip (see 3.6)
d. Acceptance criteria (see 5.3).
e. Packaging (see 6.1).

7.3 Subject term (key word) listing.

Padding

MILITARY INTERESTS:

CIVIL AGENCY COORDINATING ACTIVITY:
GSA – FSS

Custodian:
Army - GL
Marine Corps – MC

PREPARING ACTIVITY:
DLA-CT

Project 4020-2010-001

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:29Z
Check the source to verify that this is the current version before use.