MIL-P-11977 (ORD)
29 April 1952
SUPERSEDING
Packaging Instruction
AFPS 2-2 25 January 1945

MILITARY SPECIFICATION

PACKAGING OF COMPASSES, PRISMATIC M1918 AND M2

1. SCOPE

1.1 This specification covers the packaging, packing and marking for domestic shipment and storage, overseas shipment, and interplant shipment of the following compasses, and is applicable to similar compasses not listed:

Item	Ord. Dwg. No. *	Stock No.
Compass, Prismatic, M1918 W/E (K&E)		F001-6716665
Consisting of:		
1 Compass, Prismatic M1918 (K&E)	22-53	F001-7597728
1 Case, Carrying	38-10-100	F023-02-00010
Compass, Prismatic, M1918 W/E (Sperry)		F001-6716667
Consisting of:		
1 Compass, Prismatic, M1918 (Sperry)	22-53	F001-7597729
1 Case, Carrying	38-10-100	F023-02-00010
Compass, M2, W/E		F001-6716660
Consisting of:		
1 Compass, M2	22-315	F001-7578443
1 Case, Carrying, M19	D6545048	F219-6545048
or		
1 Case, Carrying, M19 (alternate design)	D6582645	F219-6582645

* For reference only.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.

STANDARD
MIL-STD-129 - Military Standard Marking of Shipments.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer).

3. REQUIREMENTS

3.1 Materials - The following shall apply wherever packaging materials are referred to in this specification by name only:

Reference	Full Identification
Flexible waterproof barrier material	Applicable requirements of Specification JAN-P-125
Gummed tape	Grade A or B of Specification UU-T-111
Pressure sensitive tape	Type II or III, grade A or B (at least 2" wide) of Specification JAN-P-127
Water-resistant adhesive	Applicable requirements of Specification MIL-A -140

3.2 Cleaning - Each compass and its carrying case shall be thoroughly cleaned so as to be free from dirt, smudges, fingerprints and other foreign substances in accordance with the applicable cleaning method (C-1) of Specification MIL-P-116.

3.3 Packaging

3.3.1 Prepackaging the compass without equipment (See Figure 1). - The compass shall be wrapped with flexible single face corrugated fiberboard conforming to type I of Specification LLL-F-291. The wrap shall be secured with gummed tape. The wrapped compass shall then be placed in a bag conforming to any type, grade A, class b, c or d of Specification JAN-P-117. The bag shall be heat sealed, exhausting the entrapped air prior to final closure.

3.3.2 Prepackaging the compass with equipment (See Figure 2). The compass shall be placed in its carrying case and the case cover secured. The case with the compass enclosed shall then be packaged as specified in 3.3.1.

3.3.3 Unit package.- Each compass, prepackaged as specified in 3.3.1 or 3.3.2, shall be immobilized in a set-up paperboard box conforming to type I or IV, any class and any style of Specification JAN-P-133. The box shall be closed by covering all seams with gummed tape.

3.3.4 Intermediate package. - Ten unit packaged compasses shall be immobilized in a fiberboard box conforming to any compliance symbol and any style, except FTC, of Specification JAN-P-108. Each box shall be closed by applying water-resistant adhesive over all areas of contact on the flaps and covering all

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.

3.4.3 Immobilizing. - The contents of each shipping container shall either fit snugly in the container or shall be immobilized in such a manner that the contents cannot move about after the container is closed.

3.5 Identification and marking

3.5.1 Unit container, intermediate container and water-resistant overwrap. - The identification data required in Standard MIL-STD-129 for interior packages shall be added to each unit container, intermediate container and water-resistant overwrap by printing or marking either directly on the exterior surface or on a label affixed to the exterior surface.

3.5.2 Shipping container. - In addition to other markings that may be required (see 6.3), the information to be placed on each container shall be in accordance with Standard MIL-STD-129. The identification data shall be stencilled or printed on the container. Packing lists containing the serial numbers of the compasses in the container are required. Fragile labels shall be affixed to the shipping container.

3.5.3 Official Ordnance Corps Inspection Seal (Escutcheon). - Evidence of inspection shall be shown by either stamping the escutcheon on each box, water-resistant overwrap and shipping container or affixing paper seals to same.

3.5.3.1 Unit container, intermediate container and water-resistant overwrap. - If paper seals are used, a seal shall be affixed to each box in such a manner that the seal will be damaged if the box is opened. Two paper seals shall be affixed to each overwrap in such a manner that at least one of the seals will be damaged if the overwrap is removed. If a rubber stamp is used, the escutcheon shall be applied in such a manner that at least a portion of it is on the sealing tape which is used to seal the box and overwrap. The overwrap shall be stamped in two places in such a fashion that at least one of the escutcheons will be damaged if the overwrap is removed.

3.5.3.2 Shipping container. - Either a paper seal or a stamped escutcheon shall be placed adjacent to the permanent markings.

3.5.3.3 Application of Ordnance District's symbol. - The Ordnance District's symbol, such as NYOD, BOD, etc. shall be added on each paper seal and with each stamped escutcheon.

3.5.4 Coating labels and paper seals. - Labels and paper seals (if used) shall be affixed and coated with water-resistant label adhesive conforming to Specification AXS-1472.

3.6 Interplant shipment requirements. - Where an interplant shipment is involved, the following cleaning, packaging, packing and marking requirements shall apply:

3.6.1 Cleaning. - Cleaning shall be in accordance with 3.2.


Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.

6.2 The marking of overseas shipping containers by Army Installations should be in accordance with Department of the Army and Air Force Manual, SR 746-30-5, "Marking of Overseas Supply".

Patent notice.- When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

CUSTODIAN:
Army - Ordnance Corps

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.




NEG. #22271-1 2/29/52 FRANKFORD ARSENAL ORD. CORPS

COMPASS, M2 - packaging the compass without a carrying case.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.




NEG. #22271-2 2/29/52 FRANKFORD ARSENAL ORD. CORPS

COMPASS, M2 - packaging the compass with carrying case.

FIGURE 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.



NEG. #22271-2 2/29/52 FRANKFORD ARSENAL ORD. CORPS

COMPASS, M2 - packaging the compass with carrying case.

FIGURE 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:10Z
Check the source to verify that this is the current version before use.