MIL-B-52808A(ME)
7 December 1979
SUPERSEDING
MIL-B-52808(ME)
24 May 1974

MILITARY SPECIFICATION

BOXES, STORAGE, PHOTOMAPPING,

PAPER ROLL

This specification is approved for use by the Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers three types of paper roll storage boxes.

1.2 Classification. The storage boxes shall be of the following types as specified (see 6.2):

Type I - 2-roll box.
Type II - 3-roll box.
Type III - 5-roll box.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

FSC 6675

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

PPP-B-601	- Boxes, Wood, Cleated-Plywood
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner
PPP-B-636	- Boxes, Shipping, Fiberboard

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	- Marking for Shipment and Storage
MIL-STD-1188	- Commercial Packaging of Supplies and Equipment

DRAWINGS

ME

TA13217E9923	- Boxes Storage - Photomapping Equipment, Two Roll Box.
TA13217E9924	- Boxes Storage - Photomapping Equipment, Three Roll Box.
TA13217E9925	- Boxes Storage - Photomapping Equipment, Five Roll Box.

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. The boxes shall be in accordance with Top Assemblies TA13217E9923 for Type I, TA13217E9924 for Type II and TA13217E9925 for Type III, and as specified herein.

3.1.1 Drawings. The drawings forming a part of this specification are end product drawings. No deviation from the prescribed dimensions or tolerances is permissible without prior approval of the contracting officer. Any data (e.g. shop drawings, layouts, flow sheets, processing produres, etc.) prepared by the contractor or obtained from a vendor to support fabrication and manufacture of the production item shall be made available, upon request, for inspection by the contracting officer or his designated representative.

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:34Z
Check the source to verify that this is the current version before use.

3.2 Material. Material shall be as specified herein. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification (see 6.3).

3.3 Construction.

3.3.1 Welding. All welding shall be as specified in the drawing package.

3.3.2 Joints and stiffeners. All joints shall be welded. Stiffeners shall be added as required to provided a compact, rigid, and stable structure.

3.3.3 Lids. Lids shall be fitted and aligned in both open and closed positions.

3.3.4 Lid latches. Lid latches shall be as described herein. Each lid shall have an automatic latch which is released by a finger-controlled mechanism. The finger control may be a button or lever. The latch shall automatically engage upon closing the lid and shall hold the lid closed when engaged, even when the lid is subjected to the shock and vibration encountered when mounted in a motorized van traversing rough terrain, unless the latch is released by the finger control.

3.3.5 Lockwashers. Carbon steel lockwashers shall be provded for all screws. Screws, nuts, and lockwashers shall be anticorrosive plated.

3.4 Workmanship.

3.4.1 Metal fabrication. Metal used in fabrication shall be free from kinks and sharp bends. Corners shall be square and true. All bends shall be made with controlled means to insure uniformity of size and shape.

3.4.2 Bolted connections. Boltholes shall be accurately formed and shall have the burrs removed. All fasteners shall be tight and shall have full thread engagement. Bolts shall not protrude more than two full threads.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsiblity for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.

the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and service conform to prescribe requirements.

4.1.1 Component and material inspection. The contractor is responsible for insuring that components and materials used are manufactured and examined in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of packaging (see 4.5).

4.3 Quality conformance inspection.

4.3.1 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.3.2 Lot. For the purpose of sampling, a lot shall consist of all boxes of the same type.

4.3.3 Examination. Samples selected in accordance with 4.3.1 shall be examined for the defects specified in 4.4.1. AQL shall be 2.5 percent defective.

4.4 Inspection procedure.

4.4.1 Examination. The boxes shall be examined as specified herein for the following defects:

101. Boxes not in accordance with applicable drawing.
102. Boxes not rigid and stable or lids not aligned.
103. Latches not as specified.
104. Screws, nuts or washers missing.
105. Workmanship not as specified.

4.5 Inspection of packaging.

4.5.1 Quality conformance inspection of pack.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

4.5.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.5.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.5.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

106.	Containers not as specified.
107.	Fiberboard boxes not closed as specified.
108.	Marking illegible, incorrect, incomplete, or missing.

5. PACKAGING

5.1 Preservation. Preservation shall be Level A, or Commercial as specified (see 6.2).

5.1.1 Level A. Each storage box shall be preserved in a fiberboard box conforming to PPP-B-636, W5c. The fiberboard box shall be closed Method V of the box specification appendix.

5.1.2 Commercial. Commercial preservation shall be in accordance with MIL-STD-1188.

5.2 Packing. Packing shall be Level A, B, or Commercial as specified (see 6.2).

5.2.1 Level A. Storage boxes of like type, preserved as specified in 5.1, shall be packed in boxes conforming to PPP-B-601, Overseas Type, Grade B or PPP-B-621, Class 2.

5.2.2 Level B. Storage boxes of like type, preserved as specified in 5.1, shall be packed as specified in 5.2.1 for Level A except the boxes shall be Domestic Type; or the preserved boxes shall be packed in fiberboard boxes conforming to PPP-B-636, V11c with a Method V closure as specified in the box specification appendix.

5.2.3 Commercial. Storage boxes of like type, preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188.

5.3 Marking. Marking of unit packs and shipping containers shall be in accordance with MIL-STD-129 for military levels of protection. Marking for commercial protection shall be in accordance with MIL-STD-1188.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. The boxes are intended for use in storing paper, plastic and other cartographic drafting media. The boxes are designed for mounting in motorized photomapping vans NSN's 6675-00-551-5248, 6675-00-551-5249, and 6675-00-551-5250, which are used in Equipment Sets 6675-97-CL-E35, 6675-97-CL-E38, 6675-97-CL-E40, and 6675-97-CL-E45, apply thereto.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Type of box required (see 1.2).
(c) Degree of preservation and degree of packing required (see 5.1 and 5.2).

6.3 Recycled material. It is encouraged that recycled material be used when practical, as long as it meets the requirements of this specification (see 3.2).

Custodian :
Army - ME

Preparing activity:
Army - ME

Review activity:
DLA - GS

Project 6675-A228

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-B-52808A(ME) Boxes, Storage, Photomapping, Paper Roll

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
USA Mobility Equipment R&D Command
ATTN: DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.