MIL-T-52073C(ME)
21 November 1974
SUPERSEDING
MIL-T-52073B(ME)
11 December 1967

MILITARY SPECIFICATION

TANK ASSEMBLY, FABRIC, COLLAPSIBLE,

10,000 GALLON CAPACITY; PETROLEUM PRODUCTS,

PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for the preservation, packaging, packing, and marking of components of a collapsible fabric tank assembly set, NSN 5430-00-641-8552 (SC 5430-97-CL-E01).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

L-P-378	- Plastic Sheet and Strip, Thin Gauge, Polyolefin.
QQ-S-781	- Strapping, Steel, Flat and Seals.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-C-843	- Cushioning Material, Cellulosic.
PPP-T-60	- Tape: Packaging, Waterproof.

Military

MIL-P-116	- Preservation-Packaging, Methods of.

FSC 5430

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:06Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified (see 6.2) to prove, prior to starting production packaging, that the applied preservation, packaging, packing and marking complies with the specified requirements of this specification (see 6.3). Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications. Materials not specified herein shall be selected by the supplier and shall be subject to all provisions of this specification.

3.3 Preservation and packaging. Preservation and packaging shall be Level A or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Tank. The vent pipe, the male elbow fitting, the hose assembly and valve shall be removed from the tank and the tank openings sealed with the dust caps and plug provided. Permanently attached fittings shall be covered with cushioning material conforming to PPP-C-843, Type II, Class A. The cushioning material shall be secured in place with tape conforming to PPP-T-60, Type IV. The tank shall be completely dusted with talc or other antisticking compound, then collapsed and folded to a size suitable for placing in the chest.

3.3.1.1.1 Vent pipe, male elbow, hose assembly and gatevalve. The removed vent pipe, male elbow fitting, hose assembly, and valve shall each be wrapped in cushioning material conforming to PPP-C-843, Type II, Class A. The cushioning material shall be secured with tape conforming to PPP-T-60, Type IV.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:06Z
Check the source to verify that this is the currentversion before use.

3.3.1.2 Replacement O-rings and gaskets. Replacement O-rings and gaskets of like size shall be preserved together in accordance with MIL-P-116, Method IC-1. The bag shall be of sufficient size to allow the gaskets to remain flat.

3.3.1.3 Emergency repair items. The emergency repair items shall be preserved together in accordance with MIL-P-116, Method III, using a close-fitting box conforming to PPP-B-636, W6c.

3.3.1.4 Technical publications. Technical publications shall be preserved in accordance with MIL-P-116, Method IC-1.

3.3.1.5 Hose assemblies. The fittings attached to the ends of the hose assemblies shall be protected by wrapping with cushioning material conforming to PPP-C-843, Type II, Class A. The cushioning material shall be secured in place with tape conforming to PPP-T-60, Type IV.

3.3.1.6 Coupling halves, dust caps and plugs. Each coupling half, dust cap and plug shall be wrapped with cushioning material and the cushioning material shall be secured in place as specified in 3.3.1.5.

3.3.1.7 Manifold assemblies. Each manifold assembly shall be preserved as assembled unit in accordance with MIL-P-116, Method III, using the supplier's commercial carton or a close-fitting box conforming to PPP-B-636, Type CF, Class Domestic, Variety SW, grade as applicable to the weight of contents.

3.3.2 Level C. The vent pipe, male elbow fitting, the hose assembly and gatevalve shall be removed from the tank and the tank openings sealed with the dust caps and plug provided. All components comprising a complete tank assembly shall then be preserved and packaged to afford protection against deterioration and damage from the supplier to the initial destination. The tank shall be collapsed and folded to a size suitable for placing in the chest.

3.4 Packing (see 6.4). All components comprising a complete tank assembly shall be packed in the chest provided. The chest shall be loosely lined with polyethylene material conforming to L-P-378, Type I, Class 1, minimum thickness 6 mil. Components shall be placed in the chest storage compartment as size permits. The tank and remaining components shall be placed within the large compartment of the chest. The chest lid shall be closed and secured. To prevent accidental opening or pilferage, a strap conforming to QQ-S-781, Type I, Finish A, size 1-1/4 inch by .035 inch, shall be applied using the provision provided on the chest. Steel edge protectors shall be used under the strapping.

3.5 Marking. Packages and shipping containers shall be marked in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 20261O-22T21:06Z
Check the source to verify that this is the current version before use.

3.6 Workmanship. Preservation, packaging, packing and marking shall be accomplished in a manner that will assure protection and identification provided by this specification and referenced documents.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Components and material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The pack shall be examined for the defects specified in 4.4.3. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.4.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.3 Examination. Samples selected in accordance with 4.4.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials, methods, or containers not as specified. Each incorrect material, method or container shall constitute one defect.
102. Vent pipe, male elbow fitting, hose assembly and valve not removed as specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:06Z
Check the source to verify that this is the current version before use.

103. Openings not sealed with dust caps and plugs as specified.
104. Fittings on the tank not protected with cushioning as specified.
105. Tank not dusted or coated with antisticking compound as specified.
106. Vent pipe, male elbow fitting, hose assembly and valve not wrapped as specified.
107. Replacement gaskets preserved in a bag too small to allow the gaskets to remain flat.
108. Fittings on hose assemblies not protected with cushioning as specified.
109. Coupling halves, dust caps and plugs not protected with cushioning as specified.
110. Manifold assemblies not preserved as specified.
111. Chest not lined with polyethylene as specified.
112. Components not all contained within the chest.
113. Chest lid not secured and strapped as specified.
114. Edge protectors not applied as specified.
115. Marking illegible, incomplete, incorrect, or missing.

5. PREPARATION FOR DELIVERY

(This section is not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders for the preservation, packaging, packing, and marking of Tank Assembly, Fabric, Collapsible: 10,000 Gallon; Petroleum, NSN 5430-00-641-8552 (SC 5430-97-CL-E01).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the production pack (see 3.1).
(c) Level of preservation and packaging required (see 3.3).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the tank assemblies in accordance with this specification.

6.4 Levels of packaging. Levels of packaging have not been included, as the chest provided is designed as a shipping container and requires no

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:06Z
Check the source to verify that this is the currenversion before use.

additional packing. For purposes of preservation, packaging, and packing level markings, the level of packing shall be considered Level A.

Custodian:

Army - ME

Review activity:

Army - SM

Preparing activity:

Army - ME

Project No. 5430-A080

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers' vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1800

☆ U.S. GOVERNMENT PRINTING OFFICE 1972— [illegible] 866/3961 2-

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:06Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Reseach and
Development Center
ATTN:DRXFB-DS
Fort Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:06Z
Check the source to verify that this is the current version before use.