ZZ-B-190/5A
November 13, 1981
SUPERSEDING
ZZ-B-190/5
April 26, 1974

FEDERAL SPECIFICATION SHEET

BELTS, V: ENGINE ACCESSORY DRIVE

(7/8 INCH NOMINAL WIDTH)

This specification sheet was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring belts described herein shall consist of this document and the issue in effect of specification ZZ-B-190/GEN.




FIGURE 1. BELT CROSS SECTION

X-2263

FSC 3030

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:25Z
Check the source to verify that this is the currentversion before use.

REQUIREMENTS

1. Part number: The belt part number shall be derived in accordance with the following:

(a) Belt style will be denoted in accordance with Table I.
(b) Belt length will be denoted in accordance with Table II.
(c) Belt grade will be denoted in accordance with Table III.
(d) Number of belts in the set will be denoted in accordance with Table IV.
(e) The oil resistance of the belt will be denoted in accordance with Table V.

TABLE I

STYLE

P	Plain Base
C	Notched or Cogged Base
-	Either Plain, Notched or Cogged

TABLE II

BELT LENGTH

Dash No.	Effective Lgth. in.	mm	Dash No.	Effective Lgth in.	mm	Dash No.	Effective Lgth. in.	mm	Dash No.	Effective Lgth. in.	mm
-28	28	711.2	-40	40	1016.0	-52	52	1320.8	-68	68	1727.2
-29	29	736.6	-41	41	1041.4	-53	53	1346.2	-70	70	1778.0
-30	30	762.0	-42	42	1066.8	-54	54	1371.6	-72	72	1828.8
-31	31	787.4	-43	43	1092.2	-55	55	1397.0	-74	74	1879.6
-32	32	812.8	-44	44	1117.6	-56	56	1422.4	-76	76	1930.4
-33	33	838.2	-45	45	1143.0	-57	57	1447.8	-78	78	1981.2
-34	34	863.6	-46	46	1168.4	-58	58	1473.2	-80	80	2032.0
-35	35	889.0	-47	47	1193.8	-59	59	1498.6	-82	82	2082.8
-36	36	914.4	-48	48	1219.2	-60	60	1524.0	-84	84	2133.6
-37	37	939.8	-49	49	1244.6	-62	62	1574.8	-86	86	2184.4
-38	38	965.2	-50	50	1270.0	-64	64	1625.6			
-39	39	990.6	-51	51	1295.4	-66	66	1676.4			

Note: Dimensions are in inches and millimeters.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:25Z
Check the source to verify that this is the currentversion before use.

TABLE III

GRADE

A	Standard Duty Grade
B	Heavy Duty Grade
-	Either Plain, Notched or Cogged

TABLE IV

QUANTITY OF BELTS IN SET

Dash No.	Belts in set
1	1
2	2
3	3
4	4
5	5
6	6

TABLE V

OIL RESISTANCE

R	Oil resistance

EXAMPLE

ZZ-B-190/5 P 30 B 2 R

- R — Oil resistance - Table V
- 2 — Belt set quantity - Table IV
- B — Belt grade - Table III
- 30 — Belt length - Table II
- P — Belt style - Table I
- ZZ-B-190/5 — Belt specification sheet number

Example-part-numbers - denotes ZZ-B-190/5 belt width of 7/8 inch size, plain belt style, 30 inch in effective length, B (heavy duty) grade, two belts in a match set and oil resistance capabilities.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:25Z
Check the source to verify that this is the currentversion before use.

MILITARY INTEREST:

Custodians:
Army - ME
Navy - YD
Air Force - 99

Review activity:
DLA - CS

User activities:
Army - AR, AV, AT
Navy - MC, SH

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

Preparing activity:
Army - ME

Project 3030-0140

U.S. GOVERNMENT PRINTING OFFICE : 1982 - 361-705/1315

Orders for this publication are to be placed with General Service Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
ZZ-B-190/5A Belts, V: Engine Accessory Drive (7/8 Inch Nominal Width)

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:25Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Command
DRDME-DS
Fort Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.