ZZ-S-70á
December 1, 1965
SUPERSEDING
Int. Fed. Spec. ZZ-S-0070 (GSA-FSS)
August 10, 1964

FEDERAL SPECIFICATION

SCRAPER, BAKER'S, (PLATE AND BOWL)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers a rubber blade baker's scraper.

1.2 Classification.

1.2.1 *Type and size.* This specification covers one type and size of rubber blade baker's scraper.

2. APPLICABLE SPECIFICATIONS, STANDARDS, AND OTHER PUBLICATIONS

2.1 Specifications and standards. The following specifications and standards, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-636—Box, Fiberboard.
PPP-B-640—Boxes, Fiberboard, Corrugated, Triple-Wall.

Federal Standards:

Fed. Std. No. 102—Preservation, Packaging, and Packing Levels.
Fed. Std. No. 123—Marking for Domestic Shipment (Civilian Agencies).
Fed. Test Method Std. No. 601—Rubber: Sampling and Testing.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105—Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129—Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publication. The following document forms a part of this specification to the extent specified herein. Unless otherwise indicated, the issues in effect on date of invitation for bids or request for proposal shall apply.

Federal Food, Drug, and Cosmetic Act and General Regulations for Its Enforcement.

(Copies may be obtained upon application, accompanied by money order, coupon, or cash, to the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402. Prices may be obtained from the Superintendent of Documents.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Standard product. The scrapers shall be the current standard product of the manufacturer except for any modification specified herein.

3.2 Materials.

3.2.1 *Nontoxic materials.* The materials used for scrapers shall not contain toxic or other harmful ingredients and shall conform to the Federal Food, Drug and Cosmetic Act and Regulations promulgated thereunder. The contractor shall furnish a certificate of compliance to the contracting officer that the materials used in the manufacture of scrapers meet the requirements of this paragraph (see 6.2).

3.2.2 *Blade.* The blade shall be molded of natural rubber, synthetic rubber, or a combination of natural and synthetic rubber.

3.2.2.1 *Blade hardness.* The blade shall have a Shore Durometer hardness ranging between 65-70 when tested in accordance with 4.4.1.

3.2.3 *Handle.* The handle shall be fabricated of beech, white birch hardwood, or plastic.

3.3 Construction. The blade shall be permanently molded around 2-7/8 inches minimum length of the wood handle. The four blade corners shall be rounded. The front bottom corner of the blade shall have a radius of 1-1/4 ± 1/8 inch. The rear end of the handle shall be rounded.

3.4 Dimensions.

3.4.1 *Blade.* The blade dimensions shall be as follows:

Length 4-5/8 ± 1/4 inch.
Width 3 ± 1/4 inch.
Thickness 0.375 —0.015 inch at thickest section which gradually tapers to a thickness of 0.045 inch maximum on three blade surfaces.

3.4.2 *Handle.* The handle dimensions shall be as follows:

Length—9 inches minimum.
Width—11/16 inch minimum.
Thickness—1/4 inch minimum.

3.4.3 *Overall.* Total length of scraper including handle and blade 13-5/8 ± 1/2 inch.

3.5 Color.

3.5.1 *Blade.* The color of the blade shall be white.

3.5.2 *Handle.* The handle shall have a natural wood color.

3.6 Marking for identification. The blade shall be plainly and permanently marked with the manufacturer's name or trademark of such known character that the source of manufacture may be readily determined.

3.7 Workmanship. The scrapers shall be clean, well made, and free from any other defects which may affect appearance or serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling for inspection. Sampling for inspection shall be in accordance with MIL-STD-105. A lot for sampling purposes shall consist of all scrapers offered for delivery at one time.

4.2.1 *Inspection of end item.* Each lot of scrapers shall be examined visually in accordance with 4.2.1.1 and 4.2.1.2 and tested in accordance with 4.2.1.3. The lot size shall be expressed as the number of scrapers in

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.

the inspection lot. The sample unit shall be one scraper.

4.2.1.1 *Visual examination.* The end item shall be visually examined for defects in table I. Inspection level S-4 shall apply and acceptance based on an acceptable quality level (AQL) of 4.0 defects per hundred units.

TABLE I. *Defects in the end item*

Examine	Defect
Material	Blade not natural or synthetic rubber.
	Blade material not white.
	Handle not beech, white birch, or plastic.
	Handle not natural wood color.
Construction	Blade not molded around handle.
	Blade corners not rounded.
	Rear end of handle not rounded.
	Identification marking missing.
Workmanship	Not clean.
	Handle not smooth.
	Handle splintered or cracked.
	Crevice or gauge in blade.
	Blade chalky or improperly vulcanized.

4.2.1.2 *Dimensional examination.* Each lot shall be examined for conformance with specified dimensions. Any deviation from specified requirements shall constitute a defect. Inspection level S-2 shall apply and the AQL shall be 4.0 defects per hundred units.

4.2.1.3 *Testing of the end item.* Each lot of scrapers shall be tested in accordance with 4.4 to determine compliance of each sample unit with 3.2.2.1. Inspection level S-2 shall apply and the AQL shall be 2.5 defects per hundred units.

4.2.2 *Examination of preparation for delivery.* The packaging, packing, and marking shall be examined to determine compliance with the requirements of section 5. The lot size shall be expressed in units of shipping containers and the sample unit shall be 1 shipping container, fully packed and sealed. Inspection level S-2 shall apply and lot acceptance determined on an AQL of 4.0 defects per hundred units. Examination shall be made for defects in table II.

TABLE II. *Defects in preparation for delivery*

Examine	Defect
Marking (unit package, intermediate package and shipping container)	Not in accordance with specification requirements.
	Omitted, incomplete, incorrect, or illegible.
	Improper size, location, sequence, or method of application.
Packaging:	
Unit package (when applicable)	Not in kraft bag.
	Bag not closed.
	Not specified type of box.
Intermediate package: (when applicable)	Box not sealed.
	Not specified number of scrapers (*Note*: Not less than three intermediate packages shall be randomly selected from each container in the sample size to determine the number of scrapers per intermediate package).
Packing:	
Level A	Not specified type of shipping container.
	Not strapped as specified.
Level B	Not specified type of container.
	Flaps not closed.
Workmanship	Incomplete or inadequate closure of shipping container.
	Loose strapping (where required).
	Insufficient strapping or taping.
	Contortion or bulging of container.
	Damaged container, crushed, or bruised to damage contents.
Content	Less than the number of intermediate packages specified, or indicated per shipping container.

4.4 Tests.

4.4.1 *Blade hardness test.* Test the blade for Shore Durometer hardness in accordance with method 3021 of Fed. Test Method Std. No. 601. The hardness shall meet the requirements of 3.2.2.1.

5. PREPARATION FOR DELIVERY

(For civil agency procurement, the definitions and application of levels of pack-

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.

aging and packing shall be in accordance with Fed. Std. No. 102.)

5.1 Packaging. Packaging shall be level A, B, or C as specified (see 6.2).

5.1.1 *Level A.*

5.1.1.1 *Unit packaging.* Twelve scrapers shall be packaged together in a kraft paper bag. The bag shall be closed with tape.

5.1.1.2 *Intermediate packaging.* Six unit packages of scrapers shall be intermediate packaged in a close-fitting box conforming to PPP-B-636, W5c. The box shall be closed in accordance with the box specification.

5.1.2 *Level B.*

5.1.2.1 *Unit packaging.* Twelve scrapers shall be packaged together in a kraft paper bag. The bag shall be closed with tape.

5.1.3 *Level C.* The scrapers shall be packaged in accordance with the suppliers commercial practice.

5.2 Packing. Packing shall be level A, B, or C as specified (see 6.2).

5.2.1 *Level A.* Intermediate packages of scrapers in quantities as specified (see 6.2) shall be packed in a close-fitting box conforming to PPP-B-636, V3c, or PPP-B-640, class 2, grade A. The box shall be closed and strapped in accordance with the appendix to the box specification. The gross weight of the PPP-B-640 box shall not exceed 200 pounds. The gross weight of the PPP-B-636 box shall not exceed the weight limitations of the box specification.

5.2.2 *Level B.* Six unit packages of scrapers shall be packed in a close-fitting box conforming to PPP-B-636, class domestic. The box shall be closed in accordance with the appendix to the box specification.

5.2.3 *Level C.* The scrapers shall be packed to insure carrier acceptance and safe delivery at destination in containers complying with the rules and regulations applicable to the mode of transportation.

5.2.4 *Standard pack (civil agency procurements).* The standard pack for civil agency procurements shall be as specified in 5.1.2 and 5.2.2 (see 6.3).

5.3 Marking.

5.3.1 *Civil agencies.* In addition to markings required by the contract or order, the interior packages and shipping containers shall be marked in accordance with Fed. Std. No. 123.

5.3.2 *Military activities.* In addition to markings required by the contract or order, the interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. The scraper is intended for kitchen use for preliminary cleaning of plates, bowls, and similar items.

6.2 Ordering data. Purchasers should exercise any desired options offered herein and procurement documents should specify the following:

(*a*) Title, number, and date of this specification.
(*b*) Certificate of compliance required (see 3.2.1).
(*c*) Level of packaging and packing required (see 5.1 and 5.2).
(*d*) Quantity of intermediate packages required (see 5.2.1).

6.3 Standard pack for civil agencies. The standard pack requirements in 5.2.4 are intended for use in procurements of stores stock replenishments. Procuring officers should use the standard pack requirements when it is known that the material will be shipped from a supplier to a domestic warehouse, supply depot, or intermediate storage point for temporary storage, subsequent issue, or shipment to eventual user.

6.4 Transportation descriptions. The transportation descriptions and minimum weights applicable to this commodity are:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.

Rail:

Tools, not otherwise indexed by name. Carload minimum weight 30,000 pounds.

Motor:

Kitchen hand tools, not otherwise indexed, other than power operated. Truckload minimum weight 20,000 pounds, subject to Rule 115, National Motor Freight Classification.

MILITARY INTERESTS:

Custodians:

Navy—SA

Review:

Navy—SA, MS

Users:

Navy—CG, MC

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:25Z
Check the source to verify that this is the current version before use.