
MIL-T-27/279
2 August 1979


MILITARY SPECIFICATION SHEET

TRANSFORMERS AND INDUCTORS
(AUDIO, POWER AND HIGH-POWER PULSE),
INDUCTOR, POWER, TF 4R04AJ

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the inductor described herein shall consist of this document and the latest issue of Specification MIL-T-27.





WORKING VOLTAGE (1-2) 600 V
ALTITUDE 10,000 FT MAX

CIRCUIT DIAGRAM AND MARKING

INCHES	MM
.016	.531
.062	.594
.125	.625
.250	1.188
.375	1.625
.500	2.375

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm
3. Marking shall be on the side of the case.

FIGURE 1. Dimensions and configuration

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T04:01Z
Check the source to verify that this is the current version before use.

FSC 5950

REQUIREMENTS: (When numbers in parentheses, i.e., (1-2) are used, they indicate the winding and the extreme terminals of the winding.

Electrical ratings:
Inductance (1-2): 280 µH ±20 percent.
Voltage (1-2): 1.0 Vrms, 50 Hz.
Current (1-2): 9.6 amperes rms, 50 Hz.
DC resistance: .028 ohm, maximum.
Working voltage (peak): 535 volts.
Power: 9.6 V amperes, maximum.

Design and construction:
Dimensions and configuration: See figure 1.
Duty cycle: Continuous.
Case: Encapsulated.
Material: Epoxy.
Terminals (screw-thread lugs): Copper.
Height: 1.68 inches, maximum.
Weight: 12 ounces, maximum.
Operating tempertature range: -55° to +130°C.
Altitude: 10,000 feet.

Terminal strength: MIL-STD-202, method 211, test condition E, 5 pound-inches torque.

Dielectric withstanding voltage:
At sea level: 1,500 Vrms.

Electrical characteristics:
Inductance: With 1.0 Vrms, 50 Hz and 9.6 amperes rms applied to (1-2), the inductance shall be 224 µH, minimum.

Temperature rise: 60°C maximum with 1.0 Vrms, 60 Hz and 9.6 amperes applied to (1-2) at an ambient temperature of 70°C.

Shock (specified pulse): MIL-STD-202, method 213, test condition K.

Marking location: See figure 1.

Part number: D27/271-01.

Substitution data (information only): This military part is substitutable for FSCM 55196, part number 11247. This information in no way implies that the manufacturer's part is substitutable for the military part. This information is not intended to be complete.

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - AR
Navy - SH, OS
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - ME
Navy - MC, AS
Air Force - 19

Preparing activity:
Army - ER

Agent:
DLA - ES

(Project 5950-0561-9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T04:01Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R259

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: DOD-T-27/271 TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER (9.6 VA), TESSOLZZ, METRIC

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

[ ] DIRECT GOVERNMENT CONTRACT [ ] SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

[ ] YES [ ] NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 67 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T04:01Z
Check the source to verify that this is the current version before use.

activities: user