NOT MEASUREMENT SENSITIVE

MIL-STD-2045-17502-2A
29 July 1994

MILITARY STANDARD

Information Technology
DOD Standardized Profiles AMH2n(D)
Message Handling Systems (MHS)
Military Messaging (P772)

Part 2: AMH21(D) - MM Content



AREA DCPS

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Foreword

This military standard is approved for use by all Departments and Agencies of the Department of Defense (DOD).

Beneficial comments (recommendations, additions, deletions) and any pertinent data that may be of use in improving this MIL-STD should be addressed to the:

Joint Interoperability and Engineering Organization (JIEO)
ATTN: TBBF
Building 283
Fort Monmouth, New Jersey 07703-5613

by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this MIL-STD or by memorandum.

This DOD Standardized Profile (DSP) is a functional standard produced by the Data Communications Protocol Standards (DCPS) Technical Management Panel (DTMP). The MIL-STD-2045 document series was established within the DCPS Standardization Area to allow for the enhancement of commercial standards or the development of standards that are unique to DOD. DTMP functional standards are functional groupings of base standards. Referenced base standards may be commercial, DOD or de facto standards, although International Standards (produced by the International Standards Organization (ISO), the Consultative Committee for International Telephone & Telegraph (CCITT) (now known as International Telecommunication Union (ITU)), and other bodies) are preferred when possible.

The MIL-STD-2045-10000 series, MIL-STD-2045-10000 to MIL-STD-2045-19999 inclusive, will be used to describe how DOD will implement commercial, international, national, federal, or military standards within the functional profile concept to provide required network services. The Government Open Systems Interconnection Profiles (GOSIP) will serve as the base for developing the 10000 series with DOD enhancements, unique military standards, and interim standards being used only when necessary.

The MIL-STD-2045-20000 series, MIL-STD-2045-20000 to MIL-STD-2045-29999 inclusive, will be used to describe DOD enhancements and extensions to existing commercial, international, national, or federal standards.

The MIL-STD-2045-30000 series, MIL-STD-2045-30000 to MIL-STD-2045-39999 inclusive, will be used to describe protocols and services unique to DOD that will not be supported by commercial, international, national, or federal standards.

The MIL-STD-2045-40000 series, MIL-STD-2045-40000 to MIL-STD-2045-49999 inclusive, will be used to document interim standards. Interim standards document protocols and services needed by DOD until these protocols and services are described in either a GOSIP or a MIL-STD-2045-20000 or -30000 series standard.

The MIL-STD-2045-50000 series, MIL-STD-2045-50000 to MIL-STD-2045-59999 inclusive, will be used to describe how DOD will implement commercial, international, national, federal, or military standards within the functional profile concept to provide required network services. The Government Open Systems Interconnection Profiles (GOSIP) will serve as the base for developing the 50000 series with DOD enhancements, unique military standards, and interim standards being used only when necessary. The difference between MIL-STD-2045-10000 series and the MIL-STD-2045-50000 series is that the 50000 series are interim profiles.

Specific details and instructions for establishing a MIL-STD-2045 document, as well as profile development guidelines, are documented in MIL-HDBK-829. DTMP Working Groups shall be responsible for DSP development and informal Service or Agency coordination; the DTMP Plenary shall be responsible for final review and approval.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

This document forms part of a multipart DSP for MHS covering Military Messaging requirements. It is outside the scope of the current Taxonomy Framework for International Standardized Profiles. It will correspond to the DOD extensions to that taxonomy which will be found in MIL-HDBK-829. This DSP is a content specific profile for the Military Messaging content type referred to as P772 as defined in the Allied Communication Publication (ACP) 123.

This part of MIL-STD 2045-17502 contains two normative annexes and one informative annex.

Annex A (normative)	DSPICS Requirements List for MIL-STD 2045-17502-2 (AMH21(D))
Annex B (normative)	Amendments and corrigenda
Annex C (informative)	Concluding Material

For DOD acquisition purposes, where such differences exist, this DSP shall be the controlling document.

The Preparing Activity for this standard is the DTMP. The custodians for the document are identified in the Defense Standardization Program, "Standardization Directory (SD-1)" and are classified in the Federal Supply Classification (FSC) system under Data Communication Protocol Standards (DCPS). Additional information can be obtained from:

Joint Interoperability and Engineering Organization (JIEO)
ATTN: DTMP Chairman
Building 283
Fort Monmouth, New Jersey 07703-5613

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Contents

		Page
Introduction		vi
1	Scope	1
1.1	General	1
1.2	Position within the taxonomy	1
1.3	Scenario	1
2	References	2
2.1	Government Documents	2
2.1.1	Specifications, Standards, and Handbooks	2
2.1.2	Other Government Documents, drawings, and publications	2
2.2	Non-Government Documents	2
2.3	Order of Precedence	3
3	Definitions	3
3.1	General	3
3.2	Support classification	3
3.2.1	Static capability	3
3.2.2	Dynamic behavior	4
4	Abbreviations and Acronyms	4
5	Conformance	5
5.1	Conformance statement	5
5.2	MHS conformance	5

Annexes

A	DSPICS Requirements List	A-1
A.1	Basic Requirements	A-4
A.2	Optional functional groups	A-12
A.3	Additional Information	A-13
B	Amendments and corrigenda	B-1
C	Concluding Material	C-1
C.1	Subject Term (KeyWord) Listing	C-1
C.2	Preparing Activity	C-1
C.3	Reviewing Activity	C-1
C.4	Custodians	C-1

Figures

1	AMH21(D) scenario	1

Tables

A.1.1	Supported information objects	A-2
A.1.2	MM Heading fields	A-2
A.1.3	MM body	A-5
A.1.3.1	Extended body part support	A-7
A.1.3.2	General text repertoire support	A-8
A.1.4	MN fields	A-8
A.1.5	Common data types	A-10
A.2.3.1	ACP 127 Interworking (ACP127) MM heading fields	A-11

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Contents

		Page
A.2.3.2	ACP 127 Interworking (ACP127) MN heading fields	A-12
A.3.2	Encoded Information type conversion requestes supported	A-13
A.3.3	Non-Standard integer body part types supported	A-14
A.3.4	Extended body parts types supported	A-14
A.3.5	General text body part repertoire support	A-15

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Introduction

This DOD Standardized Profile (DSP) is defined within the context of functional standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles" and MIL-HDBK-829. The context of functional standardization is one part of the overall field of Information Technology (IT) standardization activities - covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards to promote system interoperability and to provide a basis for the development of uniform, internationally recognized system tests.

One of the most important roles for a DSP is to serve as the basis for the development of recognized tests. DSPs also guide implementors in developing systems that fit the needs of the US Department of Defense (DOD). DSPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other DSPs is crucial to the successful realization of this goal.

This part of MIL-STD 2045-17502 covers MM UA functionality. It specifies support of the MM content 'protocol' in terms of basic requirements and optional functional groups and defines conformance requirements for an MM UA with respect to support of the MM content and associated functionality (by reference to the common MM specifications in part 1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Information technology - DOD Standardized Profiles AMH2n(D) - Message Handling Systems - Military Messaging

Part 2 : AMH21(D) - MM Content (P772)

1 Scope

1.1 General

This part of MIL-STD 2045-17502 covers the interchange of messages between Military Messaging (MM) User Agents (UAs) (see also figure 1). These specifications form part of the Military Messaging application functions, as defined in the parts of MIL-STD 2045-17502, and are based on the Common DOD Messaging content type-independent specification in MIL-STD 2045-17501.

1.2 Position within the taxonomy

This part of MIL-STD 2045-17502 is the second part of a multipart DSP identified as AMH2n(D) Message Handling Systems - Military Messaging.

This part of MIL-STD 2045-17502 specifies the following profile:

AMH21(D) - MM Content

The AMH21(D) profile may optionally be combined with profile AMH23(D) or profile AMH24(D) specifying OSI MHS communications protocols and supporting services for an MM UA.

1.3 Scenario

The model used is one of indirect interchange of military messages (content type P772) between MM UAs via an intermediate Message Transfer System (MTS), as shown in figure 1. The provision of, and access to, the MTS is outside the scope of this profile.




Figure 1 - AMH21(D) scenario

The MHS services and functions covered by the AMH21(D) profile are specified in ACP 123. There are no OSI upper layer services and protocols within the scope of the AMH21(D) profile.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of this part of MIL-STD 2045-17502. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of MIL-STD 2045-17502 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by DSPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and CCITT maintains published editions of its current Recommendations.

Amendments and corrigenda to the base standards referenced are listed in annex B.

NOTE - References in the body of this part of MIL-STD 2045-17502 to specific clauses of ISO/IEC documents shall be considered to refer also to the corresponding clauses of the equivalent CCITT Recommendations (as noted below) unless otherwise stated.

2.1 Government Documents

2.1.1 Specifications, Standards, and Handbooks

MIL-STD 2045-17501: November 1994, *Information technology - DOD Standardized Profiles - Message Handling Systems - Common DOD Messaging.*

MIL-HDBK 829A, *Guidelines for Data Communications Protocol Standards (DCPS) DOD Standardized Profiles (DSPs) July 1994.*

DOD activities may obtain copies of DOD directives through their own publication channels or from the DOD Single Stock Point, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. Other federal agencies and the public may purchase copies from the U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.

2.1.2 Other Government Documents, drawings, and publications

ACP 123: Common Messaging Strategy and Procedures, June 1994.

2.2 Non-Government Documents

ISO/IEC 8859: 1990, *Information processing - 8-bit single-byte coded graphic character sets.*

ISO/IEC 8613-1: 1993, *Information processing - Text and office systems - Open Document Architecture (ODA) and interchange format - Part 1: Introduction and general principles.*

ISO/IEC TR 10000-1: 1992, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 1: Framework.*

ISO/IEC TR 10000-2: 1992, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 2: Taxonomy.*

ISO/IEC 10021-1: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 1: Service Overview. [see also CCITT Recommendation X.400(1992)]*

ISO/IEC 10021-2: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 2: Overall Architecture. [see also CCITT Recommendation X.402(1992)]*

ISO/IEC 10021-7: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 7: Interpersonal messaging system. [see also CCITT Recommendation X.420(1992)]*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

CCITT Recommendation X.400(1992), *Message handling system and service overview.*

CCITT Recommendation X.402(1992), *Message handling systems: Overall architecture.*

CCITT Recommendation X.420(1992), *Message handling systems: Interpersonal messaging system.*

(Application for copies of these documents should be addressed to the American National Standards Institute, 11 West 42nd Street, NY, NY 10036 or to ISO, Van Demonstrate 94, 1013 CN Amsterdam, Netherlands.)

2.3 Order of precedence

In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3 Definitions

For the purposes of this part of MIL-STD 2045-17502, the following definitions apply.

Terms used in this part of MIL-STD 2045-17502 are defined in the referenced base standards. In addition, the following terms are defined.

3.1 General

MM base standards : the base standards referred to in this Military Messaging profile consist of both the X.400 base standards and ACP 123 which provides the definition of the MM content type.

Basic requirement : an Element of Service, protocol element, procedural element or other identifiable feature specified in the base standards which is required to be supported by all MM MHS implementations conforming to this DSP.

Functional group : a specification of one or more related Elements of Service, protocol elements, procedural elements or other identifiable features specified in the base standards which together support a significant optional area of MHS functionality.

NOTE - A functional group can cover any combination of MHS features specified in the base standards for which the effect of implementation can be determined at an external interface - i.e., via a communications protocol (other forms of exposed interface are outside the scope of this version of MIL-STD 2045-17502).

3.2 Support classification

To specify the support level of arguments, results and other protocol features for this part of MIL-STD 2045-17502, the following terminology is defined.

The classification of information objects and items (elements) is relative to that of the containing information element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MM MHS base standards shall be supported.

3.2.1 Static capability

The following classifications are used in this part of MIL-STD 2045-17502 to specify static conformance requirements - i.e., capability.

mandatory support (m) : the element or feature shall be supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e., implying the ability to handle

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

both the syntax and semantics of the element) as relevant, as specified in the MM base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed.

NOTE - Where required by the base standards, mandatory support also implies that the MM UA implementation shall be able to pass the element on the origination port/reception port to/from the corresponding element on the submission port/delivery port/retrieval port.

optional support (o) : an implementation is not required to support the element. If support is claimed, the element shall be treated as if it were specified as mandatory support. If support for origination is not claimed, then the element is not generated. If support for reception is not claimed, then an implementation may ignore the element on delivery, but will not treat it as an error.

conditional support (c) : the element shall be supported under the conditions specified in this part of MIL-STD 2045-17502. If these conditions are met, the element shall be treated as if it were specified as mandatory support. If these conditions are not met, the element shall be treated as if it were specified as optional support (unless otherwise stated).

out of scope (i) : the element is outside the scope of this part of MIL-STD 2045-17502 - i.e., it will not be the subject of a DSP conformance test.

not applicable (-) : the element is not applicable in the particular context in which this classification is used.

3.2.2 Dynamic behavior

The above classifications are used in this part of MIL-STD 2045-17502 to specify static conformance requirements (i.e., capability); dynamic conformance requirements (i.e., behavior) are as specified in the MM base standards. However, in a few cases it has been necessary to specify additional dynamic conformance requirements in this profile. These are specified using a second classification code for an element as follows.

required (r) : the element shall always be present. An implementation shall ensure that the element is always generated or otherwise used, as appropriate. Absence of the element on reception shall result in termination or rejection of the communication with an appropriate error indication as specified in the MM base standards.

prohibited (x) : the element shall not be originated by an implementation claiming conformance to this profile, if the element is received it may be treated as a protocol violation unless otherwise stated.

4 Abbreviations and Acronyms

ACP	Allied Communication Publication
ACP127	ACP 127 Interworking
AMH	Application Message Handling
ASN.1	Abstract Syntax Notation One
CCITT	Consultative Committee for International Telephone & Telegraph
DCPS	Data Communications Protocol Standards
DOD	Department of Defense
DSP	DOD Standardized Profile
DSPICS	DOD Standardized Profile Implementation Conformance Statement
DTMP	DCPS Technical Management Panel
EoS	Element of Service
FG	Functional group
IEC	International Electrotechnical Commission
ISO	International Standards Organization
ISP	International Standardized Profile
ITU	International Telecommunications Union
ITU-T	ITU Telecommunications Standardization Sector
JIEO	Joint Interoperability and Engineering Organization
MHS	Message Handling Systems

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

MM	Military Messaging (Message)
MOTIS	Message-Oriented Text Interchange Systems
MS	Message Store
MT	Message Transfer
MTA	Message Transfer Agent
MTS	Message Transfer System
OSI	Open Systems Interconnection
PD	Physical Delivery
PDAU	Physical Delivery Access Unit
PICS	Protocol Implementation Conformance Statement
UA	User Agent

Support level for protocol elements and features (see 3.2):

m	mandatory full support
o	optional support
c	conditional support
i	out of scope
-	not applicable
r	required, dynamically mandatory
x	prohibited, dynamically excluded

5 Conformance

The scope of conformance to profile AMH21(D) covers MM UAs only. Conformance to profile AMH21(D) does not imply the provision of a standard OSI communications protocol for access to the MTS.

This part of MIL-STD 2045-17502 states requirements upon implementations to achieve interworking. A claim of conformance to this part of MIL-STD 2045-17502 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annex A of this part of MIL-STD 2045-17502 are satisfied. Annex A states the relationship between these requirements and those of the base standards.

5.1 Conformance statement

For each implementation claiming conformance to profile AMH21(D) as specified in this part of MIL-STD 2045-17502, a PICS shall be made available stating support or non-support of each option identified in this part of MIL-STD 2045-17502.

5.2 MHS conformance

This part of MIL-STD 2045-17502 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ACP 123 for use in an essentially unlimited bandwidth environment as well as the conformance requirements of ISO/IEC 10021 and/or the CCITT X.400 Recommendations.

Implementations conforming to profile AMH21(D) as specified in this part of MIL-STD 2045-17502 shall implement all the mandatory support (m) features identified as profile requirements in annex A and shall state which optional support (o) features are implemented. They shall also support corresponding MHS Elements of Service and associated procedures as specified in MIL-STD 2045-17502-1, as appropriate to the scope of this profile and to the role (originator or recipient) for which conformance is claimed.

Implementations conforming to profile AMH21(D) as specified in this part of MIL-STD 2045-17502 shall state whether or not they support any of the optional functional groups as specified in MIL-STD 2045-17502-1 which are applicable to the scope of this profile and to the role (i.e., originator or recipient) for which conformance is claimed. For each functional group for which support is claimed, an implementation shall support MHS Elements

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

of Service and associated procedures as specified in MIL-STD 2045-17502-1, as appropriate to the scope of this profile.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Annex A

(normative)

DSPICS REQUIREMENTS LIST FOR MIL-STD 2045-17502-2 (AMH21(D))

In the event of a discrepancy becoming apparent in the body of this part of 2045-17502 and the tables in this annex, this annex is to take precedence.

This annex specifies the support constraints and characteristics of MIL-STD 2045-17502-2 on what shall or may appear in the implementation columns of a DSPICS.

Clause A.1 specifies the basic requirements for conformance to profile AMH21(D). Clause A.2 specifies additional requirements to those specified in A.1 for each of the optional functional groups if conformance to such a functional group is claimed. Clause A.3 allows additional information to be provided for certain aspects of an implementation where no specific support requirements are included in MIL-STD 2045-17502. All three clauses shall be completed as appropriate.

In each table, the "Profile" column reflects the level of support required for conformance to this DSP (using the classification and notation defined in 3.2).

The "Notes/References" column has cross references to other relevant parts of this annex. When it specifies another table, that table is an expansion of the line at which the reference occurs. If a line number is specified, only that line is related to the line at which the reference occurs. A number in parenthesis () after a table reference refers to that line in the specified table.

The Support column is provided for completion by the supplier of the implementation as follows:

Y	the element or feature is fully supported (i.e. satisfying the requirements of the m profile support classification)
N	the element or feature is not supported, further qualified to indicate the action taken on receipt of such an element as follows: ND - the element is discarded/ignored NR - the PDU is rejected (with an appropriate error indication where applicable)
_ or blank	the element or feature is not applicable (i.e. a major feature or composite protocol element which includes this element or feature is not supported)

NOTE: The support column is temporary until the update of IO-ICS Proforma in ACP123.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.1 Basic requirements

A.1.1 Supported information objects

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
1	Military Message (MM)	m	m	
1.1	heading	m	m	see A.1.2
1.2	body	m	m	see A.1.3
2	Military Notification (MN)	m[2]	c[1]	see A.1.4

NOTES

1 If the implementation can originate a request for Receipt or Non-receipt Notifications, then it is mandatory to support receipt of the MN PDU, else it is optional.

2 If the conditions for which a Non-receipt Notification would be generated are not supported, the ability to generate a Non-Receipt Notification is optional.

A.1.2 MM heading fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
1	this-MM	mr	m	see A.1.5(3)
2	originator	m	m	see A.1.5(2)
3	authorizing-users	m	m	see A.1.5(2)
4	primary-recipients	m	m	see A.1.5(1)
5	copy-recipients	m	m	see A.1.5(1)
6	blind-copy-recipients	m	m	see A.1.5(1)
7	replied-to-MM	m	m	see A.1.5(3)
8	obsoleted-MMs	m	m	see A.1.5(3)
9	related-MMs	m	m	see A.1.5(3)
10	subject	mr	m	
11	expiry-time	m	m	
12	reply-time	m	m	
13	reply-recipients	m	m	see A.1.5(2)
14	importance[1]	ix	i	

NOTE This part of MIL-STD-2045-17502 is authorized for use...
Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.1.2 MM heading fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
15	sensitivity[1]	ix	i	
16	auto-forwarded	o[5]	m	
17	extensions	m	m	
17.1	incomplete-copy	c[2]	m	
17.2	language	m	m	
17.3	primary-precedence	mr[3]	m	
17.4	copy-precedence	mr[4]	m	
17.5	message-type	m	m	
17.5.1	type	m	m	
17.5.2	identifier	m	m	
17.6	address-list-indicator	o	o	
17.6.1	address-list-designator	m	m	
17.6.1.1	type	m	m	
17.6.1.2	list-name	m	m	
17.6.1.3	notification-request	m	m	
17.6.1.4	reply-request	m	m	
17.7	exempted-address	m	m	
17.8	extended-authorisation-info	m	m	
17.9	distribution-codes	m	m	
17.9.1	sic	m	m	
17.9.2	dist-code	o	m	
17.10	message-instructions	m	m	
17.11	codress-message	o	o	
17.12	originator-reference	m	m	
17.13	other-recipient-indicator	m	m	
17.13.1	other-recipient-designator	m	m	
17.13.1.1	type	m	m	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.1.2 MM heading fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
17.13.1.2	designator	m	m	
17.14	handling-instructions	o	o	
17.15	pilot-forwarded	o	m[6]	
17.15.1	pilot-information	m	m	
17.15.1.1	pilot-precedence	m	m	
17.15.1.2	pilot-recipient	m	m	
17.15.1.3	pilot-security	m	m	
17.15.1.4	pilot-handling	m	m	
17.16	acp127-message-identifier	o	o	
17.17	originator-PLAD	o	o	

NOTES

1 This protocol element shall not be prompted for or displayed at the user interface. It shall not be originated and if received may be ignored.

2 During forwarding, if the implementation allows elements of the forwarded message to be omitted then m, else o.

3 Presence of this element is required in a message if and only if primary recipients are specified in the message.

4 Presence of this element is required in a message if and only if copy recipients are specified in the message.

5 Support for auto-forwarding is dependent on local policy and may be influenced by security policies.

6 These elements need never be originated by an MM-UA.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the currentversion before use.

A.1.3 MM body[1]

Ref	Element	Profile		Support		Notes/References
		Orig.	Rec.	Orig.	Rec.	
1	ia5-text	m	m			
1.1	IA5TextParameters	m	m			
1.1.1	Repertoire	m	m			
1.2	IA5TextData	m	m			
2	voice	i	i			
3	g3-facsimile	o	o			
3.1	parameters	m	m			
3.1.1	number-of-pages	o	m			
3.1.2	non-basic-parameters	o	m			
3.1.2.1	two-dimensional	o	m			
3.1.2.2	fine-resolution	o	m			
3.1.2.3	unlimited-length	o	o			
3.1.2.4	b4-length	o	o			
3.1.2.5	a3-width	o	o			
3.1.2.6	b4-width	o	o			
3.1.2.7	uncompressed	o	o			
3.2	data	m	m			
4	g4-class-1	o	o			
5	teletex	o	o			
5.1	parameters	m	m			
5.1.1	number-of-pages	o	m			
5.1.2	telex-compatible	o	m			
5.1.3	non-basic-parameters	o	m			
5.2	data	m	m			
6	videotex	o	o			
6.1	parameters	m	m			
6.1.1	syntax	o	m			

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the currentversion before use.

A.1.3 MM body[1]

Ref	Element	Profile		Support		Notes/References
		Orig.	Rec.	Orig.	Rec.	
6.2	data	m	m			
7	encrypted	i	i			
8	message	m	m			
8.1	MessageParameters	m	m			
8.1.1	delivery-time	m	m			
8.1.2	delivery-envelope	m	m			
8.2	MessageData	m	m			
8.2.1	IPM	m	m			
9	mixed-mode	o	o			
10	bilaterally-defined	o	o			
11	nationally-defined	o	o			
12	externally-defined[2]	m	m			

NOTES

1 The support column is temporary until the update of IO-ICS Proforma in ACP123.

2 It shall be stated in A.3.4 whether any other specific extended body part types are supported.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.1.3.1 Extended body part support [1]

Ref	Element	Profile		Support		Notes/References
		Orig.	Rec.	Orig.	Rec.	
1	ia5-text-body-part	m	m			
2	g3-facsimile-body-part	o	o			
3	g4-class-1-body-part	o	o			
4	teletex-body-part	o	o			
5	videotex-body-part	o	o			
6	encrypted-body-part	i	i			
7	message-body-part	m	m			
8	mixed-mode-body-part	o	o			
9	bilaterally-defined-body-part	o	o			
10	nationally-defined-body-part	o	o			
11	general-text-body-part [2]	m	m			
12	file-transfer-body-part [3]	m	m			
13	voice-body-part	i	i			
14	oda-body-part	o	o			
15	ADatP3-body-part	m	m			
16	corrections-body-part [4]	o	o			
17	forwarded-encrypted-body-part	o	m			
18	mm-message-body-part	m	m			
19	ACP127data-body-part	o	o			

NOTES

1 The support column is temporary until the update of IO-ICS Proforma in ACP123.

2 It shall be stated in A.3.5 which character repertoires are supported for support of the general-text body-part type.

3 Expansion of the subcomponents of this body part is anticipated for future revisions, based on developments in commercial profiles.

4 These elements are for support of EoS that are only needed to support the ACP127 FG

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.1.3.2 General text repertoire support[1]

Ref	Repertoire set description	Repertoire identifier(s)	Profile		Support		Comments
			Orig.	Rec.	Orig.	Rec.	
1	Basic (ISO 646)	{1,6}	m	m			
2	Basic-1 (ISO 8859-1)	{1,6,100}	o	o			
3	Basic + Chinese (1)	{1,6,58}	o	o			
4	Basic + Chinese (2)	{1,6,165}	o	o			
5	Basic + Japanese (1)	{1,6,13,87}	o	o			
6	Basic + Japanese (2)	{1,6,13,168}	o	o			
7	Basic + Korean	{1,6,149}	o	o			
8	Basic-1 + Greek (ISO 8859-7)	{1,6,100,126}	o	o			
9	Full Latin (1)	{1,6,100,154}	o	o			
10	Full Latin (2) (ISO 6937)	{1,6,156}	o	o			
11	Teletex Basic Latin (T.61)	{102,103,106,107}	o	o			
12	other (specify)		o	o			

NOTES

1 The support column is temporary until the update of IO-ICS Proforma in ACP123.

A.1.4 MN fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
1	subject-mm	m	m	
2	mn-originator	m	m	
3	mm-preferred-recipient	m	m	
4	conversion-elts	o	m	
5	notification-extensions	i	i	
6	non-receipt-fields	c[1]	c[1]	
6.1	non-receipt-reason	m	m	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.1.4 MN fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
6.2	discard-reason	m	m	
6.3	auto-forward-comment	c[2]	m	
6.4	returned-mm	ix	i	
6.5	nm-extensions	i	i	
7	receipt-fields	m	m	
7.1	receipt-time	m	m	
7.2	acknowledgment-mode	m	m	
7.2.1	manual	m	m	
7.2.2	automatic	o	m	
7.3	suppl-receipt-info	o	o	
7.4	m-extensions	i	i	
8	other-notification-type-fields	o	o	
8.1	ACP127NotificationResponse	o	o	
8.1.1	acp127-notification-type	o	o	
8.1.2	receipt-time	o	o	
8.1.3	addressListIndicators	o	o	
8.1.4	acp127-recipient	o	o	
8.1.5	acp127-supp-info	o	o	

NOTES

1 If any of the conditions for Non-receipt can occur, all the related fields need to be generatable.

2 If auto-forwarding is supported, the related fields in an NRN must be supported.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

A.1.5 Common data types

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
1	RecipientSpecifier	m	m	
1.1	recipient	m	m	see 2
1.2	notification-requests	m	m	
1.2.1	rn	m	m	
1.2.2	nrn	m	m	
1.2.3	rnm-return	ix	i	
1.3	reply-requested	m	m	
1.4	recipient-extensions	o	m	
1.4.1	acp127NotificationRequest	o	o	
2	ORDescriptor			
2.1	formal-name[1]	m	m	
2.2	free-form-name	m	m	
2.3	telephone-number	o	m	
3	MMIdentifier			
3.2	user-relative-identifier	m	m	

NOTES

1 The requirements for support of O/R names are specified in clause 8 of MIL-STD 2045-17502-1 (i.e. a claim of support of the formal-name element means that at least the minimum requirements of MIL-STD 2045-17502-1 with respect to the component elements of O/R names are met)

Maintenance date must be "nnnn" for new data; and for a

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

A.2 Optional functional groups

The following requirements are additional to those specified in A.1 if support of the functional groups is claimed.

A.2.1 MM Physical Delivery (PD)

Support of the PD FG also requires support of corresponding O/R address extension attributes.

A.2.2 MM Security (SEC)

MSP will provide the basic security for MM in the US.

There are no additional requirements for support of P772 information objects for support of the MM Security functional group.

A.2.3 ACP 127 Interworking (ACP127)

Depending on the gateway specification used, support of the ACP 127 interworking FG may be required to use the Address List Indicator to carry the name of an AIG or CAD destined for ACP 127 recipients when the exempted address service was also requested.

Support for the ACP127 FG mandates user interface requirements for display when protocol elements used in support of this FG are received. Support for this FG does not imply the ability to originate these same protocol elements.

A.2.3.1 ACP 127 Interworking (ACP127) MM heading fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
17.6	address-list-indicator	m	m	
17.11	codress-message	m	m	
17.14	handling-instructions	m	m	
17.16	acp127-message-identifier	m	m	
17.17	originator-PLAD	m	m	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.2.3.2 ACP 127 Interworking (ACP127) MN fields

Ref	Element	Profile		Notes/References
		Orig.	Rec.	
8	other-notification-type-fields	m	m	
8.1	ACP127NotificationResponse	m	m	
8.1.1	acp127-notification-type	m	m	
8.1.2	receipt-time	m	m	
8.1.3	addressListIndicators	m	m	
8.1.4	acp127-recipient	m	m	
8.1.5	acp127-supp-info	m	m	

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

A.3 Additional Information

A.3.1 MM Elements of Service support

The table in ACP 123, Annex B, Appendix A, clause 3.1, shall be completed to indicate, for each MM Element of Service, whether it is available to the MHS user and, if so, how this is achieved. For each EoS for which support is claimed, the implementor will check the column which indicates how the EoS is supported in a given instance. If appropriate the Comments column can be filled in to provide additional information as to how the EoS is selected.

A.3.2 Encoded information type conversion requests supported

The following table shall be completed if support of the MM Conversion FG is claimed, to indicate (Y or √) which encoded information type conversions the implementation can request (see clause 7.1 of AMH2n(D)-1).

Ref	Encoded Information Type Conversion	Supported (Y/N)	Comments
1.1	ia5-text-to-teletex (0)		
1.2	ia5-text-to-g3-facsimile (8)		
1.3	ia5-text-to-g4-class-1 (9)		
1.4	ia5-text-to-videotex (10)		
1.5	teletex-to-ia5-text (11)		
1.6	teletex-to-g3-facsimile (12)		
1.7	teletex-to-g4-class-1 (13)		
1.8	teletex-to-videotex (14)		
1.9	videotex-to-ia5-text (16)		
1.10	videotex-to-teletex (17)		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.3.3 Non-standard integer body part types supported

The following table shall be completed to indicate (Y or √) which (if any) non-standard integer body part types the implementation is capable of originating and/or receiving.

Ref	Body Part Type	Orig.	Rec.	Comments
1	ODA (12)			
2	ISO6937Text (13)			
3	USA nationally-defined body part types (310)			
4	JIS-1 (440)			
5	other (specify)			

A.3.4 Extended body part types supported

The following table shall be completed to indicate (Y or √) which (if any) specific extended body part types the implementation is capable of originating and/or receiving (in addition to those specified in A.1.3), and the object identifier value(s) supported in each case.

Ref	Extended Body Part Type	Orig.	Rec.	Object Identifier Value(s)
1				
2				
3				
4				
5				

It should be indicated below whether the implementation can be configured to allow other externally-defined body part types to be used, and how this is achieved.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.3.5 General text body part repertoire support

The following table shall be completed to indicate (Y or √) which specific character repertoires the implementation is capable of originating and/or receiving for support of the general-text body part type. It shall be stated in the Comments column how such capability is implemented.

NOTE - The table identifies some useful repertoire sets as proposed by the three regional workshops, but this should not be seen as a comprehensive list. Repertoire set {1,6} is considered to be the minimum support level. It is expected that the European and North American regional profiles will also require support of repertoire set {1,6,100}.

Ref	Repertoire set description	Repertoire identifier(s)	Orig.	Rec.	Comments
1					
2					
3					
4					
5					
6					

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

Annex B

(normative)

AMENDMENTS AND CORRIGENDA

International Standards are subject to constant review and revision by the ISO/IEC Technical Committees concerned. The following amendments and corrigenda are approved by ISO/IEC JTC1 and are considered as normative references in this part of MIL-STD 2045-17502.

NOTE - Corresponding corrigenda to the equivalent CCITT Recommendations are contained in the joint *MHS Implementors' Guide*, Version 11 (ITU Special Rapporteur's Group on Message Handling Systems and ISO/IEC JTC1/SC18/WG4/ SWG on Messaging).

ISO/IEC 10021-1/Cor.1:1991

ISO/IEC 10021-1/Cor.2:1991

ISO/IEC 10021-1/Cor.3:1992

ISO/IEC 10021-1/Cor.4:1992

ISO/IEC 10021-1/Cor.5:1992

ISO/IEC 10021-1/Cor.6:1994

ISO/IEC 10021-2/Cor.1:1991

ISO/IEC 10021-2/Cor.2:1991

ISO/IEC 10021-2/Cor.3:1992

ISO/IEC 10021-2/Cor.4:1992

ISO/IEC 10021-2/Cor.5:1993

ISO/IEC 10021-2/Cor.6:1994

ISO/IEC 10021-2/Cor.7:1994

ISO/IEC 10021-7/Cor.1:1991

ISO/IEC 10021-7/Cor.2:1991

ISO/IEC 10021-7/Cor.3:1992

ISO/IEC 10021-7/Cor.4:1992

ISO/IEC 10021-7/Cor.5:1992

ISO/IEC 10021-5/Cor.6:1993

ISO/IEC 10021-5/Cor.7:1994

ISO/IEC 10021-5/Cor.8:1994

ISO/IEC 10021-1/Amd.2:1994

ISO/IEC 10021-2/Amd.1:1994

ISO/IEC 10021-2/Amd.2:1994

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:56Z
Check the source to verify that this is the current version before use.

Annex C

(informative)

CONCLUDING MATERIAL

C.1 Subject Term (KeyWord) Listing

Allied Communication Publication (ACP)
DOD Standardized Profile (DSP)
Data Communications Protocol Standards (DCPS)
DCPS Technical Management Panel (DTMP)
DSPICS Proforma
International Standardized Profile (ISP)
Message Handling System (MHS)
Message Transfer Agent (MTA)
Message Transfer System (MTS)
Military Messaging (P772)
Open Systems Interconnection (OSI)
PICS Proforma

C.2 Preparing Activity: Defense Information Systems Agency (DISA) - DC

C.3 Reviewing Activity:

Army	SC
Air Force	02, 13, 17, 29, 90
DLA	DH
DMA	MP
DIA	DI
DOT	OST
OASD	IQ, DO, MA, IR
ODISC4	AC
STRICOM	PT
NAVY	EC, CH, ND, TD, OM
USMC	MC, CG

Project: DCPS-0001, Subproject 02

C.4 Custodians:

DISA:	DC
Army:	SC
Air Force:	90
Navy:	OM
DIA:	DI
NSA:	NS
USMC:	MC
DLA:	DH
Other:	Joint Staff/Architecture & Integration
	USSPACECOM

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1,2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-STD-2045-17502-2A	2. DOCUMENT DATE (YYMMDD) 941130

3. DOCUMENT TITLE Information Technology-DOD Standardized Profiles AMH2n(D) Message Handling System (MHS) Military Messaging (P772) Part 2:AMH21(D)-MM Content

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) DSN (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY **DEFENSE INFORMATION SYSTEMS AGENCY (DISA)**

a. NAME Rose D. Satz	b. TELEPHONE (Include Area Code) (1) Commercial(908) 532-7732 (2) DSN 992-7732
c. ADDRESS (Include Zip Code) Director JIEO Attn: TBBF Building 283 Ft. Monmouth, NJ 07703-5613	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:** Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 DSN289-2340

DD Form 1426, OCT 89 previous editions are obsolete. 198-290

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.