NOT MEASUREMENT SENSITIVE

MIL-STD-2045-17502-3A
29 July 1994

MILITARY STANDARD

Information Technology
DOD Standardized Profiles AMH2n(D)
Message Handling Systems (MHS)
Military Messaging (P772)

Part 3: AMH22(D) MM Requirements for Message Transfer (P1)

AREA DCPS

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Foreword

This military standard is approved for use by all Departments and Agencies of the Department of Defense (DOD).

Beneficial comments (recommendations, additions, deletions) and any pertinent data that may be of use in improving this MIL-STD should be addressed to the:

Joint Interoperability and Engineering Organization (JIEO)
ATTN: TBBF
Building 283
Fort Monmouth, New Jersey 07703-5613

by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this MIL-STD or by memorandum.

This DOD Standardized Profile (DSP) is a functional standard produced by the Data Communications Protocol Standards (DCPS) Technical Management Panel (DTMP). The MIL-STD-2045 document series was established within the DCPS Standardization Area to allow for the enhancement of commercial standards or the development of standards that are unique to DOD. DTMP functional standards are functional groupings of base standards. Referenced base standards may be commercial, DOD or de facto standards, although International Standards (produced by the International Standards Organization (ISO), the Consultative Committee for International Telephone & Telegraph (CCITT) (now known as International Telecommunication Union (ITU)), and other bodies) are preferred when possible.

The MIL-STD-2045-10000 series, MIL-STD-2045-10000 to MIL-STD-2045-19999 inclusive, will be used to describe how DOD will implement commercial, international, national, federal, or military standards within the functional profile concept to provide required network services. The Government Open Systems Interconnection Profiles (GOSIP) will serve as the base for developing the 10000 series with DOD enhancements, unique military standards, and interim standards being used only when necessary.

The MIL-STD-2045-20000 series, MIL-STD-2045-20000 to MIL-STD-2045-29999 inclusive, will be used to describe DOD enhancements and extensions to existing commercial, international, national, or federal standards.

The MIL-STD-2045-30000 series, MIL-STD-2045-30000 to MIL-STD-2045-39999 inclusive, will be used to describe protocols and services unique to DOD that will not be supported by commercial, international, national, or federal standards.

The MIL-STD-2045-40000 series, MIL-STD-2045-40000 to MIL-STD-2045-49999 inclusive, will be used to document interim standards. Interim standards document protocols and services needed by DOD until these protocols and services are described in either a GOSIP or a MIL-STD-2045-20000 or -30000 series standard.

The MIL-STD-2045-50000 series, MIL-STD-2045-50000 to MIL-STD-2045-59999 inclusive, will be used to describe how DOD will implement commercial, international, national, federal, or military standards within the functional profile concept to provide required network services. The Government Open Systems Interconnection Profiles (GOSIP) will serve as the base for developing the 50000 series with DOD enhancements, unique military standards, and interim standards being used only when necessary. The difference between MIL-STD-2045-10000 series and the MIL-STD-2045-50000 series is that the 50000 series are interim profiles.

Specific details and instructions for establishing a MIL-STD-2045 document, as well as profile development guidelines, are documented in MIL-HDBK-829. DTMP Working Groups shall be responsible for DSP development and informal Service or Agency coordination; the DTMP Plenary shall be responsible for final review and approval.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

This document forms part of a multipart DSP for MHS covering Military Messaging requirements. It is outside the scope of the current Taxonomy Framework for International Standardized Profiles. It will correspond to the DOD extensions to that taxonomy which will be found in MIL-HDBK-829. This DSP is a content specific profile for the Military Messaging content type referred to as P772 as defined in the Allied Communication Publication (ACP) 123.

This part of MIL-STD 2045-17502 contains two normative annexes and one informative annex.

Annex A (normative)	DSPICS Requirements List for MIL-STD 2045-17502-3 (AMH22(D))
Annex B (normative)	Amendments and corrigenda
Annex C (informative)	Concluding Material

For DOD acquisition purposes, where such differences exist, this DSP shall be the controlling document.

The Preparing Activity for this standard is the DTMP. The custodians for the document are identified in the Defense Standardization Program, "Standardization Directory (SD-1)" and are classified in the Federal Supply Classification (FSC) system under Data Communication Protocol Standards (DCPS). Additional information can be obtained from:

Joint Interoperability and Engineering Organization (JIEO)
ATTN: DTMP Chairman
Building 283
Fort Monmouth, New Jersey 07703-5613

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Contents

		Page
Introduction		v
1	Scope	1
1.1	General	1
1.2	Position within the taxonomy	1
1.3	Scenario	1
2	References	1
2.1	Government Documents	2
2.1.1	Specifications, Standards, and Handbooks	2
2.1.2	Other Governments Documents, drawings, and publications	2
2.2	Non-Government Documents	2
2.3	Order of precedence	3
3	Definitions	3
3.1	General	3
3.2	Support classification	3
3.2.1	Static Capability	3
3.2.2	Dynanic behavior	4
4	Abbreviations	4
5	Conformance	5
5.1	Conformance statement	5
5.2	MHS conformance	5
5.3	Underlying layers conformance	5

Annexes

A	DSPICS Requirements List	A-1
A.1	Basic Requirements	A-1
A.2	Functional Groups	A-2
A.3	Additional Information	A-2
B	Amendments and corrigenda	B-1
C	Concluding Material	C-1
C.1	Subject Term (Keyword) Listing	C-1
C.2	Preparing Activity	C-1
C.3	Reviewing Activity	C-1
C.4	Custodians	C-1

Figures

1	AMH22(D) scenario	1

Tables

A.1.4.2	Message Transfer	A-2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Introduction

This DOD Standardized Profile (DSP) is defined within the context of functional standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles" and MIL-HDBK-829. The context of functional standardization is one part of the overall field of Information Technology (IT) standardization activities - covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards to promote system interoperability and to provide a basis for the development of uniform, internationally recognized system tests.

One of the most important roles for a DSP is to serve as the basis for the development of recognized tests. DSPs also guide implementors in developing systems that fit the needs of the US Department of Defense (DOD). DSPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other DSPs is crucial to the successful realization of this goal.

This part of MIL-STD 2045-17502 covers MM requirements for Message Transfer (P1). It specifies any additional P1 support to that specified in AMH1n(D) and defines conformance requirements for an MTA which supports MM transfer with respect to support of P1 and associated functionality (requiring conformance to AMH11(D) and by reference to the common MM specifications in part 1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Information technology - DOD Standardized Profiles AMH2n(D) - Message Handling Systems - Military Messaging

Part 3 : AMH22(D) - MM Requirements for Message Transfer (P1)

1 Scope

1.1 General

This part of MIL-STD 2045-17502 covers message transfer between Message Transfer Agents (MTAs) in an MM environment using the P1 Message Transfer Protocol (see also figure 1). These specifications form part of the Military Messaging application functions, as defined in the parts of MIL-STD 2045-17502, and are based on the Common DOD Messaging content type-independent specifications in MIL-STD 2045-17501.

1.2 Position within the taxonomy

This part of MIL-STD 2045-17502 is the third part of a multipart DSP for AMH2n(D) Military Message Handling Systems.

This part of MIL-STD 2045-17502 specifies the following profile:

AMH22(D) - MM Requirements for Message Transfer (P1)

This DSP shall be combined with the multipart DSP identified as "AMH1n(D), Message Handling Systems - Common DOD Messaging" (see also ISO/IEC TR 10000-1, 8.2 for the definition of multipart ISPs).

It may be combined with any DOD approved T-Profiles (see ISO/IEC TR 10000) specifying the OSI connection-mode Transport service.

1.3 Scenario

The model used is one of two or more MTAs intercommunicating within a Message Transfer System (MTS) using the P1 protocol, as shown in figure 1.



Figure 1 - AMH22(D) scenario

The AMH22(D) profile covers all aspects of the MTA Abstract Service, as defined in clause 12 of ISO/IEC 10021-4 when realized using the P1 protocol in an MM environment.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of this part of MIL-STD 2045-17502. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of MIL-STD 2045-17502 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by DSPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and CCITT maintains published editions of its current Recommendations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Amendments and corrigenda to the base standards referenced are listed in annex B.

NOTE - References in the body of this part of MIL-STD 2045-17502 to specific clauses of ISO/IEC documents shall be considered to refer also to the corresponding clauses of the equivalent CCITT Recommendations (as noted below) unless otherwise stated.

2.1 Government Documents

2.1.1 Specifications, Standards, and Handbooks

MIL-STD 2045-17501: *November 1994, Information technology - DOD Standardized Profiles - Message Handling Systems - Common DOD Messaging.*

MIL-HDBK 829A, *Guidelines for Data Communications Protocol Standards (DCPS) DOD Standardized Profiles (DSPs) July 1994*

DOD activities may obtain copies of DOD directives through their own publication channels or from the DOD Single Stock Point, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. Other federal agencies and the public may purchase copies from the U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.

2.1.2 Other Government Documents, drawings, and publications

ACP 123: Common Messaging Strategy and Procedures, June 1994

2.2 Non-Government Standards

ISO/IEC TR 10000-1: 1992, *Information technology - Framework and taxonomy of International Standardized Profiles -Part 1: Framework.*

ISO/IEC TR 10000-2: 1992, *Information technology - Framework and taxonomy of International Standardized Profiles -Part 2: Taxonomy.*

ISO/IEC 10021-1: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 1: Service Overview. [see also CCITT Recommendation X.400(1992)]*

ISO/IEC 10021-2: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 2: Overall Architecture. [see also CCITT Recommendation X.402(1992)]*

ISO/IEC 10021-4: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 4: Message Transfer System: Abstract Service Definition and Procedures. [see also CCITT Recommendation X.411(1992)]*

ISO/IEC 10021-6: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 6: Protocol Specifications. [see also CCITT Recommendation X.419(1992)]*

ISO/IEC ISP 10611-3: 1994, *Information technology - International Standardized Profiles - Message Handling Systems - Common Messaging - Part 3: AMH11 - Message Transfer (P1).*

ISO/IEC ISP 12062-2: 1994, *Information technology - International Standardized Profiles - Message Handling Systems - Interpersonal Messaging - Part 1: IPMS MHS Support Service.*

CCITT Recommendation X.400(1992), *Message handling system and service overview.*

CCITT Recommendation X.402(1992), *Message handling systems: Overall architecture.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

CCITT Recommendation X.411(1992), *Message handling systems: Message transfer system: Abstract service definition and procedures.*

CCITT Recommendation X.419(1992), *Message handling systems: Protocol specifications.*

(Application for copies of these documents should be addressed to the American National Standards Institute, 11 West 42nd Street, NY, NY 10036 or to ISO, Van Demonstrate 94, 1013 CN Amsterdam, Netherlands.)

2.3 Order of precedence

In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3 Definitions

For the purposes of this part of MIL-STD 2045-17502, the following definitions apply.
Terms used in this part of MIL-STD 2045-17502 are defined in the referenced base standards. In addition, the following terms are defined.

3.1 General

MM base standards : the base standards referred to in this Military Messaging profile consist of both the X.400 base standards and ACP 123 which provides the definition of the MM content type.

Basic requirement : an Element of Service, protocol element, procedural element or other identifiable feature specified in the base standards which is required to be supported by all MHS implementations conforming to this DSP.

Functional group : a specification of one or more related Elements of Service, protocol elements, procedural elements or other identifiable features specified in the base standards which together support a significant optional area of MHS functionality.

NOTE - A functional group can cover any combination of MHS features specified in the base standards for which the effect of implementation can be determined at an external interface - i.e., via a communications protocol (other forms of exposed interface are outside the scope of this version of MIL-STD 2045-17502).

3.2 Support classification

To specify the support level of arguments, results and other protocol features for this part of MIL-STD 2045-17502, the following terminology is defined.

NOTE - Most classifications for the required support of arguments, results and other protocol features by an MTA are as specified in MIL-STD 2045-17501-3. Those classifications used by additional requirements in this part of MIL-STD 2045-17502 are repeated here for information.

In the case of protocol elements, the classification is relative to that of the containing element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MM base standards shall be supported.

3.2.1 Static capability

To following classifications are used in this part of MIL-STD 2045-17502 to specify static conformance requirements - i.e., capability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

mandatory full support (m) : the element or feature shall be fully supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e., implying the ability to handle both the syntax and semantics of the element) as relevant, as specified in the MM base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed.

out of scope (i) : the element is outside the scope of this part of MIL-STD 2045-17502 - i.e., it will not be the subject of a DSP conformance test.

3.2.2 Dynamic behavior

The above classifications are used in this part of MIL-STD 2045-17502 to specify static conformance requirements (i.e., capability); dynamic conformance requirements (i.e., behavior) are as specified in the MM base standards. However, in a few cases it has been necessary to specify additional dynamic conformance requirements in this profile. These are specified using a second classification code for an element as follows.

required (r) : the element shall always be present. An implementation shall ensure that the element is always generated or otherwise used, as appropriate. Absence of the element on reception shall result in termination or rejection of the communication with an appropriate error indication as specified in the MM base standards.

4 Abbreviations and Acronyms

ACP	Allied Communication Publication
AMH	Application Message Handling
DCPS	Data Communications Protocol Standards
DOD	Department of Defense
DSP	DOD Standardized Profile
DSPICS	DOD Standardized Profile Implementation Conformance Statement
DTMP	DCPS Technical Management Panel
EoS	Element of Service
FG	Functional group
IEC	International Electrotechnical Commission
ISO	International Standards Organization
ISP	International Standardized Profile
ITU	International Telecommunication Union
ITU-T	ITU Telecommunication Standardization Sector
JIEO	Joint Interoperability and Engineering Organization
MHS	Message Handling Systems
MM	Military Messaging (Message)
MOTIS	Message-Oriented Text Interchange Systems
MS	Message Store
MT	Message Transfer
MTA	Message Transfer Agent
MTS	Message Transfer System
UA	User Agent

Support level for protocol elements and features (see 3.2):

m	mandatory full support
i	out of scope
r	required, dynamically mandatory

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

5 Conformance

This part of MIL-STD 2045-17502 states requirements upon implementations to achieve interworking. A claim of conformance to this part of MIL-STD 2045-17502 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annex A of this part of MIL-STD 2045-17502 are satisfied. Annex A states the relationship between these requirements and those of the base standards.

5.1 Conformance statement

For each implementation claiming conformance to profile AMH22(D) as specified in this part of MIL-STD 2045-17502, a PICS shall be made available stating support or non-support of each option identified in this part of MIL-STD 2045-17502.

The scope of conformance to profile AMH22(D) is restricted to MTAs. A claim of conformance to AMH22(D) shall support profile AMH11(D) as specified in MIL-STD 2045-17501-3.

5.2 MHS conformance

This part of MIL-STD 2045-17502 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ISO/IEC 10021 and/or the CCITT X.400 Recommendations.

Implementations conforming to profile AMH22(D) as specified in this part of MIL-STD 2045-17502 shall as a minimum conform to the basic requirements of profile AMH11(D), as specified in MIL-STD 2045-17501-3.

Implementations conforming to profile AMH22(D) as specified in this part of MIL-STD 2045-17502 shall additionally implement all the mandatory support (m) features identified as basic requirements in annex A. They shall also support corresponding MHS Elements of Service and associated procedures as specified in MIL-STD 2045-17502-1, as appropriate to the scope of this profile.

Implementations conforming to profile AMH22(D) as specified in this part of MIL-STD 2045-17502 shall state whether or not they support any of the optional functional groups as specified in MIL-STD 2045-17502-1 which are applicable to the scope of this profile. For each functional group for which support is claimed, an implementation shall additionally implement all the mandatory support features (m) identified for that functional group in annex A. They shall also support corresponding MHS Elements of Service and associated procedures as specified in MIL-STD 2045-17502-1, as appropriate to the scope of this profile.

Implementations conforming to profile AMH22(D) as specified in this part of MIL-STD 2045-17502 shall state the P1 application context(s) for which conformance is claimed.

5.3 Underlying layers conformance

Implementations conforming to profile AMH22(D) as specified in this part of MIL-STD 2045-17502 shall also conform to MIL-STD 2045-17502-1 in accordance with the P1 application context(s) for which conformance is claimed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Annex A

(normative)

DSPICS REQUIREMMENTS LIST FOR MIL-STD 2045-17502-3 (AMH22(D))

In the event of a discrepancy becoming apparent in the body of this part of 2045-17502 and the tables in this annex, this annex is to take precedence.

This annex specifies the support constraints and characteristics of MIL-STD 2045-17502-3 on what shall or may appear in the implementation columns of a DSPICS. Such requirements are additional to those specified in annex A of MIL-STD 2045-17501-3 (reference numbers correspond to items in that annex, or items in ISO/IEC 10611-3 Annex A, which is part of that DSP by indirect reference).

Clause A.1 specifies the basic requirements for conformance to profile AMH22(D). Clause A.2 specifies additional requirements to those specified in A.1 for each of the optional functional groups if conformance to such a functional group is claimed.

In each table, the "Profile" column reflects the level of support required for conformance to this DSP (using the classification and notation defined in 3.2). The supplier of an implementation for which conformance to profile AMH22(D) is claimed should complete the Support column of the tables in annex A of MIL-STD 2045-17501-3 in accordance with the requirements contained therein together with any additional requirements in this annex.

A.1 Basic requirements

The following are additional requirements beyond those stated in MIL-STD 2045-17501-3.

A.1.1 Initiator/responder capability

No additional requirements.

A.1.2 Supported application contexts

No additional requirements.

A.1.3 Supported operations

No additional requirements.

A.1.4 Operation arguments\results

A.1.4.2 Message Transfer

Ref	Element	Profile	Notes/References
1.1.4	content-type	m[1]	At least P772

NOTES:
1 At a minimum, an implementation must support the content type for MM (P772) which is identified by id-mmhs-content OBJECT IDENTIFIER ::={iso(1)identified-organization(3)nato(26)nato-standard(0)MMHS(4406)object-ids(0)content-type(4)mm88(1)}

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the currentversion before use.

A.1.5 Common data types

No additional requirements.

A.1.6 Extension data types

No additional requirements.

A.1.7 O/R names

No additional requirements.

A.2 Functional groups

A.2.1 Mandatory functional groups

There are no additional requirements for mandatory functional groups in this profile as specified in this part of MIL-STD 2045-17502 beyond the requirements specified in MIL-STD 2045-17501-3. There are no additional requirements to those specified for support of the functional groups.

A.2.2 Optional functional groups

There are no additional requirements for optional functional groups in this part of MIL-STD 2045-17502 to those specified in MIL-STD 2045-17501-3.

A.2.3 Prohibited functional groups

There are no additional prohibited functional groups in this part of MIL-STD 2045-17502 to those specified in MIL-STD 2045-17501-3.

A.3 Additional Information

There are no additional requirements for additional information in this part of MIL-STD 2045-17502 to those specified in MIL-STD 2045-17501-3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Annex B

(normative)

AMENDMENTS AND CORRIGENDA

International Standards are subject to constant review and revision by the ISO/IEC Technical Committees concerned. The following amendments and corrigenda are approved by ISO/IEC JTC1 and are considered as normative references in this part of MIL-STD 2045-17502.

NOTE - Corresponding corrigenda to the equivalent CCITT Recommendations are contained in the joint MHS Implementors' Guide, Version 11 (ITU Special Rapporteur's Group on Message Handling Systems and ISO/IEC JTC1/SC18/WG4 SWG on Messaging).

ISO/IEC 10021-1/Cor.1:1991

ISO/IEC 10021-1/Cor.2:1991

ISO/IEC 10021-1/Cor.3:1992

ISO/IEC 10021-1/Cor.4:1992

ISO/IEC 10021-1/Cor.5:1992

ISO/IEC 10021-1/Cor.6:1994

ISO/IEC 10021-2/Cor.1:1991

ISO/IEC 10021-2/Cor.2:1991

ISO/IEC 10021-2/Cor.3:1992

ISO/IEC 10021-2/Cor.4:1992

ISO/IEC 10021-2/Cor.5:1993

ISO/IEC 10021-2/Cor.6:1994

ISO/IEC 10021-2/Cor.7:1994

ISO/IEC 10021-4/Cor.1:1991

ISO/IEC 10021-4/Cor.2:1991

ISO/IEC 10021-4/Cor.3:1992

ISO/IEC 10021-4/Cor.4:1992

ISO/IEC 10021-4/Cor.5:1992

ISO/IEC 10021-4/Cor.6:1993

ISO/IEC 10021-4/Cor.7:1994

ISO/IEC 10021-4/Cor.8:1994

ISO/IEC 10021-6/Cor.1:1991

ISO/IEC 10021-6/Cor.2:1991

ISO/IEC 10021-6/Cor.3:1992

ISO/IEC 10021-6/Cor.4:1992

ISO/IEC 10021-6/Cor.5:1992

ISO/IEC 10021-6/Cor.6:1993

ISO/IEC 10021-6/Cor.7:1994

ISO/IEC 10021-1/Amd.2:1994

ISO/IEC 10021-2/Amd.1:1993

ISO/IEC 10021-2/Amd.2:1994

ISO/IEC 10021-4/Amd.1:1994

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

Annex C

(informative)

CONCLUDING MATERIAL

C.1 Subject Term (KeyWord) Listing

Allied Communication Publication (ACP)
DOD Standardized Profile (DSP)
Data Communications Protocol Standards (DCPS)
DCPS Technical Management Panel (DTMP)
DSPICS Proforma
International Standardized Profile (ISP)
Message Handling System (MHS)
Message Transfer Agent (MTA)
Message Transfer System (MTS)
Military Messaging (P772)
Open Systems Interconnection (OSI)
PICS Proforma

C.2 Preparing Activity: Defense Information Systems Agency (DISA) - DC

C.3 Reviewing Activity:

Army	SC
Air Force	02, 13, 17, 29, 90
DLA	DH
DMA	MP
DIA	DI
DOT	OST
OASD	IQ, DO, MA, IR
ODISC4	AC
STRICOM	PT
NAVY	EC, CH, ND, TD, OM
USMC	MC, CG

Project: DCPS-0001, Subproject 02

C.4 Custodians:

DISA:	DC
Army:	SC
Air Force:	90
Navy:	OM
DIA:	DI
NSA:	NS
USMC:	MC
DLA:	DH
Other:	Joint Staff/Architecture & Integration
	USSPACECOM

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1,2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-STD-2045-17502-3A	941130

3. DOCUMENT TITLE Information Technology-DOD Standardized Profiles AMH2n(D) Message Handling System (MHS) Military Messaging (P772) Part 3:AMH22(D)-MM Requirements for Message Transfer (P1)

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) DSN *(If applicable)*	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY **DEFENSE INFORMATION SYSTEMS AGENCY (DISA)**

a. NAME	b. TELEPHONE (Include Area Code)
Rose D. Satz	(1) Commercial(908) 532-7732 (2) DSN 992-7732
c. ADDRESS (Include Zip Code) Director JIEO Attn: TBBF Building 283 Ft. Monmouth, NJ 07703-5613	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:** Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 DSN289-2340

DD Form 1426, OCT 89 previous editions are obsolete. 198-290

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.