NOT MEASUREMENT SENSITIVE

MIL-STD-2045-17507-3
29 July 1994

MILITARY STANDARD

Information Technology
DOD Standardized Profile

Internet Network Management Profile for DOD Communications

Part 3: Structure and Identification of Management Information (SNMPv1)

AMSC N/A

AREA DCPS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Foreword

This military standard is approved for use by all Departments and Agencies of the Department Of Defense (DOD).

Beneficial comments (recommendations, additions, deletions) and any pertinent data that may be of use in improving this MIL-STD should be addressed to the:

Joint Interoperability and Engineering Organization (JIEO)
ATTN: TBBF
Fort Monmouth, New Jersey 07703-5613

by using the standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this MIL-STD or by memorandum.

This MIL-STD 2045-17507 series DOD Standardized Profile (DSP) is a functional standard produced by the Data Communications Protocol Standards (DCPS) Technical Management Panel (DTMP). DTMP functional standards are functional groupings of base standards. Referenced base standards may be commercial, DOD or de facto standards, although International Standards (produced by ISO, CCITT (now ITU-T), and other bodies) are preferred when possible.

This Defense Standardized Profile (DSP) is a functional DOD Data Communications Protocol Standard (DCPS) produced by the DCPS Technical Management Panel (DTMP). The MIL-STD-2045 document series was established within the DCPS Standardization Area to allow for the enhancement of commercial standards or the development of standards that are unique to DOD.

The MIL-STD-2045-10000 series, MIL-STD-2045-10000 to MIL-STD-2045-19999 inclusive, will be used to describe how DOD will implement commercial, international, national, federal, or military standards within the functional profile concept to provide required network services. The Government Open Systems Interconnection Profile (GOSIP) will serve as the base for developing the 10000 series with DOD enhancements, unique military standards, and interim standards being used only when necessary.

The MIL-STD-2045-20000 series, MIL-STD-2045-20000 to MIL-STD-2045-29999 inclusive, will be used to describe DOD enhancements and extensions to existing commercial, international, national, or federal standards.

The MIL-STD-2045-30000 series, MIL-STD-2045-30000 to MIL-STD-2045-39999 inclusive, will be used to describe protocols and services unique to DOD that will not be supported by commercial, international, national, or federal standards.

The MIL-STD-2045-40000 series, MIL-STD-2045-40000 to MIL-STD-2045-49999 inclusive, will be used to document interim standards. Interim standards document protocols and services needed by DOD until these protocols and services are described in either a GOSIP or in a MIL-STD-2045-20000 or -30000 series standard.

The MIL-STD-2045-50000 series, MIL-STD-2045-50000 to MIL-STD-2045-59999 inclusive, will be used to describe how DOD will implement commercial, international, national, federal, or military standards within the functional profile concept to provide required network services. The Government Open Systems Interconnection Profiles (GOSIP) will serve as the base for developing the 50000 series with DOD enhancements, unique military standards, and interim standards being used only when necessary. The difference between MIL-STD-2045-10000 series and the MIL-STD-2045-50000 series is that the 50000 series are interim profiles

Specific details and instructions for establishing a MIL-STD-2045 document, as well as profile development guidelines, are documented in MIL-HDBK-829. DTMP Working Groups shall be responsible for DSP

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

development and informal Service or Agency coordination; the DTMP Plenary shall be responsible for final review and approval.

This document is part of a set of interim DOD data communications protocol profiles based on the Internet protocol suite and is intended to support the interoperability of DOD communication networks, including connectivity with the Defense Data Network (DDN).

This part of MIL-STD-2045-17507 contains one normative and one informative annex:

Annex A (normative)	DSPICS REQUIREMENTS LIST (DPRL).
Annex B (informative)	CONCLUDING MATERIAL

For DOD acquisition purposes, where such differences exist, this DSP shall be the controlling document.

The Preparing Activity for this standard is the Data Communication Protocol Standards Technical Management Panel (DTMP). The custodians for the document are identified in the Defense Standardization Program, "Standardization Directory (SD-1)" and are classified in the Federal Supply Classification (FSC) system under Data communication Protocol standards (DCPS). Additional information can be obtained from:

Joint Interoperability and Engineering Organization (JIEO)
ATTN: DTMP Chairman
Ft. Monmouth, New Jersey 07703-5613

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

Contents

Paragraph		Page
Introduction		vi
1	Scope	1
1.1	General	1
1.2	Position within the taxonomy	1
1.3	Scenario	1
2	References	1
2.1	Government Documents	1
2.1.1	Specifications, Standards, and Handbooks	1
2.1.2	Other Government Documents, Drawings, and Publications	2
2.2	Non-Government Publications	2
2.2.1	Profiles	2
2.2.2	Base Standards	2
2.2.3	Other Non-Government Documents, Drawings, and Publications	2
2.3	Order of Precedence	3
3	Definitions	3
4	Abbreviations and Acronyms	3
5	Requirements	3
5.1	General Requirements	3
5.1.1	Names	3
5.1.2	Syntax	3
5.1.2.1	Primitive types	4
5.1.2.2	Constructor types	4
5.1.2.3	Defined types	4
5.1.3	Encodings	4
5.1.4	Managed objects	4
5.1.5	Guidelines for Object Names	4
5.1.6	Object types and Instances	4
5.1.7	Macros for Managed Objects	4
5.2	Conformance Requirements	4
5.2.1	Directory	4
5.2.2	Mgmt	4
5.2.3	Experimental	4
5.2.4	Private	5
5.2.2	Object type definition	5
5.2.2.1	Syntax	5
5.2.2.2	Access	5
5.2.2.3	Status	5
5.2.2.4	Value	5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Annexes

A	DSPICS REQUIREMENTS LIST (DPRL)	A-1
A.1	Introduction	A-1
A.1.1	Notation	A-1
A.1.2	Footnotes	A-2
A.1.3	Instructions for Completing the DPRL	A-2
A.2	Standards Referenced	A-3
A.3	DSPICS Requirements List	A-4
A.3.1	General Information	A-4
B	CONCLUDING MATERIAL	B-1
B.1	Deviations from Base Standards/Referenced Profiles	B-1
B.2	Subject Term (Key Word) Listing	B-1
B.3	Preparing Activity	B-1
B.4	Reviewing Activities	B-1
B.5	Custodians	B-2

Tables

A.3.1.1	Implementation Identification	A-3
A.3.2	The Path to the Root	A-3
A.3.3	Definition of Object Types	A-4

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

Introduction

This MIL-STD is part of a set of interim Command and Control (C^2) common data communication profiles. It will cease to exist upon the transition of the various military service and agency (S/A) networks to GOSIP. The purpose is to record what presently exists in, and what is needed to achieve the interoperability of the various S/A data communication networks deployed to support a Joint Task Force (JTF).

This DOD Standardized Profile (DSP) is defined within the context of functional standardization, in accordance with the principles specified by MIL-HDBK-829. The context of functional standardization is one part of the overall field of Information Technology (IT) standardization activities - covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the selection of options and other variations in the base standards to promote system interoperability and to provide a basis for the development of uniform, internationally recognized system tests.

One of the most important roles for a DSP is to serve as the basis for the development of recognized tests. DSPs also guide implementors in developing systems that fit the needs of the US Department Of Defense (DOD). DSPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other DSPs is crucial to the successful realization of this goal.

The base standards of this DSP include Request For Comments (RFCs) designated as Official Internet Architecture Board (IAB) standards and other RFCs.

This MIL-STD-2045-17507-3, DOD Standardized Profiles - Internet Network Management Profile for DOD Communications - Part 3: Structure and Identification of Management Information, is part of a multipart Application profile for the Simple Network Management Protocol (SNMPv1). This document covers the provisions and use of the MIB as defined in IAB STD 16 (RFC 1155 : May 1990, Structure and Identification of Management Information for TCP/IP-based networks).

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

Information Technology - DOD Standardized Profile (DSP) - Internet Network Management Profile for DOD Communications - Part 3: Structure and Identification of Management Information (SMI) (SNMPv1)

1 Scope

1.1 General

This part of DOD Standardized Profile (DSP) 2045-17507 applies to the Structure and Identification of Management Information for the Simple Network Management Protocol (SNMPv1) Standard.

1.2 Position within the taxonomy

This profile is classified as MIL-STD 2045-17507 in accordance with MIL-HDBK 829.

1.3 Scenario

This DSP specifies the provisions of the Structure and Identification of Management Information for the Simple Network Management Protocol (SNMPv1).

2 References

The following documents contain provisions which, through reference in this text, constitute provision of this part of DSP 2045-17507. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of DSP 2045-17507 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by DSPs to such documents is that they may be specific to a particular edition.

2.1 Government Documents

2.1.1 Specifications, Standards, and Handbooks

The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation. In the event of a conflict between the text of this profile and MIL-STD-2045-38000 the text of MIL-STD-2045-17507 takes precedence.

MIL-STD-2045-38000	*Draft Network Management for DOD Communications*
MIL-HDBK 829: July 1994	*Guidelines for Developing Data Communications Protocol Standards*

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the currentversion before use.

MIL-HDBK 1351: 23 July 1993 *Military Handbook, Network Management for DOD Communications*

DOD activities may obtain copies of DOD directives through their own publication channels or from the DOD Single Stock Point, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. Other federal agencies and the public may purchase copies from the U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.

Copies of Federal Information Processing Standards (FIPS) are available to Department of Defense activities from the Commanding Officer, Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Others must request copies of FIPS from the National Technical Information Services, 5285 Port Royal, Springfield, VA 22161-2171.

2.1.2 Other Government Documents, Drawings, and Publications

The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

None

2.2 Non-Government Publications

The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited in the solicitation.

2.2.1 Profiles

None

Application for copies of ISO documents should be addressed to the American National Standards Institute, 11 West 42nd Street, NY, NY 10036 or to ISO, Van Demonstrate 94, 1013 CN Amsterdam, Netherlands.)

2.2.2 Base Standards

IAB STD 16 *(RFC 1155 : May 1990, Structure and Identification of Management Information for TCP/IP-based Internets).*

RFCs are public domain and are available on the Internet.

2.2.3 Other Non-Government Documents, Drawings, and Publications

The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited in the solicitation.

IAB STD 15 *(RFC 1157 : May 1990, A Simple Network Management Protocol).*

IAB STD 17 *(RFC 1213 : March 1991, Management Information Base (MIB) for Network Management of TCP/IP-based Internets: MIB-II).*

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

ISO 8824 *Information Processing Systems - Open Systems Interconnection, "Specification of Abstract Syntax Notation One (ASN.1)", International Organization for Standardization, International Standard 8824, December 1987.*

RFCs are public domain and are available on the Internet.

2.3 Order of Precedence

In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3 Definitions

Internet Architecture Board (IAB) Standards (STD): The IAB has established this as an official standard protocol for the Internet. These protocols are assigned STD numbers.

Request For Comments (RFCs): RFCs are the working notes of the "Network Working Group," that is, the Internet research and development community.

Note: All standards are published as RFCs, but not all RFCs specify standards.

4 Abbreviations and Acronyms

IAB	Internet Architecture Board
Mgmt	Management
MIB	Management Information Base
RFC	Request For Comments
SMI	Structure and identification of Management Information
SNMP	Simple Network Management Protocol
STD	Standard

5 Requirements

5.1 General Requirements

A conforming implementation of this profile shall be unconditionally compliant and therefore, shall satisfy all the **"MUST"** and all the **"SHOULD"** requirements of the referenced base standards and shall not implement any capability that has been identified by the base standards as **"SHOULD NOT"**.

Implementations claiming conformance to MIL-STD 2045-17507 shall support the following as stated.

5.1.1 Names

There are no additional requirements as specified in RFC 1155, section 3.1.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

5.1.2 Syntax

5.1.2.1 Primitive types

There are no additional requirements as specified in RFC 1155, section 3.2.1.

5.1.2.2 Constructor types

There are no additional requirements as specified in RFC 1155, section 3.2.2.

5.1.2.3 Defined types

There are no additional requirements as specified in RFC 1155, section 3.2.3.

5.1.3 Encodings

There are no additional requirements as specified in RFC 1155, section 3.3.

5.1.4 Managed objects

Managed Objects should be defined as specified in RFC 1155, section 4.

5.1.5 Guidelines for Object Names

There are no additional requirements as specified in RFC 1155, section 4.1.

5.1.6 Object types and Instances

There are no additional requirements as specified in RFC 1155, section 4.2.

5.1.7 Macros for Managed Objects

There are no additional requirements as specified in RFC 1155, section 4.3.

5.2 Conformance Requirements

Implementations claiming conformance to this DSP 2045-17507 shall support the following as stated and described in the DSPICS Requirements List.

5.2.1 Directory

There are no additional requirements for the directory subtree as specified in RFC 1155, section 3.1.1.

5.2.2 Mgmt

There are no additional requirements for Mgmt subtree as specified in RFC 1155, section 3.1.2.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T07:56Z
Check the source to verify that this is the currentversion before use.

5.2.3 Experimental

There are no additional requirements for experimental subtree as specified in RFC 1155, section 3.1.3.

5.2.4 Private

There are no additional requirements for the private subtree as specified in RFC 1155,section 3.1.4.

5.2.2 Object type definition

5.2.2.1 Syntax

There are no additional requirements as specified in RFC 1155, section 6.

5.2.2.2 Access

There are no additional requirements as specified in RFC 1155, section 6.

5.2.2.3 Status

There are no additional requirements as specified in RFC 1155, section 6.

5.2.2.4 Value

There are no additional requirements as specified in RFC 1155, section 6.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the current version before use.

ANNEX A (normative)

DSPICS REQUIREMENTS LIST (DPRL)

A.1 Introduction

This document provides the DOD Standardized Profile Implementation Conformance Statements (DSPICS) Requirements List (DPRL) for implementations of the DOD Standardized Profile (DSP) 2045-17507. The DSPICS for an implementation is generated by completing the DPRL in accordance with the following instructions.

An implementation shall satisfy the mandatory conformance requirements of the base standards referenced in this profile.

An implementation's completed DPRL is called the DSPICS. The DSPICS states which capabilities and options of the protocol have been implemented. The following can use the DSPICS:

(a) the protocol implementor, as a checklist to reduce the risk of failure to conform to the standard through oversight.

(b) the supplier and acquirer or potential acquirer of the implementation, as a detailed indication of the capabilities of the implementation, stated relative to the common basis for understanding provided by the standard DSPICS proforma.

(c) the user or potential user of the implementation, as a basis for initially checking the possibility of inter-working with another implementation (note that, while inter-working can never be guaranteed, failure to internetwork can often be predicted from incompatible DSPICSs).

(d) a protocol tester, as the basis for selecting appropriate tests against which to assess the claim for conformance of the implementation.

A.1.1 Notation

The following notations and symbols from MIL-HDBK 829, which references ISO/IEC TR 10000-1 and -2, are used in the DPRL to indicate the status of features:

Status Symbols

m	- mandatory
m.<n>	- support of every item of the group labeled by the same numeral <n> required, but only one is active at a time
o	- optional
o.<n>	- optional, but support of at least one of the group of options labeled by the same numeral <n> is required
c	- conditional
-	- non-applicable (i.e. logically impossible in the scope of the profile)
x	- excluded or prohibited
i	- out of scope of profile (left as an implementation choice)

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the currentversion before use.

In addition, the symbol "•" is used to indicate an option whose status is not constrained by the profile (status in the base standard). The o.<n> notation is used to show a set of selectable options (i.e., one or more of the set must be implemented) with the same identifier <n>.

Two character combinations may be used for dynamic conformance requirements. In this case, the first character refers to the static (implementation) status, and the second refers to the dynamic (use); thus "mo" means "mandatory to be implemented, optional to be used."

Notations for Conditional Status

The following predicate notations are used:

<predicate>:: This notation introduces a group of items, all of which are conditional on <predicate>.

<predicate>: This notation introduces a single item which is conditional on <predicate>.

In each case, the predicate may identify a profile feature, or a boolean combination of predicates. ("^" is the symbol for logical negation.)

<index>: This predicate symbol means that the status following it applies only when the DPICS states that the features identified by the index are supported. In the simplest case, <index> is the identifying tag of a single DPICS items. The symbol <index> also may be a Boolean expression composed of several indices.

<index>:: When this group predicate is true, the associated clause should be completed.

Notations used in the Protocol Feature Column

<r> Symbol used to denote the receiving system.
<t> Symbol used to denote the transmitting system.

Support Column Symbols

The support of every item as claimed by the implementor is stated by circling the appropriate answer (Yes, No, or N/A) in the support column:

Yes Supported by the implementation.
No Not supported by the implementation.
N/A Not applicable.

Base standard requirements are shown using the equivalent notations in upper case (e.g., M, O, X).

A.1.2 Footnotes

Footnotes to the proforma are indicated by superscript numerals. The footnote appears on the page of the first occurrence of the numeral. Subsequent occurrences of a numeral refer to the footnote of the first occurrence.

A.1.3 Instructions for Completing the DPRL

A DSP implementor shows the extent of compliance to a DSP by completing the DPRL; that is, compliance to all mandatory requirements and the options that are not supported are shown. The resulting completed DPRL is called a DSPICS. Where this profile refines the features of the base standards, the requirements expressed in this

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:56Z
Check the source to verify that this is the currentversion before use.

DPRL shall be applied (as indicated in DPRL items with no "Profile Support" column) to constrain the allowable responses in the base standard DPICS proforma. When this profile makes additional requirements, the "Profile Support" column for such DPRLs shall be completed. In this column, each response shall be selected either from the indicated set of responses, or it shall comprise one or more parameter values as requested. If a conditional requirement is inapplicable, use the Not Applicable (NA) choice. If a mandatory requirement is not satisfied, exception information must be supplied by entering a reference Xi, where i is a unique identifier, to an accompanying rationale for the noncompliance. When the profile requirement is expressed as a two-character combination (as defined in A.1.1 above), the response shall address each element of the requirement; e.g., for the requirement "mo," the possible compliant responses are "yy" or "yn."

A.2 Standards Referenced

This profile specifies the provision of the Structure and Identification of Management Information, as specified in IAB STD 16 (RFC 1155: May 1990, Structure and Identification of Management Information for TCP/IP-based Internets), for the Simple Network Management Protocol (SNMPv1).

A.3 DSPICS Requirements List

A.3.1 General Information

A.3.1.1 Implementation Identification

Supplier	
Contact point for queries about the profile	
Implementation name(s) and version(s)	
Date of statement	
Other information: machine name, operating systems, system name	

A.3.2 The Path to the Root[1]

Item	Path	Profile	Support	Base Std. References
1	internet	m	Yes	6
1.1	directory	m	Yes	6
1.2	mgmt	m	Yes	6
1.3	experimental	m	Yes	6
1.4	private	m	Yes	6
1.4.1	enterprises	m	Yes	6

[1] The root is: iso.org.dod.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

A.3.3 Definition of Object Types

Item	Elements	Profile	Support	Base Std. References
1	type	m	Yes	6
1.1	ObjectSyntax	m	Yes	6
1.1.1	simple	m	Yes	6
1.1.1.1	number	m	Yes	6
1.1.1.2	string	m	Yes	6
1.1.1.3	object	m	Yes	6
1.1.1.4	empty	m	Yes	6
1.1.2	application-wide	m	Yes	6
1.1.2.1	address	m	Yes	6
1.1.2.1.1	internet	m	Yes	6
1.1.2.2	counter	m	Yes	6
1.1.2.3	gauge	m	Yes	6
1.1.2.4	ticks	m	Yes	6
1.1.2.5	arbitrary	m	Yes	6
2	Access	m	Yes	6
2.1	read-only	m	Yes	6
2.2	read-write	m	Yes	6
2.3	write-only	m	Yes	6
2.4	not-accessible	m	Yes	6
3	Status	m	Yes	6
3.1	mandatory	m	Yes	6
3.2	optional	m	Yes	6
3.3	obsolete	m	Yes	6
4	value	m	Yes	6
4.1	ObjectName	m	Yes	6

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

ANNEX B (informative)

CONCLUDING MATERIAL.

B.1 Deviations from Base Standards/Referenced Profiles

This MIL-STD documents the Structure and Identification of Management information in a ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles", and MIL-HDBK-829 format. This DSP does not deviate from the protocol as written in the RFC base standards.

The classification of the requirements in RFC 1155 have been changed in the DSPICS to the following:

RFC	MIL-STD
MUST	Mandatory
SHOULD	Mandatory
MAY	Optional
SHOULD NOT	Prohibited
MUST NOT	Prohibited

B.2 Subject Term (Key Word) Listing

DOD Standardized Profile (DSP)
Data Communications Protocol Standards (DCPS)
DCPS Technical Management Panel (DTMP)
DSPICS Proforma
Network Management
PICS Proforma

B.3 Preparing Activity

Defense Information Systems Agency (DISA) - DC Project: DCPS-0013, Subproject 05

B.4 Reviewing Activities

Army	PT
Air Force	13, 17, 29, 33.
DMA	MP
DIA	DI
DOT	OST
NSA	NS
OASD	IQ, DO, 1R
ODISC4	AC
STRICOM	PT
NAVY	EC, CH, ND, TD
USMC	MC, CG

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

B.5 Custodians

Army:	SC
Air Force:	90
Navy:	OM
DIA:	DI
NSA:	NS
USMC:	MC
DLA:	DH
Other:	Joint Staff/Architecture & Integration USSPACECOM

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1,2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-STD-2045-17507-3	2. DOCUMENT DATE (YYMMDD) 940729

3. DOCUMENT TITLE **Information Technology - DOD Standardized Profile (DSP) - Internet Network Management Profile for DOD Communications - Part 3: Structure and Identification of Management Information (SNMPv1)**

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) DSN *(If applicable)*	7. DATE SUBMITTED *(YYMMDD)*

8. PREPARING ACTIVITY **DEFENSE INFORMATION SYSTEMS AGENCY (DISA)**

a. NAME	b. TELEPHONE *(Include Area Code)*
Dr. Frank D. Curcio	(1) Commercial 908-532-7732 (2) DSN 992-7732
c. ADDRESS *(Include Zip Code)* Director, JIEO Attn: JEBBF (bldg 283) Ft. Monmouth, NJ 07703-5613	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:** Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756 2340 DSN 289-2340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:56Z
Check the source to verify that this is the current version before use.